Catalogus Horti Boranici

\*\*\*\*\*

# **OXONIENSIS**

Alphabetice digestus, duas, præterpropter,
Plantarum Chiliadas complectens, Priore
duplo auctior, idemque elimatior; nec non
Etymologiis, quà Græcis, quà Latinis, hinc
inde petitis, enucleatior: in quo Nomina
Latina pariter & Græca Vernaculis; & in
ejus sequiore parte, Vernacula Latinis,
præponuntur.

Cui accessere Plantæ minimum Sexaginta fuis Nominibus infignitæ, quæ nullibi nisi in hoc opusculo memorantur.

Curâ & operâ focia

PHILIPPI STEPHANI M.D.

ET

GULIELMI BROUNE! A. M.

Adhibitis etiam in confilium

D. BOBERTO Patre, Hortulano Academico ejulque FILIO, utpote rel Herbariz callentifimis.

- D. OXONII

Typis GULIELMI HALL, An. D. 1658.

\*\*\*

Feb.1912 25753

Authorities of the second seco

galesis? - finika si ili malaka ndari sa malagimi - ambili a a malaka si malaka, buladida

Land of Bull

M INEHIARY, 1981 PLAT

Acted the continuous lam.


For P is 1 of Pine secular.

Acodomica cat at Fig. (a capaign).

Healers wells and the secular is

11407.00

PE GULLELIU HALL, AND. 1810.



#### PRÆFATIO

Ad

## LECTOREM

PHILOBOTANICUM.



N habes (Lector benevole) Catalogum omnium Plantarum veræ Polyantheæ, Horti (fc.) Medici Oxoniensis, summa peritia & labore indefesso Jacobi Boberti, per multos annos culti & ornati: qualem autem se

prastiterit posteritas livoris expers fortasse de-

predicubit.

Interea temporis presto est, & obviam tibi venit, bic libellus, vere editus cum plante compedibus expedite, & novis quasi ve tibus amicte, emergunt è carceribus summo quasi desiderio te excipiendi, tuisque studiis gratulandi.

2

Nos

THEIMS

#### PR ÆFATIO

Nos crebris sollicitationibus philophytosophorum per moti hoc opus suscepimus, eoque allacrius (aliis quanquam laboribus tam publicis quam privatis reclamantibus) quod certo sciamus illud non ornamento solum, sed auxilio suturum esse

medicine, ad quam viam sternit.

Si quispiam autem vana sue eruditionis persuasione insolescat, & quia doctorat as laurea donatur, otiandum jam, & astudiis Botanicis seriandumputaverit; legat ille (si non dedignetur) vitam Fernelii. Æpistolas Bauhini, Lob. Math. & Fuchsii aliud suadentes ut sciat nos non injuria ab ejus opinione recessisse.

I. Amore nostratium adducti Gerrardum & Parkinsonumelegimus, & loco authorum habuimus (ad quos maxima pars botanicorum confugiunt pauci ad alios) quorum nominibus totidem fere

verbis usi sumus.

2. Plantarum appellationibus adjunximus nomina anthorum ut ubicunque reperias literam G: Gerrardum intelligas, P: itidem Parkinsonum, P: G: Parkinsoni Para disum, indigitant; declinamus enim peregrinos authores, nisi quando planta apud nostrates desiderantur.

3. Necuno cognomine comenti, utriusque authoris nomina (si que suerint) usurpavimus ut illorum tam discordantibus votis, nos vicissim non distrabemur: alias, babentem Parkinsonum lateret Gerrardi appellatio, & vice versa, binc parum fructus

#### AD LECTOREM.

furctus & emolumenti inde reportaret lector, ut cuilibet luce clarius: quod licet (onerofum) ideo fecimus, ne in posterum botanici (uti mos nimis invaluit) ad inepta & incerta nomina nullibi proba-

tis authoribus memorata deflecterent.

- 4. Nondum descripta plus minhs 60, à sterisco notavimus utpote que nec apud nostros aliosve authores occurrunt, multæ enim plantæ, ab utraque India quotannis adseruntur adeo ut nova materia es ansaulterius disquirendi Phytographis quotidiè prebetur.

. S. Authora nomina obscura & incongrua (ut in Leucoio, planta sensibili paucisque aliis) silentio præterire visum est, nostraque imposuimus rei berbaria (præsicinè loquimur) magis accommo-

data.

6. Tulipas & Caryophyllos cum aliquot aliis (in quibus est vera lascivientis natura essigies) tacuimus, quod eo consilio secimus quia numerosior, torum familia suis Gatalogis indigebit; accedit quod nomina vulgo recepta phytographorum authoritate carent.

7. In sequiore parte occurrit tibi (amice Lector) compendiosior plantarum Catalogus, idiomate Anglico (characterum diversitate sculpto) incoatus ubi generales tantum appellationes expressimus, quibus perspectis, in precedenti serie (levi saltem negotio) singulas species intueri licebit.

#### PRÆFATIO.


At nequis autumet nos in citandis Authorum paginis wasseyor, aut rem nibili, fecisse recordetur volimus, accuratissimum illud Theatrum Botania eum Hortum (sc.) Eistetensem exemplo nobis

extitiffe.

Neque boc solum responsionis loco sufficionus, nequaquam enim dubitamus, ipsum plantarum studiosum nobis non suffragaturum; cum in disquistione sua plurimas reperiat; non iconibus tantum carentes, sed titulis insuper, & descriptionibus propriis desiderantes: (nempe quam vel in aliarum descriptiones quedam consuse satis in ertiantur, quedam quasi in transitu aut in margine solum indigitentur) adeo ut non parum molestie lectori crearet earum intestigatio, precipue cum animadverterit nostro labore ipsus otium stetisse.

Cernis tandem, Candide lector, (uti in Arca Noachi omnium creaturarum species, tanquam mundi Epitomen, collectas) in Horto nostro, (quem microcosmum Botanicum appellare licet) singulas pane cujusque regionis plantas, ubi summa cura, diuturno labore, & impensis, enutrita, exculta, propagata in emolumentum publicum sservantur ubi oculis tris contemplantibus, nequaqum manibus rapientibus (Apage surtivam sinistram) gratis subjiciuntur. Fideliter tibi re-

cognite opera & studio



Ε μποφού δίναι συμβελίνω τον ίαθρον, οί τοιοής πάντων φυτών, οί ή μιλ, άλλα των πλοίς ων γλ, ή ων ή χερία πολλή.



Aderudicífimos viros, qui in hoc locupletiore

C A T A L O G O

pertexendo, collatis confiliis, elaborárunt.

N Vestras Laudes, in nostros sufficit usus Hic Liber; Hic vestri meta laboris erit. Ultra quam siquis forsan contenderit; ille Aggreditur magnum vel Salomonis opus.

Ad illorum alterutrum.

Plantarum exiguo claudis duo millia libro,
Multaque a B O U B A R T I b Jugera culta manu.
Sic is in angustum late diffusa coaretas,
Ut magnum Iliados qui nuce texit opus.
Hine'in Museo residens citò mente pererro
Extremo mundi quicquid ab axe venit.

a Quem illustrissimus D. D. Henricus Danversius Danbiæ Comes, Bonarum Literarum Fautor munificentissimus, ad curaturam & culturam Horti Botanici à se Oxonii primum, impensis suis instituti, 18 abhinc annis, aut circiter, accivit; D. Joanne Danversio nobilissimi Comitis Germano Fratre, & communi Academia, suffragantibus.

b Quz à Col. Magdalenensi possidentur, eidem-

que adjacent.

Pro

Τε ἀυτε πελε τος ἀυθες.
Επου καλου ορώ. Βεβλου πολυανθέα λέυσσω.
Κάπου απθυλή. Βίβλου ἀοὰ χλουεώ.
Αμφοθέρων χαίρεσε κόμαι γελόωσε το ἄνθυ.
Σώριος ὰκ ἄζω, ἀτε φλὸξ δεξάδος ἀλῶ.
"Ουθε χρόνε τέτες ἀμφιδουῶ Βορέας.
"Ους κὰ τέτων περικήδται, ἀυτὸς έφαξυ
Καὶ τ' ἰα ως Στόφανον, κὰ φιλέρες α ἀδδα.

Τε હેળી. Εθπος χαρτώθης, 3 χος βώθης διε એ σε Γεφιματα φύλλα έχοι, 3 φυτά φύλλα έχοι

Të durë. Kinos Biblos Tis: ould bis Tiva podutald osi. Biblos Exer colidas: Kinos Exer regards.

Votum ejusdem pro PROTECTORE.
Protector Regni Musarum protegit \* Hortes;
Et Protectorem protegat ipse Deus.

\*Academias & Scholas.

Scripfit in Col. Baliolenfi JO. HARMARUS Linguz Grzcz apud Oxonienies Przlector Regius.



## An the Authors of this Catalogue, way

THewarft the Globe of Earth fram'd by the Telephora outhor the of gur backet Of him, that made and doth all things command, Did cloth'd appeare in Tobes of youthfull green: Man then amtouch'd with woman or her finnes on Naked like Truth, as Truth without difquite 13 Was Gardner made to Gods own Paradize. He knew their names (for the their names did give) Of Fish and Roule, and whan on earth did live. All Plants to Adam then, as now. Flos Solis to the Sun, their heads did bow. He was their Lord and could command a view As of their faces, fo their natures too. Thus the great Simpler liv'd, and thus became Envyes first marke, till reaching at the name Of wife, he flood leffe Innocent, and loft His skill in Herbs when he it needed most. Hence came pale grief, defeafes, early death (With Satan) wandring to and fro the earth: And, but for you deare Friends, (not mine alone But friends to all who under ficknesse groane)

Might still devour, and uncontrouled rage, Like Herc'les Furens, on the world's great stage. For yee, in this your learned worke expresse.

The Balme of Gilead in an English dresse.

Herbs fit to heale all fores, and containes.

Which knew I not ye scorne to Steale or name.

Anothers child your own to purchase fame,

should believe twas first write by the pen.

Of Israel's King the wisest of all men;

Which lying hid two thousand yeares and more,

Was by some Angell found and made your store.

It gives all Plants their names, such names as doe.

Like the first mans, declare their nature too:

Sure none must do't, or 'tis your learned pain

Will find that tree of life he sought in vaine.

eric ine the live of charme that can't tell tails a sets the work at an of the state of steel Sur a " or setanion Brit me. Tis lost so as forward to the district the sea Shall on a si fend thee ro he lieffe as a. Bue with the contant that he care with those Who fin was in Volume, and enlarge they only While Mare provents to the deferred and Meyer for my Simples can of med a Take bert bis handfull and von will erofue Then Laber of Grant how before They to more then rive Casing of boroled I want be A We have our Stephens and what's our renown, They i precipit valent on our , we have them Now if Sicon bath and a medial file. Methy runter a their Summer i Verva



### Upon the Catalogue of the Physick Garden.

Tellcome thou light of natue that canst tell Herbs of such vertue, as would make the And grow far bigger, yet vouchfafft to be (Iwell But a fhort Springtide, or Epitome. Tis leffe room ferves thee 'till thy Authors pen Shall dash and fend thee to the Presse agen; But what is extant may compare with those Who fill whole Volumes and enlarge their profe While Plants prove non-scripts as by this you'l find Never fo many Simples out of mind: Take but this handfull and you will graspe more Then Parkinson or Gerrard knew before; They're more then rival'd put them both together, And they'l be forc'd to come a Simpling hither. We have our Stephens and what's our renown, They have their vulgar errours, we have Brown: Now these joyn hand in hand, methinks Ifpy Herbs put into their Summers livery; Ane

And though in fhort you'l find them all enrol'd, Scarce one poore Lilly which is left untold. Then call their names, and if you aske them why They are so call'd, see th' Etymology; Nature and art unmaske themselves together, And but one Pocket Book unridles either:

I wonder not at others though they be In solio, since the flower is in thee.

Capell Wiseman.

hee

d

er,

### Nomina plantarum in borto cresecentium va que disiderantur in Cavalogo.

Alyssum Galleni Chisi, P: 590. Gallens madwort according to Clusius.

Cicutaria bulbofa, P:932. bulb, wild Hemlock.
Coniza Hellenitis foliis laciniatis P: 126. Fleabane Mullet.

Lathyrus annuus siliquis orobi, G:1231. Cicercula flore rubente, P: 1065. party coloured Chichling.

9


A

B

Paralysis flore geminato purpureo, double purple Oxlips or hose in hose. \*

Medica frutescens, Lucerna vulgatius.

Calceolus Mariæ, Ladies Slipper, P: 217.
G: 443.



To D. St. and M. Br. on their Catalogue.

red

ole

That musters all the Natives of this Isle.

And forein herbs surprized in English ground

Are taken Prisoners and together Bound.

The Plants so neatly are described, there known

Better by these your leaves, than by their own.

If men would view their roots too, here they'l see.

Them in their unstrained Etymologie.

Here Plants collected are, and published; thus

You gather Plants, not for your selves but us.

We'd crown your worth with Garlands but the flowrs

That we combine, must be your own, not ours.

When Garden Plants shall dye, yours most shall thrive

And shall preserve, themselves, and you alive.

William Hawkins.

Asisson and a second and a seco

And finally ... and that but

Semanor.



#### A

A bies indin ab inde progredior, quod in altum tendit.

Abies, the Fir-tree. G: 1363. P: 1539.

Abies mas G: sive taxi foliis. 1363. male Firtree.

Abrotonum ¿Bejrovor ab ¿ pr. & Beóros, quia tota ferè hieme virent folia, potius à radicibus quæ reliquis subfruticibus diutius durant.

Abrot: mas vulgare G: 1105. P: 92. common Southernmood.

Abrot: frm. vulg. P: 95. Chæmicyparissus G: 1109. Lavender Cottton.

Abrot: Inodorum campestre G: 1106. P: 94. wild Southernwood.

Abrot. fæm. ericæ foliis P: 96. Unguentaria Lutetianorum Bauh. in Pinace 137. fine Lavender Cotton.

Absinthium a fir flor (quasi) a mir flor à veteribus dictum quia gustui ingratum, quanquam po-

sterioribus seculis potus absinthinus in usum venit.

Abs. vulgare P: 98. Latifolium five ponticum

G: 1096. common Wormwood.

Abs. tenuis ponticum Galleni G: 1096. Ponticum sive Romanum vulg. P: 98. Romane Wormwood.

Abs. tenuif. Austriacum G: 1098. P:99. Austri-

an Wormwood.

Abs: Maritimum lavendulæ folio P: 102. Artemisia Marina G: 1104. Lavender leafed Wormwood.

Abs. album G: 1101. album sive Umbellise-

rum P: 99. white tufted Wormwood.

Abs. marinum album G: 1099. abs. seriphium G: five marinum Anglicum P: 103. English sea Wormwood.

Abytilon Avicenna, in Althæâ.

Acanthium delvorab and fpina.

Ac. album G: 1149. vulgare P: 979. common

Ac. Illyricum purpureum G: 1149. P: 979.

purple Cotton Thiftle.

Acanthus fativus five branca urfina G: 1147.
P: 992. garden Beares Breech.

Acer opivaca quia folliculi seminum sunt

cuneiformes, vel ab acri sapore.

Acer majus &: 1484. acer majus latif. Sycomorus falso dictum P: 145. great Maple, or bastard Sycomore. Acer Acer minus G: 1484. P: 1425. the leffer Maple. Acetosa ¿¿axis ab acido sapore.

Acet. max. Germanica P: 742. Octava G:398.

great German Sorrell.

n

n

1e

-

i-

3.

078

9.

nt

y-

les

er

Acet. sive oxalis Franca, seu Romana G: 307. P: 742. French Sorrell.

Acet. vulg. G: 396. P: 742. common Sorrell.

Acet. tenuif. G: 397. Acet. minor lanceolata P. Sheeps Sorrell.

Acet. vescicaria Americana P: 744. Indian Sorrell with swollen busks.

Acet. minima P: 745. Oxalis minor G: 398.

Small Sorrell.

Acinos auro ab axirnro, immobilis quia transplantando fere perit.

Acinos G: 675. Acinos five Clinopodium

majus P. 22. stone Bafill.

Acinos Anglica Clusii. P:22. English wild Basil. Aconitum axinto quia in nudis cautibus olim suit inventum, quas aconas incolæ vocant. Quæ quia nascuntur dura vivacia caule, Agrestes aconita vocant. Ovid.

Aconitum hyemale G: 968. P: 314. winter

Woolfsbane.

Aconitum falutiferum; vid. anthora.

Aconitum luteum Ponticum G: 970. P: 312.

Acomitum max. Comâ nutante G: 974. P: 313. great Monkes bood with a bending top.

A 2 Acomi-

Aconitum bacciferum, sive Christophoriana G: 979. P: 379. herb Christopher.

Acorus anogor quia mus nogais (i.) oculorum

pupillis medetur.

Acorus verus officinarum G: 62. P: 140. the

freet smelling Flag.

Adiantum as larror (quasi) e stairerat, quia non madescit, vel quia stillicidia foliis ejus non insident.

Ad. album, ruta muraria, five salvia vitæ. G: 1144. P:1050. wall Rue or Rue maidenhaire.

Ad. sive Pollytricum aureum majus P: 1052. Muscus capillaris major, G. 1559, the greater golden Maidenhaire.

Ad. five Pollytricum aureum minus, P: 1052. Muscus Capillaris minor, G: 1559. the lesser

golden Maidenhaire.

Æthiopis aillionis à fuliginoso cinereoque aspe-

Etn, d.

Æthiopis, G: 779. Sclaria Æthiopica, five Æthiopis non laciniata, P: 58. Æthiopian Clary.

Ageratum aynperov non senescens, quia flos

diu in sua specie perseveret.

Ager. foliis non seratis, G: 648. minus P: 79. Maudlin with uncut leavs.

Ager. fl. albis, G: 648. Ager. vulgare P. 79. white flowred Maudlin.

Agnus ayros, quia castitatem conservat.

Agnus

Agnus, five Vitex angustiore folio, G: 1387. P:

1437. the Chaft tree.

1

e

S

S

).

7.

IS

Agrifolium sic dictum ob foliorum serocitatem Agrifolium vulgare spinosum, G: 1338. P:1486. prickly Holly.

Agrifolium non spinosum, sive aquisolium leni

folio, P: 1487. Smooth leafed Holly.

Agrifolium fructu Luteo. \*yellow berryed Holly.

Agrifolium variegatum. \* Striped Holly.

Agrimonia, Agrimonie gr. ἐυπατόριον ab Eupatore rege qui primus invenit, G: 712. P:594. Alcea ἀλκήα ab αλκή, ob ejus vires infignes.

Alcea vulg. P: 301. malva verbenaca, G: 931.

vervain Mallow.

Alcea flore albo G: 931. P: 301. white vervain Mallow.

Alcea folio rotundo laciniato, Bauh. in Pinace. 316. round leafed vervain Mallow.

Alcea fruticosa Canabina, G: 934. Al. fr. pentaphylla, P: G: 368. hemp leafed Mallow.

Alcea Vescicaria sive veneta, P: 302. peregrina G: 936. Venice Mallow.

Alcea Egyptia, G:937. P: 301. musk Mallow.

Alchymilla fic d. quia alchimistarum præconiis fit adeo celebrata. Lad. mantle. G:949. P:538.

Annanagor a Kannago olla testacea quam vesica semina continentes quadantenus referunt.

Alkakengi five Solanum halicacabum, G: 342. vulgare, P: 463. winter Cherry.

A 3

Alk.

Alk. five halic. indicum rectum P: 462. peregrinum G: 342. upright Indian winter Cherry.

Alliaria ob alliatum odorem & saporem G: 796. P:112. Country mans Sauce, vulgo Fack,

by the bedge.

Allium am ransobas quod exiliendo crescat. Ruel. eft n. quoddam ejus genus quod 60 diebus perficitur. Etiam & σχόροδον dicitur (quali) onaide poso in juriosa rosa, ob ingratam e jus redolentiam.

Allium vulgare hort: common garden Garlick.

. G. 178. P. G. 513.

Allium Urfinum flore albo, white flowred Ram-Jons. G. 179. P. G. 514.

Allium syl. tenuif. Crow Garlick. G. 179.

P. 870.

Alnus xxiden a xxeio claudo. Scapula.

Alnus valgaris. common Alder, G. 1477. P. 1409

Alnus nigra baceisera sive frangula. Alder with black berryes. G. 1470. P. 240.

Alordaniab das mare; quia locis maritimis

gaudet.

Aloe vulg, five sempervivum marinum, common Atoes, G. 507. P. 149.

Aloe folio macronato, prickly Aloes, G. 507.

P. 150.

Alopecuros and surface ob speciem cauda vulpinæ æmulam. Alop: Alop. genuina, The true Fox taile G. 87. P. 1166.

Alline daoim ab daoos lucus quia nemorofis

gaudet.

Aline major, great Chickw. G. 611. P. 1259.
Aline media G. 611 minor P: 1259, middle Ch.
quarum non conveniunt icones.

Alfine minima, fine Ch. G. 612. P. 1259.

Alfine petræa, rock Cb. G. 612. P.673.

Alfine fol. subrotundo, sive portulaca aquatica mater Purstaine. G. 614. P. 1260.

Alfine hirfuta myofotis Lob. Ad. mounseare Ch. Alfine baccifera, berry bearing Ch. G. 614.

P. 759.

Alfine foliis hederaceis. Ivy Ch. G. 616. P.762: Alfine hederula altera, great heubit. G. 616. P. 762.

Alfine foliis triffaginis. Germander Ch. G. 616.

P. 764. variat fl. albo.

Althea ab al daire medeor, quia plurimis pollet remediis.

Althen vulgaris, common marsh Mallow G. 936. P. 303.

Althæa lutea, five abytilon Avicennæ putatum yellow M. M. G: 935. P: 303.

Althæa arborescens, tree, m. M: G: 936.

P: 303.

Amaranthus audparrer (quali) immarcescibilis ab a pr. & uapairoum marcesso, vel potius

ex amore, & 2,00s (quasi) flos amoris, ob ejus venustatem.

Amar. coccineus, P:G: 373. velvet flower gemle.

A

A

Ai

A

A

A

A

A

A

A

A

A

Amar. purp. G: 322. purple flower gent.

Amar. panicula sparsa, G: 322. purpureus major, P: G: 373. branched flower g.

Amar. coccineus, G. 322. P: G: 373. scarlet

Amar. tricolor. G: 322. P: G: 373. Spotted

Amar. panicula incurva holoserica G: 322. velvet flower gentle with a bending top.

Ammi appe ab apple matula, quia adeo provocat urinam ut subinde opus sit matula. Ruel.

Ammi vulgare, common Bishops weed. G: 1036. P: 012.

Ammi parvum foliis forniculi, P: 913. small Bishops weed.

Amomum Plinii, G: 361. folanum fruticosum

P: 353. tree night shade. Ne momo alicui
anam prebeamus etymologiam hujus
missam facimus.

Amonum Virginianum, Virginian \* tree n.

Ampeloprassum. Vine leeks, G: 176. P: 870.

μπελόπρασον (quasi) viniale porrum, quia
provenit in vinetis; ab μπελος & πράσον.

Amygdalus, the Almond tree; ab auvxi fiffura quia post viride putamen fissuras quasdam oftendit.

Amig,

Amygdalus dulcis. sweet Almonds, G: 1145. P: 1515.

Amygdalus amarus, bitter Almonds G: 1145.
P: 1515.

Anagalis avaydaass à ydaas fluvio ubi primum

Anag. aquatica vulgaris, five beccabunga, common Brooklime, G: 620. P: 1236.

Anag. aq. five becab. flore albo, \* white flowred Brooklime.

Anag. aq. major, G: 620. folio oblongo crenato, P: 1237. long leafed water Brooklime.

Anag. aq. rotundif. G: 620. tertia Lobelii P: 1237. Lobels third water Brooklime.

Anag. aq. quarta Lobelii G: 621. P: 1237. Lobels fourth water Brooklime.

Anag. flore phaniceo, P: 557. Mas G: 617.

Anag. flore caruleo, blew flowred Pimpernell, -G: 617. P:557.

Anag. fl. luteo, yellow Pimp. G: 618. P: 558.

Anagyris di diversab de la & vigis, quia contrita

Anag. G: 1427. beane trefoile.

Anag. fætida, G: 1427. stinking be ane trefolle.

Amag. five laburnum majus, P: 245. the greater

Anchusa ' dy x vone do no dy x voi (no à colorando, ob radicis sanguineum colorem quod unum unum facit ut distinguatur à Lycople & Ecchio.

Anchusa degener facie miliisolis G: 618. lithospermum arvense radice rubente, P: 433.

bastard Cromel.

CHIMIN

Androsemum avs posaruor ob florem ejus qui contritus fuccum emittit humani sanguinis æmulum.

Androsemum P: 575. Clymenum Italorum G: 543. Tutsan or Parke leaves.

Androsemum hypericoides, G: 543. hypericum majus live androsemum Mathioli P: 575 Tutsan, S. Johns wort.

Androface annua spuria G: 531. altera major Mathioli P: 560. fommers Navell wort.

Anemone and The areas quia vento flante flores maxime apperiumur & facile difemiuntur.

Ad vitandam confusionem in catalogo anemonum ( quia numerofæ fant ) methodum Casp: Bauhini in opere suo elaboratifimo, & tanto authore digno, obserwavinus. Ille com totam hojus herba familiam in 5 classes accurate distribuit, (viz.) in anemones lati folias, tennuifolias, Gerani folias, sylvestres sive anem. nemorum, & in anemonem Mathioli. Non apponimus numerum quia fere omnes in, uno capite reperiantur (fc.) Pi G: cap.

25. G: l. 2. c. 76. P. Trib. 3. cap. 4. AnemoAr

A

A

& Anemones latifoliæ, vel flore pleno conffant, vel duplici serie foliorum in flore, vel unica tantum.

10-

33.

lui nis

m

ri-

P:

10

es

2-

-

)-

4

æ

t,

n.

1.

.

.

Anemone latifolia flore pleno, Cardinalis dicta P: double Cardinall Anemonie with broad leaves.

An. latif. fl. pleno albicante P: double pale An. with broad leaves.

An. latif. Perfica fl. pleno P: double Perfian An with b. leaves.

An. latif. Chalcedonica maxima G: P: great Spanish Marygold An.

An. latif. fl. pleno atro pupurascente Catalogi Parisiensis, the double darke purple An. with b. leaves.

An. latif. aurantiaca fl. pleno, P: double Orange tauny An. with b. l.

An. latif. violacea fl. pleno Cat. Parif. double Violet purple An. with b. l.

An. latif. fanguinea fl. pleno, \* double blood red An. with b. l.

Sunt & aliæ Anemones latifoliæ flore pleno quæ rubent vel placide erubescum, & ad coccineum colorem tendunt : alize vero carneo subsanguineo aspectu, aliisque coloribus, mira venustate spectatoribus arrident.

Anemones latifoliæ duplici ferie foliorum eadem penitus colorum varietate cum fimplicibus

cibus nitent, ideoque lubet earum catalo-

Anemones latif. fimplices.

An. latif. purpurea simplex, P: single purple An. with broad leaves.

An. latif. purpurea dilutior fimp. G: P: pale purple An. with b. l.

An. latif. atro-purpurea, f. P: darke purple

An. latif. flore purpuro-violaceo, s. P: Violet purple An. with b. l.

An. latif. flore purp, saturo, s. \* deep purple

An latif. flore ex purpureo saturatius rubescente S. \*deeper reddish purple An. with b.l.

An latif flore violaceo C.P. violet coloured

An. latif. flore purp. violaceo, striato, s. P. striped purple An with b. l.

An. latif. perfica violacea, s. P: the violet Perfian
An. with b. l.

An. latif flore carneo, f. P: flesh coloured An with b. l.

An. latif. fl. ex carneo albescente, f. \* pale flesh coloured An with b. l.

An. latif. flore carneo vivacissimo S: P: Carnation An. with b. l.

An. latif. infumata, f. P: the gray Anem.

An.

A

A

A

A

A

A

A

A

A

A

A

An. latif. muscatella, s. P: Nutmeg An.

An latif. Cardinalis f. P: single Cardinall An. An. latif. flore coccineo, f. P: the ordinary

Scarlet An.

In.

ile

ble

et

le

24

d

.

12

An. latif. flore coccineo phæniceo f. P: crim-

An. latif. flore dilute coccineo, f. \* stamell

An. latif. flore rubro, f. P: ordinary red An.

An. latif. flore subrubro, s. P. reddish An.

An. latif. flore rutilo, f. G: P: fire red An.

An. latif. flore rutilescente, s. \* dusky red

An. latif. flore sanguineo, s. P: blood red An.
An. latif. suave rubens versicolor: \* the lively

red or painted An.

An. latif. flore miniato diluto, s. P: pale red An. An. latif. fl. rubescente, P: the maiden blush An.

An. latif simplex aurantiaca sive pavo minor,

P: the leffer single Orange tauny An.

Si numerum foliorum, eorumque magnitudinem accuratâ trutinâ perpenderemus,
innumeris pœnè aliis hujus Anemones diversitatibus facile posset noster
catalogus intumescere, ad miraculum
enim ludit natura in hisce storibus;
at istud operis criticis relinquimus.
Nos vero satis coloris habemus quo

(14)

jure optimo tot nomina possumus pa-

Anem. tenuifoliæ sequuntur.

Anemone tenuifolia flore albo pleno P: double small leafed white An.

An. ten.fl. pleno albicante P: double small leafed

pale An.

An. ten. flore pleno coccineo G: P: small l. double scarlet An.

An. ten. flore coccineo pleno variegato P: sm.

leafed double striped scarlet An.

An. ten. fl. pleno rubro-fusco comà amaranthianà P: small leafed double purple velvet An. An. ten. fl. pleno purpureo violaceo P: small l.

double blewish purple An.

An. ten. fl. pleno carneo vivacissimo, P: sm. l. double Carnation An.

An. ten. fl. pleno Roseo P: small l. double Rosecoloured An.

An. ten. fl. coccineo saturo pleno P: small l. double crimson velvet An.

An. ten. fl. coccineo pleno variegato P: sm. l. double parti-coloured crimson An.

An. ten. fl. coccineo pleno vulg. G: P: small le common double red or scarlet An.

An ten. coccineo flore simp, G: P: sm. l. single searlet An.

An. ten. pur. vulg. G: P: small 1. ordinary purple An.

An.

L

Ł

An. ten. simplex fl. holosericeo, F: sm. l. crimfon velvet An.

An. t. simp. facie florum pomi. P: single leaf.
Apple bl. some An.

An. t. simp. alba unguibus purpureis P: single white An. with purple bottomes.

An. t. simp. alba venis purpureis P: single white

An. with purple veins or stripes.

pa-

uble

efed

11.

ſm.

an-

An.

111.

fm.

se-

11.

. 1.

11.

gle

r-

n.

An. t. simp. alba staminibus purpureis P: single white An. with purple Thrums.

Sunt & aliæ Anem. tenuifol, quæ staminibus, venis, & unguibus, satis distinguntur, quas studio brevitatis omittimus.

Anem. fylvest. five nemorum.

An. nemorum alba fimp. single white-wood Anem.

An. nemorum fl. pleno albo. double white-wood Anem.

An. nemorum fl. simp. purpurascente, single purplish mood Anem.

An. nemor. fl.pleno purpurascente, double purp.

An. nemor. five fyl. lutea fimp. yellow fingle wild Anem.

An. nemorum purpurea, purple mood Ansmo-

Anem. Geranii foliæ.

An. Geranifolia, G: flores habet cæruleo-albicantes. Gerards Storks bill An.

An

An. Geranifol. purpurascens papaveracea purp. storksbill wind flower An.

Anem. Mathioli.

An. Mathioli, G: 377. fyl. latifol alba five tertia Mathioli, P: G: 202. Mathiolus his white Anem.

Anethum dentes mapa to des tier, quod cito crescat vel ab dente quod est coitio venerea ad quem lacesci. Anethi usus ut antiqui prodiderunt; tamethi plurimo usu genituram tandem exhauriat.

Anethum, G: 1033. Aneth. hortense five vulg.

P: 886. common garden Dill.

Angelica fic d. ob angelicas & infignes e jus virtutes.

Angel. sativa, G: 999. P: 939. Garden Angelica.

Angel. syl. G: 999. P: 941. wild Angelica.

Archangelica, G: 1000, P: 940. great wild

Angelica.

Angel. lucida canadensis Cornuti, P:75. Panax alterum Americannm splendente solio, laserpitium creditum quibusdum, P: 949. shining Angelica.

Ang. baccifera (i.) panax \*\*\* feu racemosa Affricana, P: 950. the crusted berried Allheale

of America.

Amsum. Anise, ab e prim: & isos. quia folia profert admodum inæqualia: vel ore arinse

P.

tia

ite

to

ca

o-

lg.

ir-

e-

ild

ax

r-

ng

ssa ale

lia

ge.

тая теритециатыюнь, quod tensiones flatulentas remitat, G: 1035. P: 911.

Anonis dravis & ovavis, quia est inimica arato-

Anonis spinosa purp. prikly Rest-barrow with a purple flower. G: 1323. P: 993.

Anon. non spinsa purp. smooth purple Restbarrow, ibid.

Anon spinosa flore albo, white flowred Rest-

Anthyllis artinais am martin (quafi) florida a copia florum suo genere elegantium.

Anthyllis leguminosa vulg. ordinary kidny Vetch, G: 1240. P: 1093.

Anthyl. legum, vesicaria Hisp. Spanish Kid. Vetch. P: 1094.

Antirrhinum avrippivov & avappivov à fimilitudine narium vituli quos feminis receptaculum optime figurat.

Antir. purp. purple Snapdragon, G: 549. P: G:269.

Ant. album, white Snapd. ibid.

Antir. alb. ore striato. \* white striped Snapd.
Antir. purp. ore striato \* purp. striped Snapd.

Hæc non scripta una cum prioribus ex eodem semine variant colore aliquando dilutiore aliquando saturatiore.

Antirhinum album minus, five alterum.

fl. albo, P: 1333. Small white Snapd.

Antir. fyl. medium, P: 1334. minus, G: 549. the greater wild Snapd.

Antir. fyl. minimum, G: 549. the least wild

Snapa.

Aparine vulg. common Cleaver, G: 1122. P: 567. gr. ομεαλόκαρη dicitur, ab um belici similitudine quam semen e jus refert.

Aphaca. the yellow wild Vetch, G: 1122. P: 1067. gr. andun dicitur ut diftingnatur à lente que pani dicitur, vel ab à priv. & payo

quia in cibis est inutilis.

Apios vera, knobbed Spurge, G: 504. P: 195. Apium, of ever and The realisme, à lunatico affectu quem (ut aliqui volunt) accersit efit.

Apium hortense vulg. garden Parsly, G: 1013.

P: 923.

Ap. palustre five paludapium, marsh Parsty or Smalladge, G: 1014. P: 926.

Ap, crispum, sive muldfidum. G: 1013. P: G:

491. curled Parfly.

Ap. sive petroselinum Virginianum, Virginian, Parfly G: 1013. P: 923.

Apium rifus, vid. ranunculus palustris fardinius

latus.

Apoc. rectum latif. Americanum, P. 386. great Dogsbane of America.

Apoc.

Apoc. angustif. sive repens, P: 336. periploca repens angustif. G: 902. climing Dogsbane. Aquilegia sic d. quia ejus solia colligunt aquam.

Aq. Simplices.

Aq. carulea, G: 1093. vulg. simplex. P: G: 271. blue Columbine.

Aq. rubra, G: 1093. P: G: 271. red Col.

Aq. flore albo, P: G: 271. white Col.

Aq. Castanei coloris, Bauh. in pin. 144. Chefnut colour Col.

Aq. Virg. flore rubescente, P: 1367. red Vir-

ginian Col.

9.

ld

P:

n

P: à

3.

or

m,

us

6.

c.

Reperiuntur aliæ Aq. fimplices quæ ex eodem femine variant colore purp. incarnato & varieg. ex ceruleo & albo.

Multiplices.

Aq. vul. fl. pleno, double blew C. P: G: 271. G: 1094. flos hujus generis communiter cæruleus; est & violaceus, cinereus, blandè vel saturè, rubens; albus, ex albo cæruleus, violaceus variè mixtus, & maculatus.

Aquilegia inversis corniculis, G: 1094. P: G: 271. double inverted Col. hujus generis reperiuntur varii colores, viz. albi, purpurei,

rubri dilutiores & faturatiores.

Aq. Rosea, G: 1094. P: G: 272. Rose Col. hujus storis color communiter cæruleus est

& albus rarissime carneus, vel albus nigris punctis aspersus.

Arabis, v. draba vulgaris.

Arachus den xos and This deas, quia est pestis leguminosæ frugis.

Arachus five cracca major, G: 1227. P: 1071.

the great wild Vetch.

Arbutus, the Strambery Tree, G: 1496. P:

1489.

Arbor Judæ. Judas his Tree, sic dicitur quia suit patibulum Judæ, ut aliqui sibulantur, G: 1428. P: 1554.

Arbor vitæ, Tree of life, buia and ne bus quia spirat odorem suffimentosum. Est tertium Genus Thuiæ Lugd. G: 1369. P: G:

Argemone αςγεμόνη quia τες αςγέμες ex oculo

tollit.

Argem. Intea Cambro-brittanica, G: 373. P: 370. yellow wild bastard Poppy of Wales.

Argem. flore rubente capit. longiore, long cod-

ded wild Poppy, G: 373. P: 370.

Argentina, G: 993. Potentilla, P: 593. argentina dicitur ab argenteo foliorum splendore. Potentilla à viribus quibus pollet, silver meed, or mild Tansey.

Aria Theophrasti, wild Service tree, or Cumberland Hamthorne, G: 1327. P. 1421.

Arifarum latifolium, G: 835. P: 374. broad leaved Fryars Cowle. Arifa-

Arifarum angustifol. G: 835. Longifol. P: 374.

narrow leafed Fryars Comle.

Aristolochia, aus o no xia quia est deis rais noxeias optima puerperis, hinc forsan Nicandri Scoliastes refert Aristotelem hujus herbæ inventionem mulieri tribuisse.

Aristolochia saracenica, G: 847. Saracens

Birthwort.

Aristolochia Clematitis, climing or running Birthwort, G: 847. P: 921.

Armerius angustif. rubeus implex, P: G: 321.

fingle red sweet Johns.

Notandum quod Armerii rubri angustis flores die 10, & 20, quibus aperiuntur; lactei prorsus sunt candoris; sequentibus (albedine paulatim evanescente) omnino tandem purpurascunt. Sic ut in cadem umbella flores alios, lacteos, alios exalbidos, & media ex parte purpurascentes, alios vero in totum purpureos, conspicere licet.

Armerius angustif. albus simplex, single white

Sweet Fohns, P: G: 319.

Armeria hort. rubra multiplex, double red sweet Johns, G: 598.

Armeria latif. holoserica, P: G: 320. velvet

Sweet Williams.

Armeria latifolia variegata, speckled smeet

B 3 Williams

Williams or London Pride. P: G: 319.

Armoraria sylv. Hore pleno, double Crow foot flower, G: 600.

Armoraria sylv. mas, G: 600. male wild Wil-

liams.

Artemisia de remisia, ab Artemisia uxore Mausoli regis quæ sibi hanc herbam adoptavit;
vel quia sæminarum malis (quibus 'deremis
(i.) Diana præest,) medetur.

Artemifia vulgaris, common Mugmort, G: 1103.

P: 90.

Art. foliis variegatis, \* striped Mugmort.

Arun apor ab ap , quia est herba ad multa utilis: vel à similiandine quam habet cum Aronis cucullo.

Arun vulgare maculatum, & non maculatum, G: 834. P: 372. common wakerobbin spotted, and without spots.

Arundo κάλαμος quia καλώς αμάτας facile meti-

titur five incciditur, Harmarus.

Arundo valatoria, common Reed, G: 36. P: 1209.

Ar. Hisp. tive donax, P. 1209. Spanish Reed. Affarum areev (quali) arapator, quod in ornatum non veniat.

Affarum vulg. common Affarabacca, G: 836.

Ascalonitides G: 170. Scallions, ab Ascalone
Judez oppido ubi maxime nascumur, teste
Strabone.

Ascalonitides G: 170. Scallions, ab Ascalone
Ascalonitides G: 170. Scallions, ab Ascalone

Asclepias 'agrantias, ab Æsculapio qui hanc herbam suo nomine nobilitavit.

Asclepias flore albo, white flowred Swallow wort,

G: 898. P: 387.

Asclepias flore nigro, black flowred Smal. G:

898. P. 387.

Ascyrum 'donner quod & 'aonngolde', & 'andgóoutpor vocatur, quia est planta hyperico non diffirilis.

Ascyrum vulgare, ordinarie Peters wort G:542.

P: 574.

Asparagus ao megy o ab a priv. & omigo tremo, quia valet contra tremorem.

Asparagus sativus, G: 1110. garden Aspara-

gus.

Asp. Batavicus max. P: G: 503. great Asparagus.

Asperula diminutivum, quia (sc.) nec semina nec ejus folia multum habent asperitatis.

Asp. odorata, common Woodroofe, G: 1124. P: 562.

Asp. flore caruleo, blew flowred Woodroofe, G: 1124. P: 562.

Asp. 5.G: ib. small red flowred Woodroofe, found

lately neer Hincksy.

Asp. astiva flore albo, \* white summer Woodroofe, hæc à cærulea tantum colore differt.

Asphodelus aspostes & ab asmis & stends quia aspidi inimica sit; quippe drach, tres hujus herbæ herbæ contra venenum istius serpentisinsigne & præsentaneum est remedium. Gen. Hist.

Asphodelus luteus, G: 95. luteus minor, P.

1218. the Kings Speare.

Asph. lancastreniis, G: 95. Pseudoasphodelus major sive palustris, P: 1218. Lancashier Asphodell.

Asph. non ramosus G: 93. white Asphodell.

Asplenium sive ceterach, Spleenwort or Miltwast, G: 1140. P: 1045. 20 Annor quia lieni medetur.

After a Cristà foliorum figura stellæ modo ra-

diatorum.

After foliis salicis, G: 488. P: 129. Sallow leafed Starwart.

After Atticus Italorum fl. purp. P: 132. after Italus, G: 486. Italian purple Starwort.

After racemosus Virg. sive fruticosus minor, G: 489. branched Virginian Starwort.

After Virg latif. luteus repens, P: 130. yellow

creeping Starm rt, of Virginia.

After luteus Virginianus Caule membranaceo, P: 130. yellow Virginian Starwort with a filmy stalke.

After montanus caruleus magno flore foliis oblongis Bauh. in Pinace 267. mount ain blem

Starwort.

After salicis foliis flore albo, \* white sallow leafed Starwort.

Aftericus

Astericus latif. autumnalis Cornuti, cap. 27.

Dasy leafed Starwort.

Astragalus doledanos sic d. quia adnatas habet apendices nodosas, & inter se implicatas instar jun Euræ articulorum.

Astragaloides, G: 1239. Astragaloides herbariorum, P: 1086. Bastard milk Veich.

Astrautia nigra, vid. Helleborus.

Atriplex as papo gov quod as gos 'augu statim a-dolescit.

Atr. sativa alba, G: 324. P: G: 488. garden white Orach.

Atr. fativa purp. G: 224. P: G: 488. purple Orach.

Atr. olida, G: 327. P:749. stinking Orach.

Atr. fylv. vulg. G: 326. vulg. finuata major, P. 748. common wild Orach.

Atr. baccifera, berry bearing Orach, G: 326. P: 748.

Atr. sylv. latissive pes anserinus, G. 328. P: 749: Goosesoot.

Atr. fylv. polygoni aut Helxines folio (i.) Atr. fylv. angustif. P: 748. G: 326. narrow leafed wild Orach.

Atr. fylv. altera, G: 326. halimis folio, P: 748.

small wild Orach.

Atr. sylv. sive polyspermum G: 324. blitum pollyspermum, P: 754. wild O. or all seed. Avellana, the Fillbert, xagúa worting quia

ad nos è Ponto venisse tradit Plinius.

Avellana nucleo albo, G: 1438. P: 1416. white Filbert.

Avellana nucleo rubente, red Filbert.

Avellana ma jor, great Filbert.

Avellana fylv. bafell Nut. ib. Sunt & plurimæ aliæ species que sigurâ & tempore maturationis à se invicem distinguntur.

Avena Brouss à Broun, quia untratior fuit cibus iis qui olim hoc nomen imposuerunt.

Avena velca, manired Oates, G: 75. P: 1134. Avena nuda, naked Oats, G: 75. P: 1135.

Auricula ursi sic d. ob figuram soliorum auriculis ursinis quadantenus similem.

Auricula ursi major flore albo, G:787. P.238. great white Beares eare.

Aur. urfi fl. purp. purple flowred b. e.

Aur. ursi fl. purp. caruleo, violet coloured b. e. Aur. ursi flore rubello, P: G: quarta Clusii

G: scarlet b. e.

Auric. ursi fl. rubro, P. G. 2. Clusii G. red b.e. Aur. ursi flore tanetto, P. G. tauny b. e.

В

B

B

Ba

Aur. ursi crinis coloris, P: G: baire coloured b. e.

Aur. ursi flore purp. variegato Cat. Parisiensis,

Aur. ursi flore luteo, G: savo, P: Conslip b. e. Hac habetur floribus majoribus, & minoribus pallidioribus, & saturius luteis; foliis

foliis densioribus tenuioribus, viridibus & incanis & canescentibus, qua etiam varietate aliæ elegantiores auriculæ pollent, quæ etiam variant floribus modo denis, modo vicenis, & tricenis, ab uno caule pendentibus; juxta & colorum varietate ab eodem semine copiosè emergentibus.

Auricula muris, vid. Pilofella.

te

IS

-

ii

.

1

,

## B

B Accharis Banzaeis (quali) manzaeis ob eximiam fragrantiæ igratiam.

Baccharis Monspeliensium, G: 791. P: 114.
Plommans Spicknard.

Balfamita, ab odore balfamino dicta.

Bal. mas, G: 648. costus hortorum major,

P: 78. Costmary.
Balsamina frm. G: 362. P. 715. female balfome Apple, sic d. quia instar balsami mira-

biliter agglutinat vulnera.
Balfamina mas, G: 362. P: 715. male balfome

Apple.
Ballote, vid. marrubium nigrum.

Barba Jovis fautex, P: 1459. the filver bush, for-

Be

Be

Be

Be

Be

Re

Be

Be

Be

Bo

fan ob canitiem fie d. quia rami instar come Be in rotunditatem spissi.

Barbarea fimplex, G: 243. P: 819. common winter Cresse or rocket: fic dicitur qui est herba fanctæ Barbaræ ut quidam vo. Be lunt.

Bardana 'dentenov ab 'dentes ob similitudinem Be quam echinatæ lappæ habent cum villoss urforum capitibus.

Bard. major, G: 809. P: 1223. great Burdock. Bard. minor, Edilor quod flavos capillos reddat, dicitur & xoreasonebeer quali frumarum pernicies; hinc quibusdam strumaria nominatur. Small Burdock, G: 809. P: 1223.

Bard.altera Virg.P:1222. in marg. Virg. Burd. Battatas de canada, P:1382. flos folis pyramidalis, G: 753. French Battatas, or Ferusalem Artichock.

Bat. Virgin. G: 927. P. 1383. Virginian Potatoes.

Batt. occidentalis Indica, & P: 1383. Bat. Hisp. Camotes &c. Lob. Bat. Hisp. G: 925. Spanish Potatoes.

Beccabunga, in Anagallide.

Behen album, vid. papaver spumeum.

Bellis à filiabus Beli regis quæ nomen imposuerunt, Gen. Hift.

Bellis major sylv. G:63 4. P: 528. great white wild Daifie. Bellis Bellis minor syl. G. 636. small white wild Daisie. Bellis media syl. G: 636. middle white Dasie.

mon Bellis minor hort. multiplex fl. alb. G: 635.

P: G:322. leffer double white Daifie.

vo. Bellis minor hort, mult. fl. rubro G: 635. P:G: 322. leffer double red Daise.

Bellis media hort. mult. fl. albo, G: 635.

leffer garden double white Daifie.

Bellis minor hort. mult. variornm colorum P:G: 322. middle double striped red Daise.

Bellis major ramosa umbellisera Americana

P: 528. great strange white Dafie.

Bellis minor hort. prolifera, G: 636. P. G: 322. childing Daisie.

Bellis major hort. fl. albo pleno, P. G. 322.

great double white Daisie.

Relli. major hort. prolifera fl. albo \*, great white childing Daisse. Bellis mult. rub. florum foliis fistulosis \*, pipe

Dasie.

1112

uia

em

ofis

ck.

ed-

12-

ru-

09.

rd.

ni-

em

4-

at.

5.

e-

te

Bellis viridis globosa \*, green Dasie:

Belvidere sive scoparia Græcorum, G: 554. scoparia Italorum P: G: 268. Broom toade flaxe.

Berberis, P. G: 561. spina acida, sive oxyacantha G:1325. the Berberry bush, ofudxasa ob spinas ramorum & fructus saporem.

Berberis fine nucleo, G: 1325. P: G: 561. Ber-

beries without stones.

Beta

Beta à litera β quam figurat cum semine turget. gr. σεῦτλον τεῦτλον ab impulsu, quia facile excrescit.

Beta alba, G: 318. P: G: 489. white Beete, habetur major, & minor.

Beta rubra vulg. G: 318. P: G: 489. commin

Beta rubra Romana, G: 319. P: G: 489. red Romane Beete, variat rotunda radice.

Beta marina, Bauh. in pin. 118. Beta sylv. maritima, P: 550. sea Beete.

Betonica xiseov à florum spicata acutie verucu-

Bet. Pauli, vid. veronica.

Bet. vulgaris. common Betony, G: 714. P: 614. Bet. flore albo, white flowred Betony, G: 714. P: 614.

Bet. major Daniæ, P. 615. Danes Betony.

Bet. aquatica, mater Betony, G: 715: P. 613.

Betula, the Birch tree, onuida à onua & Nidou quia olim fasces ex ea facti præbuerunt signum magistratus, G. 1478. P. 1408.

Twaiblade, à numero foliorum d. reperitur nonnunquam 3. foliis.

Bistorta d. quia radix est in se contorta modo serpentis.

Bistorra major vulg. common Snakeweed, G: 399. P: 291.

Bistorta

B

B

B

B

B

B

B

Bistorta minor nostras, small Snakeneed, G: 399. P: 392.

Blattaria, quia blattas in se contrahit.

Blatt. lutea minor, common yellow Moth Mullein

G: 778. P: 64. Blattaria alba, white M. M. G: 778. P: 64.

Blatt. flore viridi, G: 777. P: in margine 64.

green M.M.

urfa-

na-

nce

red

ıri-

cu-

14.

14

lig-

ary

tur

odo

G:

rta

Blat. purpurea, purple M. M. G: 776. P: 64. Blatt. Hore ex viridi purpurascente, greenish purple floured M. M. G: 777.

Blitum Bantov quia est iners, & infipidum.

Blitum minus album, G: 321. P: 353. lesser white Blite.

Blitum minus rubrum, G: 321. P: 353. small red Blite.

Bolbonach vid. viola lunaris vulg.

Bonus Henricus, vid. lapathum unctuo-

Borrago clim Corrago d. quia cordis affecti-

Borr. hor: flore cæruleo, G: 797. P: G: 249.

blew flowred garden Borrage, variat aliquando flore rubro.

Bor. hort. flore albo, G: 797. white flowred garden Borrage.

Bor. semper vivens, G: 797. P: G. 249. ever

living Borrage.

Bor. minor herbariorum, P: 766. fymphytum parvum

parvum borraginis facie, G: 806. [mall cree-

B B

B

B

B

B

B

in B

B

B

MO B

B

B

Bi

B

ping Borrage.

Botrys vulg. common Oake of Jerusalem, à semine d. quod racematim ramulis adnascitur, G: 1108. P: 89.

Botrys Americana, P. 89. Indian Oake of Je-

rusalem.

Branca urfina, vid.acanthus fativus.

Brassica regus (quasi) roegus n quia 70 xogui errign crapulæ adversetur.

Brassica sativa vulgaris, G: 312. P: G: 504.

common Colemort.

Brassica capitata alba, G: 312. P:G: 503. white Cabbage Colw.

Brassica capitata rubra, G. 313. P: G: 504.

red Cabbage.

Brassica fiorida, G: 314. P: G: 505. Cole-

flower.

Braffica sabauda crispa, G: 315. P: G: 504. Savoy Cabbage: variat multifariam. Folia enim modo laciniata, modo plana, & expanía, habet. Vel tota viret, vel venz, & costa ru-

bent. Bauh. in pinace.

Braffica selinoides, G: 315. laciniata, P: 269.

Parfly Colemort.

Brassica marina anglica, G. 315. P: 270. Sea Colemort.

Braffica Sylv. G: 316. P: 269. mild Colemort.

Briza monococcos, G: 73, Zea Monococcos P: 1124 -

W

4.

te

4.

e-

4.

12

a,

14

7.

CA

4

e. P. 1124. S. Peters Corne, and To Bellar quia fomnum inducit. Bromos, vid. Etym. in avena. r; Bromos sterilis, wild Outes, G: 76. P: 1148. Bromos altera, G: 76: avena fterilisminor, P: 1 148. drauke of small wild Oats. Bryonia spuoria quod Petris nascatur, & adhærescit instar, & Bpur. Bryonia alba vulg. G:869. P:178. white Eryony. Bryonia fylv. nigra, G: 871. P: 178. common black Bryony. Buglosum, Bezzás or quia figurat linguam bovis. Bug. vulgare, G: 798. minus fativum, P: 767. . common garden Bugloffe. Bug. luteum, G: 798. P: G: 486. Langdebeefe. . Bug. fylv. minus, G: 799. P: 765. Small wild Bugloffe. Bugula vnlg. fl. caruleo, G: 631. P: 524. ordinary blew flowred Bugle. Bugula A. albo, G: 631. P: 525. white flowred Bugle. Bulbo caftanum, Box Box asavor vel potius Banavords avor quia est è natura glandium, & refert castaneum. Bulb. majus, G: 1064. P: 893. great earth Nut. Bulb. minus, G: 1064. P:893. small earth Nut.

Bunias five Napus, sylv. nostras, P: 865.

Bunias

Bunias sylv. Lobelii, G:235. our wild naven, Bunias à tumente radice dicitur à Biro collis, clivus.

Buphthalmum & planter quia oculum bovis

quadantenus æmulatur.

Buph. vulg. G: 747. Buph. Mathioli five vulgare millefolii foliis, P: 1370. the more ordinary Oxe eye.

Buph. five helleborus niger ferulaceus, G:746.

P: 215. Hellebore Oxe eye.

Bnrssa pastoris sic d. quia theculæ semen con-

Bursa pastoris major, G: 276. P: 866. great

Bursa pastoris minima, G: 276. minor, P:866.
- small Sheapheards purse.

Buxus πύξω διατό πύκνον τε ζύλε, à densitate

Buxus arbor vulg. G: 1410. P: 1428. common Box tree.

Buxus fol. auro, P: 1428. gilded Box.

Buxus humilis, G: 1410. chamabuxus minor, P: 1428. Dutch Box.

Pseudochamebuxus, P: 1428. frarp pointed - Box.

Cacalia

Ca

ŧ

15

6.

n-

at

6.

te

NO

13

Jr,

red

lis

## C

Acalia Americana, P: 1221. Coltsfoot of America. Calamintha waquiren ob prastantiam stram. Calamintha arventis verticillata five aq. Bek garum P: 37. Cal.aq. G: field Culamin with whorled Coronets. Cal. odore Pulegit, G: 687. P: 36. penny Royall Cal. Cal. vulg. P. 36. officinarum, O: 687. com mon Gal. Cal mortana prefamior, G: 687. excellent Cal. Cal. montana vulgaris, G: 687. minor incana, P: 36. Small Cal. Calamus aromaticus, vid. Acorus. Calamogroffis xaxeus pour is quia mediz est natura inter gramen & arundinem. Cal. five gramen arundinaceum majus, P: 1181. gramen arundinaceum paniculatum, O: 7. the greater Reed graffe. Calamogrofis, five gr. arund. minus, G: 8. P. 181. the leffer Reed graffe.

Calathkina vera lic d. quia flores Calathi five

campanula

campanulæ effigiem exprimunt vid. gen-

tianella verna major.

Calendula fic d. quod fingulis fere menfium calendis floreat, quare ab Italis fior d'ogni mense vocatur.

Cal. fl. simplici, G: 739. P: G: 298. Single Marigolds.

Cal. fl. mult. G: 739. P: G: 296. double Mary golds.

Cal.prolifera, G: 739. fruiteful Maryg. variant Cal. flore pallido, citrino, & ruffo.

Calendula Affricana, vid. flos Affricanus. Caltha palustris simplex, single marsh Maryo G: 817. P: 1213.

Caltha paluftris mult. G: 818. P: 1213. double

marsh Maryg.

Camelina, treacle wormfeed, G: 273. P: 866:

Campanula à florum figurà.

Camp. perficifolia flore albo, white flowred peach-leafed bell-flower, G: 451. P: 651.

Camp. perfici-folia fl. caruleo, blem peach leafed bell-flower, G: 451. P: 651:

Camp. minor sylv. roundif. G: 452. P. 651. small wild round leafed bell-flower.

Camp. minor fylv. rotundif. fl. albo, P: 651. small wild white round leafed bell-flower.

Camp. minima fylv. P: 651. fmall wild bellft. Canabis mas, male Hemp, G: 708. P: 598.

Can. fæm. female Hemp. G: 708. P: 598.

campannia

Can. aq. vid. Eupatorium Canabinum.

Can. spuria fl. purp. wild purple flowred Hemps G: 709. P: 599.

Can, spuria fl. albo. wild white flowred Hemp,

G: 709. P: 599.

m

1

9

ble

ed

b

I.

51.

an

Can. spuria altera, bastard Hemp, G: 709.

Can. spuria tertia, G: 710. small bastard. Hemp, male in Park. describuntur.

Canna Ind. fl. rubro P: G: 376. arundo flori-

da, G: 39. red Indian flowring Reed.

Can Ind. fl.flavo punctato, P.G. 376. Arundo florida fl.flavo: G.39. yellow Indian flowering Reed.

Capillus veneris, vid. Adiantum, & tricomanes. Capficum \*\*\* Auto à \*\*\* mordeo ob igneam acrimoniam feminis.

Capsicum Indicum longis siliquis, long codded Ginny pepper. G: 364. P: 356.

Capficum minus Brasilianum, P: 356. small round Ginny pepper.

Caput gallinaceum, vid. Onobrichis.

Cardamine see Sauirn and no zae Saus quia cum Nasturtio affinitatem quandem habet gustu enim difficile distinguuntur.

Gard. flore pleno, P: 826. altera fl. pleno, G:

259. double flowred Ladie smocks.

Card. G:259. Card. alpina minor resedu foliis, P: 827. Small mountain Ladie smocks or Cuckom flower.

6 3

Card.

Card. alters minor, P: 825. Small Ladies

C

C

C

C

C

C

C

C

Card. pumila Bellidis folio Alpina. G. 260.
Plantula cardamines alterius amula Cluffi,
P: 828. the Dwarfe daifie-leafed mountaine
Ladies smocks.

Cardiaca ab eximis viribus adversus cordis

affectus.

Cardiaca, Methermort, G: 705. P: G: 531.

Cardiaca foliis eleganter crispis, \* curled Mo-

Cardeus eriocophalus altissimus, giant Thisle. Cardeus benedictus, blessed Thistle, G. 1171.

mentofus corona fratrum dichus, P: 978.

Carduus globofus, G: 1151. Carduus spharocephalus major, P: 977. the greaten globe Thistle.

Carduus lanceatus latifi Po 982. G: 1174.

Cardius Marie valgaris five lacteus, the com-

Cardine Maria vulgaris, five lacteus fl. albo

Carduns lactous Syrincus Cam. Banh.in pinace

Carduus Mosch. muske Thistle, G: 1374.R:978.

Carduns solftitialis Dodonel, G:1166. P:989.

S. Barnabies Thiftle.

Carduns stellaris vulgaris, P: 989. G: 1166.

Carduus polyacanthos, Thistle upon Thistle, G: 1173. P: 981.

Carduus vulg. viarum, G: 1173. ceanothos five variarum repens, P: 959. way Thistle, variat flore alto.

Carlina acaulis minor fl. purp. G: 1158. car. acaulis septentrionalium, P: 969. dwarfe Carline Thistle.

Carlina sen Chamalion albus Diosc. G: 1157. carlina humilis, P: 968. Carline Thiste of Dioscorides.

Carlina sylv. major, great wild Carline Thistle, G: 1179. P: 969.

Carlina fyl. minor, G:1159. little Carline Thift. Cardius chrysanthemus Hisp. G:1155. Spanish golden Thistle.

Cardeus cryfanthemus narbonenfis, Frensh golden Thistle, Hisce 2. posterioribus respondet icon apud, P:973. sub titulo scolymus
Theophrasti sive Eryngium luteum Monspeliensum

Carpinus five Betulus, G:1479. offrys Theoph.
P: 1406. Horne beane tree, issuir (quafi)

C 4

Carth.

Carthamus adebapos and no nabdient à purgando, avisos dut no reiçus à pungendo ob ejus foinas.

Carthamus five Cnicus alter cæruleus, G. 1169. Cnicus alter perennis Cluti, P: 260. blen

flowred batard Saffron.

Carum, Carrawaies, G: 1034- P: 910. à Carià regione ubi copiose & sponte emergit nomen adeptum est. Diosc.

Caryophyllata à caryophyllato radicis o-

dore.

Caryophyllata vulgaris, commen Avens, G:994.

Caryophyllata montana, mountaine Avens, G: 994. P: 136.

Caryophyllus, à caryophillorum, exoticorum

eximio odore quem spirat.

Si Caryophyllis omnibus quibus noster adornatur hortus singula (more Parkinsoni) adaptaremus nomina catalogus supra justum modum cresceret, & nauseam crearemus lectoribus. Dicimus itaq; summatim Caryophyllos magnitudine, colore, & foliorum numero, ut plurimum distingui. Flores chim sunt vel majores vel minores vel medii vel maximi qui hodie maxime estimantur, & solummodo penè in prætio habentur: vel multiplici vel simplici florum textura majoribus vel

m-

us

2

iâ

en

)-

0

1

vel minoribus foliolis constantes ex uno caule duo florum genera nonnunquam prodeunt & super uno pediculo flores diversicolores videre licet, aliquando unus ex alio medius excrescere conspicitur, et in una planta flores trium colorum atque adeo punctulis, notulis, & lituris aspersi, notati, & maculati sunt ut eos mirari possumus, nunquam vero accurate distinguere.

Garyophyllus pratensis, G: 594. Car. prat. noster major, P; 1338. Detford pink,

Caryophyllus montanus albus, G: 594. Car. montanus angustif. albus, P: 1340. white montaine Pinke.

Caryophlli sylvestres mutiplices & simplices variarum specierum, double and single wild Pinks of divers kinds.

Caryophylli syl. plunarii diversarum specierum, Feathered pinks of divers kinds.

Car. sylv. repentes diversarum specierum, matted or creeping pinks of divers kinds.

Car. marinus minimus Lobelii, G: 602. Gra-, men marinum minus, P: 1279. Thrift.

Car. Mediterrancus, G; 602. Grainen marinum &c. P: 1279. great Thrift.

Car. hollosteus tomentosus, P: 1339. G: 599 hoary pink.

Castanca vulgaris, common Chefnut, G: 1442. P: 1400. CastaCaftanca equina, Horfe Cheftnut, ib.

Catapuria d. quia ejus semina sumunturin ca-

Caraputia minor, G: 503. Lathyris major vulgaris P:191. ordinary garden Spurge.

Catanance five Ervum sylv. G: 1249. P: 1079. crimson graffe Vetch, navardyna à coactrici vi, & necessitate adigendi ad amorem, Lob.

Cattaria fic d. quia est herba catis gratissma. Cattaria five nepeta major vulg. P: 38. mentha felina, G:682. common garden Nep or

Catmint.

Cattaria sive nepeta media, P:38. middle sized

Nep or Catmint.

Caucalis reveals à seminum effigie que vascula oblonga, & semispharica imitantur.

Caucalis Anglica fl. rubenue, P: 920. C. apii folio flore rubro, G: 1021. English bastard Parsly with red flowers.

Caucalis vulg. fl. albos common bastard Parsty,

G: 1021. P: 920.

Caucalis Hilp. Spanish bastard Parsty, P: 919.

Caucalis nodofa echinato femine, knotted bedge

Parfly, G: 1022. P: 921.

Caucalis minor flore rubente, small bustard Parsly with reddish flowers, G: 1022. P: 921.

Cauda

6

C

C

C

Ċ

C

C

CCC

C

C

Cauda muris puesto à falcati mucronis fimilitudine, Mousetaile G: 426. P: 500.

Cauda equina fæm. vid. equisetum alterunt

brevieribus follis.

or

9. ci

1-

or

d

1-

ij

d

15

ı

:

Centaurium xirtdvesor λεμεταΐου Diosc. 1. 3. c. 9. quoniam loca rigua amet. at hoc à veritate alienius quam Gallica appellatio Exacon ( ἀπὸ τῦ ακοῖσθαι à medendo) quoniam omnia mala medicamenta è corpore profigat.

Centaurium majus vulg. P: 466. C. magnum,

G: 546. common great centaury.

Cent. parvim, G. 547. C. minus flore rubente, P: 271. ordinary small Cent.

Cent. minus flore albo, P: 271: white flowred

Cent. minus luteum perfoliatum, P:272.G:547.

small yellow thorow leafed Cent.

Cepa xefuror rapa ro no eas ubne ros indiferent quod oculorum tunicam pupillamque mordaci vapore lancinando connivere, contrahique cogat, lachrymas eliciendo.

Cepa alba, G: 169. P: G: 512. white Onions. Y Cepa rubra, G: 169. P: G: 512. red Onions.

Cepa Hisp. G: 169. P: G: 512. Spanish Onions.

Ruzdia Diose. qui sic appellasse videtur quia
rarò (sicut cetera hujus generis planta).

fylvefeit, fed in hortis invenitur.

Cepza. G: 621. Cepza Mathioli, P: 728.

Cepza Lobelii Cat. Par. Mathialus his small

Orpine.

Ceratus rieggos nomen è Cerafunte Pontico Municipio, unde L. Lucullus detulit Anno M. 3277. tanden in Brittaneam pervenerunt, A. M. 3317. teste Athenxo.

Cerasus vulgaris, common Cherry, G: 1502.

P: 1517:.

Cer. rosea sterilis, P. G. 574. G. mu'tisera pauciores fructus edens, G. 1504. double flowred barren Cherry.

Cer. rosea minor fructum edens, P. G: 574. C. multiflora fructus edens, G: 1504. double

floured bearing Cherry.

Cer. avium nigm & racemosa, birds Cher. and black Grape Cher. G: 1504. P: 1517.

Cer. chamæleontis, five varia, P. G: 574. the

Strange changeable Cherry.

Cer. frugifem Milleni, P.G. 574-Millens great bearing Cherry.

Cer. fructu minore & fature rubro, P:G: 572.

the Agriot Chers

Cer. uno pediculo plura, cluster Cher. G. 1503. Cer. corymbisera, P. G. 572. est & major & minor.

Cer. przcox vulg. ordinary May Cher. P.

G: 571.

Cer. pracox Batavica, P. G.571. Flanders Cherry.

Cer.

Cer. archiducis, Arch dukes Cherry. P. G: 571.

all

CO

10

nt,

2.

ra

ble

4.

rd.

be

at

2.

r.

ft

rs

r.

Cer. Hisp. five alba, the white Cherry, P: G: 572. G. 1502.

Cer. Luca Wardi, Luke Wards Cherry, P. G. 572. G: 1506.

Cer. Neapolitana, Naples Cherry, P. G: 572.

-: G: 1506.

Cer. Moroc. Moroccco Cher. P: G: 572. Cer. Morel, Morello Cher. P: G: 572.

Cer cordata nigra, black beart Cherry; P:

G: 572.

Cer. cordata rubra, red heart Cherry, P: G: 572.

Cer. Tradesc. John Tradescants Cherry, P: G: 574

Cer. maculata five incarnata, the Biguarre, Spotted or Carnation Cher. P: G: 572.

Cer. nigra G: 1505. P: G: 571. common blak Cher.

Cer. ceraso Lucæ Wardi affinis, P: G: 572. the Carone Cher.

Chamacerasus, G: 1505. P: 574. dwarfe Cher.

Cer. Indica ferotina \*, late bearing Cherry:

Chærefolium xaigfousson, quia foliis luxuriat, vid. myrrhis.

Cerinthe xueutorà cerea foliorum & florum naturâ.

Cerinthe

Ceripthe major, G: 538. Cer: major flore luteo & rubro, P: 520. the greater yellow and red Hongeort.

Ceterach, vid. afplenium.

Chamzeistus fl. luteo, P: 655. Helianthemum anglicum luteum, G: 1282. Dwarfe Sunflower, or English Ciftus.

Chamædrys x audid pus humilis & infans quer-

cus, à foliorum fimiliadine.

Chamædrys vulg. P: 104. Chamædrys major latif. G: 656. common Germander. Non conveniunt icones.

Chamedrys laciniatis foliis, P: 105. Chame pitys fæm, G: 525. Jagged Germander.

Chamædrys sylv. G: 657. Cha. spurla sylv. P: 107. common wild Germander. variat fl.

Chamziris in Iride.

Chamemelum Zandinesso quia capita semisphærica (quibus flores nascuntur) odorem mali cidonii quadantenus amulantur.

Chamamelung vulg. common Cammonill, G: 754. P: 85.

Chamamelum flore pleno, double Cam. G.

Chamæmelum nudum, sweet naked Cam.

Chamæmelum fylv. vid. cotula,

Occimilie

Cha-

1

(

(

Chamelea xquanaia olivella quia refere o-

Chamelza Germanica five Mezereon flore dilure rubro, common Mezereon tree, G: 1402. P: 202.

Cham. Ger. flore rubro faturo, P: G: 397. hac ut colore sic soliorum magnitudine à

vulgari differt.

Cham. tricoccos, P: 202. Ch. Arabum tricoccos, G: 1402. Widdow waile, tricoccos d. ob numerum seminum sibi invicem adnascentium.

Chamælinum stellatum, P: 1336 starred Dwerfe

flax.

it

OTO

th

11-

r

Ť

34

مل

v.

1.

.

1

Chamæmespilus, G. 1474. Epimelis Galleni,

P: 1424. dwarfe medlar.

Chamapitys vulg. P: 283. Ch: mas, G: 525. Grand-pine, non bene conveniunt icones.

Cheledonium Ane Novier quia avis Ane Nov primum hanc herbam monstravit (ut quidam volunt) dum e jus succo usa est in curandis pullorum oculis.

Chel. majus vulg. P: 617. G: 1069. great

Celandine.

Chel. majus foliis magis dissectis, G: 1069.
Chel. majus laciniatum, P: 6017. great
jagged Cel.

Chel. minus, Pilewort, P: 617. G: 816.

Ghel

Chel minus flore duplici, P: 617. in margine double hilewort.

ad magnitudinem fabi (fecundum veteres) in hujus ramulis inveniri folet.

Chond. Hisp. G: 287. Chi. rara purp crupina Belgarum dicta, P.789. Spanish Gun succory,

or the bearded Creeper.

Chond. carulea, G. 286. P. 785. blew Gum

Cryfanthemumx guodo Beper quia aureis ornatur

floribus.

Chryl. fegetale, G: 743. Chryl. fegetum no. ftras, P. 1369. corn Marygold.

Chrys. creticum, G. 745. P. 1369. candy corn

Marygold.

de D

Chryf. Valentinum Clufti, G: 743. P. 1370

Cichoreum sativum flore cæruleo, G. 282.

P. 177 blew garden succory.

Cichoreum fativum flore albo, G.282. P.777.

white garden succery.

Cichoreum sylv. P: 776. G. 284. wild blen fuccory, variat fl. albo.

Cichoreum verrucarium G.289. Zacintha five

cich. ver. P. 778. wart succory.

Cicuta xármor que à mixarar à circunivertendo quia verriginem, ac tenebras inducir bibentibus eam.

Cicuta

Ci

Cicuta, G: 1061. Cic. vulgaris ma jor, P:932. common Hemlock. Cicuta maxima, P. 932. greatest Hemlock, Cicutaria tenuif. G:1063. cicuta fatua, P:933. counterfeit Parfly. Cicutaria paluftris, G: 1063. Cic. pal. tenuif. P. water Hemlock. Cinara à puella ejuschem nominis in hanc herbam conversa ut quidam fabulantur:potius à cinere quo latatur ; vel à colore cinereo. Cinara fativa rubra, P. G: 519. Cin. max. anglica, G: 1153. garden Artichock anion 1 Cinara fativa alba, P: G: ib. garden mbite Artichock. Cinara fylv. wild Ar. G: 1153. P. G: 519. Cinara patula, P: G: 519. French Ariani Circaa Lutetiana, Enchanters Nightshade, upula à Circe Venefica d. Cirfium xigator quia varices fanat quos graci Render vocant. Cirfium anglicanum primum, P: 961. Cirfii ang. icon Lobelii, G: 1183. fingle headed Thiftle. Cirium aliud anglicanum, P: 961. Cir. ang. alia icon Pennei, G: 1183. the other fingle beaded Thiftle. The Yang Cirfum montanum capitulis parvis, G: 1182. cirfium alind montanum; P. 9612 1.ttle

little beaded mountain Girfinn. atto

Ciftus Kisos, xiobos & xio Caeov, fortaffe quod e ins species aliqua xioou (i.) hederæ folia refert. Bauh.

Ciftus mas vulg. P: 658. Ciftus mas cum hypociftide, G: 1275. ordinary male bolly Rofe.

Ciftus mas angustif. G: 1275. P: 658. narrow leafed male bally Rofe.

Ciftus fam. G:1276. Ciftus fam. vulg. P: 660.

common female bolly Rofe.

Cistus Thymi folio, G: 1277. P: 660. thime ... teafed Oistus.

Citrulus (quafi) citreolus quod Citrei mali

Citrulus five Anguria vulgatior, common citrull Cuonnber. P: 771. G: 914.

Clematis à viticularum sobole surmentos

Clematis fylv. latif. P: 380. viorna, G: 886.

Travellers jey.

Cl. peregrina cær. fl. fimplici, fingle blen Ladies bower, G: 887. P: 380.

Cl. peregrina fl. rubro simp. single red Ladies bower, G: 887. P: 380.

Cl. peregrina fl. car. pleno, double blew Ladies bower, G: 887. B. 382.

Cl. Virg. flore albo, five flamula Jovis furrecta, Wirginian Ludies bower, G: 888. P: 382.

Cl. Panonis, G: 889. bafh Bower.

CI.

Cl. Daphnoides five pervinca major, G: 894.

P: 380. great Perminkle.

Cl. Daph, minor, simp, diversorum colorum, P: G: 391. G: 894. hn jus flores communiter exculei sunt aliquendo albi ; rarius rubentes vel sub purpurascentes. Interdum flos alium florem medium continet. Hinc vinca pervinca flore duplici purpureo, P: G: 391.

Cl. Daph. minor foliis eleganter variegatis,

\* Perminkle with variegated leaves

enicus alter perennis Cludi, vid, carthamus.

Cochlaria à foliorum figura cochlearis utramque superficiem & convexam, & coneavam, exprimente.

Cochl. vulgaris P: 285. Brittanica, G: 401.

Cochl. major rotundif. P: 285. G: 401. great

Cochl minime roundis. P:286. the least Scur-

vigraffe.

199

118

111

a

6.

es

ies

ics

ta,

Colchicum un xino na Golchide veneni ferace, und copiose nascitur Diose, sib. 4. c. 84. cui sonuseor dicitur quod cadem die quo sumprum intersicit.

Colch. anglicum album, white English meadow

G: 1063. P: G: 157.

-no) D 2 Col.

Col. anglicum purp. G: 157. P: 153. purple English M. S.

Col. variegatum fl. pleno double particoloured

M. Saffron, P: G: 158.

Col. biflorum, twice flowring M. Saffron, G: 163.

Col. Ang. purp. duplici ferie foliorum in flore, purple Meadow Saffron once double. \*.

Col. ang. purp. foliis elegantiffime striatis, \* purple M. S. with ffriped leaves.

Col. tritilaricum Chinense, Checkquer'd M.S.

G: 163. P: G: 155.

Col. album friis fature rubris feu fanguineis maculis inequalibus infectum, Bauh. in Pin. 68. deep red Spotted M.S.

Col florum foliis albis, & rubris alternation dispositis. Bauh. in Pin. 68. single variegated

M. Saffron.

Colocynthis pyriformis seu pepo amarus, peare fashioned bitter Gourd, Ger. 915. P: 160.

Colus Jovis, vid. Horminum luteum.

Colutea, G:1299. Col. vesicaria vulg. P:227. common baltard Sene.

Colutea scorpoides, G: 1299: P: 227. bastard Sene with Scorpion cods.

Consolida dicitur ab infigni ejus) efficacia in ghuinandis daudendis & con jungendis vul-Col.

Con-

(43)

Confolida nomen pluribus tribuitur herbis toto celo differentibus; est enim consolida.

Major (i.) fymphytum majus.

Media (i.) bugula & vulnerariorum bellis major.

Minor (i.) prunella, & bellis
minor.

Regalis de quibus fuo loco.

Consolida major flore purp. G: 8062 fymphytum majus fl. purp. P: 523. purple flowred Comfry.

Consolida major flore albo, G: 806. symphytum majus vulg. P: 523. white flowred

Comfry.

Consolida regalis rosea flore purp. \* purple Rose Larkes spurre. Hac habetur coloribus intense & diluie purp. albisque florum apici-

bus admodum elegantibus.

Conf. reg. rosea flore cinereo \*, Dove-coloured Rose L. S. we are beholding to M. William Austen for our knowledge in this rare Rose, L. S. who first brought them to Oxford.

Consolida reg. sativa flore albo, vel rubro, Ger. 1082. Delphinium flore simplici diversorum colorum P: G: 277. single upright bearing Larkes S. of severalicalours.

D 3 Conf.

Conf. reg. clatior fl. pleno, 6: 1082. Delphinium clatius fl. pleno diversorum colorum, P: G: 277. double upright L. S. of diverse colours: plene plenique incarnati funt & albi, nonnulli cinerii purp. &c. omnes intense vel remisse colorati, & nigris maculis circa medium notati.

Cons. reg. sativa, 6:1082. Delphinium majus five vulgare, P: Gipo76. ordinarie single

I. S.

Conf. reg. fl. duplici, G: 1082. delphinium vulg. fl. pleno, P: G: commen double L. S. flores communiter carulei aut caruleo purpurei, carnei, vel faturi vel diluti, niviì, exalbidi, cinerei, & viglacei.

Convolvulus dicitur quia crebra revolutione vicinos frutices & herbas implicat.

Conv. exculcus, G: 86ip Conv. majon pur.
five trifolius, F: 169. greater blew Bindwied
with cornered leaves.

Convicer minor fol ablongo, G:885. Conv. cer. minor Hisp. P:G:458. small blem Bind-

Conv. minor atriplicis folio, P: 172. volubilis nigra, G: 863. black Bindweed.

Conv. major allous, P. 163. Smilax bevis

major, G: 861. great white Bindweed. Conv. minor albus vulgaris, P: 171. common

Small Bindweed.

Conv. minor purp: P: 171. Smilax lavis minor, G: 861. small purple bindweed, habetur etiam colore variegato ex albo & rubro diluto.

Conyza zerusa quia pulicibus inimica.

Conyza major, vid. baccharis Monsp.

Conyza media, G: 482. mi ddle Fleabane.

Conyza minima, G: 482. dwarfe Fleabante. Conyza carulea acris, G: 484. Con odorata

car, P: blew flowred Pleabane.

Conyza foliis laciniatis, 6:483. Con. Helenitis laciniatis foliis, P: 126. great jagged Fleabane.

Coriandrium xbeior quia folia & caules ejus cimicem olent qui xbpus vocatur.

Coriandrum vulgare, ordinary Coriander. G: 1012. P: 918.

Cornu cervinum à foliorum integrorum figurâ.

Cornu Cervinum, Buckes borne plantaine,

G: 427. P: 502.

Coronopos dicitur quia pedem corvi quadantenus refert.

Coronopos Ruellii. Swines creffes, G: 427.

Cornus à Cornuum fimili duritie.

Cornus

P: 1521. gr. nearia male red Cornell tree.

Cornus fæmina Ondoneavela, Dog-berrie-tree,

G: 1467. P: 1521.

Gorgna imperialis, Crown imperiall, à fimilitudine guadam dicta G: 202. P: G: 270.

Corimp. phanicea duplici corona aut serie florum Lobelii icon. Lobells double Crown Imp.

Corona imp. duplici flore , double crowne

Imp.

Costus hortorum, vid. balsanita mas.

Cotula corrupte, rectins cautula à cautu, quia cavendum est ne vice chamameli hanc herbam venenatam ob similitudinem carpamus.

Cotula fætida, stinking Mayweed, G:757. P:87. Cotula non fætida, Mayweed without sent.

G: 756. P: 87.

Cot. non fetida flore albo pleno, double Maymeed without fent, G: 756. P. 87. in margine.

Cotyledon xeTuxes de à concavo folio acetabu-

lum aut umbilicum referente.

Cotil five umbilious veneris vulgaris, wall penny

wort, G: 428. P: 740.

COLIMIS

Cotyl altera minor folio subrotundo, P: 740.
minor montana altera, G: 530. small kidnywort with roundish leaves,

Cotyl

Cotyl. pahiftris, Marsh penny-mort, G: 530: P: 1214.

Cotyl. akera, G: 428. Rose penny-wort.

Cracca, vid. Aracus.

Crateogonum vulgare, P: 1326. G: 91. common Com-wheat.

Crateogonum focundum, G: 91. red Com-

wheat.

Crateog. euphrofine, G: 92. euphragia pratensis rubra major, P. 1329. Eye-bright Com-wheat.

Crateog, cuphrofine flore albo, white flowred

Com-wheat \*.

Crista galli dicitur quia folia hu jus planta conum in vertice galli optime representat.

Crista gallistore luteo, yellow rattle or Coxcombe, G: 1071, P: 713.

Crista galli flore rubro seu pedicularis ib.

Loufemort, or red Ratile,

Crocus à Groco juvene qui propter amorem fmilacis virginis in florem fui nominis mu-

tatus ellatelle Ovidio lib. 4. Met.

funt croci stamina seu villi qui rentifes appellantur qui plerumque terni, monnunquam plures in floris medio conspiciuntur, & cum soli in usum veniant per excellentiam flores croci nomine donantur.

Crocus

Gracus albus ma jor multiflorus, P. G. 161 great snow-white spring Crocus.

white Crocus of Mesia, P: G: 161.

Grocus vernus albus firatus, P. G. 162. white

parti-coloured white Spring Crocus.

Crocus abus fundo purpareo, P.G. 161 white

Crocus albus Meliacus fundo Violaceo, P: G: 161. white Crocus of Melia with a blew bottome.

Crocus vernus verficolor albido-luteus, P: G: 167. cloth of filver Crocus.

v. latif. flore flavo firlis violaccis G: 155. yellow firiped Crocus.

Crocus ver, luteus five Meliacus, P.G. 166, Cr. ver flore luteo, G: 153. yellow Spring Crocus.

Cr. ver. luteus verlicolor primas, P. G: 167.
the best cloth of gold Crocus.

Cr. ver. capillari folio albus, P: G: 164. white Crocus with small leaves.

cr. ver. flore pallido. Ps G. 166. Brimfton co-

Crocus ver. flore aureo, P. G. 166, gold yellon Crocus.

Cr,

Cr.

Cr

(1

Cr

G

CI

C

C

C

C

C

C

0

61

113,

rite

2.

ite

P:

3.

r.

.

h

cr. ver. luteus versicolor alter. P. G. 167. Duke Crocus. cr. ver. versicolor pallido luteus, P. G. 167. pale cloth of gold Crocus. (r. ver. purpureus meximus P. G. 164 purp. latif. G. 156. great purple Grocus. cr. ver. purp. minor, P. G. Cr. veranflore - purp. G. 153. Smaller purple Spring Crocus. cr. ver Briatus Turcious, P. G. 164. Turky ofriped Greens. one soule an enisoneris ce. ver. Neapolitanus, P. G. 165. greater blew Crocus of Naples. cr. ver. purp. ftriatus, P. G. 164. ftripod purple Crocus. or. ver.purp. verhoolor, P.G. 165. filver striped purple Crocus. cr. ver. flammeus major, P.G. 165. grenten pur ple flame coloured Crocus. cr. ver. angustif fl. violaceo, Gt 154. Cr. ver. capillari folio P:C:165.narrow leafed spring - Crocus with a violet flomer. Cr. ver. purp. striatus capillari folio, P: G: Striped purple Crocus with smaller leaves. cr. purp. flammeus minor P:G:165.leffer purp. flame coloured Crosus Cf. vernus fativus autominalis, P. G: 167. Cr. Horens G. 151. true Saffnon. Crocus montanus autumnalis, G. 153. P.G.

P: G: 168. Autumnall mountain Crocus.

Cr. autumnalis flore minore Bauh. Pin. 65. Small autumnall Crocus.

Alias varietates Crocorum ex semine india energunt.

Cruciata à foliis cruciatim cauli incumbentibus nuncupatur.

Cruciata, G: 1123. Cr. vulgaris, P. 566. com.

mon Croffewort.

Cucumis & cucumer (quali) curvimer à cur. Cu vitate ejus, gr. oinus and is oinsalas aj nom quia venerem clet. Demetrius, cujus contrarium verum eft.

Cı

C

C

Cucumis estappellatio communis sub qua continentur cucumis fimpliciter dictus, pepo, melon, cucurbita, & citrullus de quibus fuo loco.

Eucumis longior viridis, P: G: 524. long green Cucumber.

Cac. longior luteus P: G: 524. long yellow Cucumber.

Cuc. frudu minore, P: G: 524. fmall Cu-

Cuc. fyl. P: 162. Cuc. afininus, G: 92. wild

Cucurbita lagenaria major, P: 769. Cuc. lag. Tylv: G: 924. great bottle Gourd. Variat fru-Etus mirabiliter etiam ab eodem semine aliquando lagenarum forma aliquando

do ventricosa absque collo pyri turbinati

figura.

55.

ia

us

m-

Ir-

917

3-

1-

0,

10

g

W

-

d

.

c

9

Cucurb. anguina, G: 923. longa, P: 769. Inakes Gourd. Falcata figura sepe crescit; quadam cervicem tantum recurvam habent: quadam rectitudine servata bicubitalem, imo tricubitalem longitudinem acquirunt, notante Bauhino.

Cuc. lagenaria minor, P: 768. Small bottle

Cuc. fylv. fungiformis, G: 924. Mushrom

Gourd.

Cuc. Clypei formis, P: 769. G: 924. fymnell
Gourd.

Cucurbita verrucofa, P: 796. knotty rugged Gourd.

Cuminum zu prov forsan à zu quia est tantz seracitatis ut inter oleracea uberime luxuriet.

Cuminum sativum vulgare, garden Cummin, G. 1066. P. 887.

Cupressus à partu parillium ramorum.

Cupressus saiva vulgaris, common Cypresse Tree, P: 1477. G: 1367.

Cupresses Americana, P. 1476. Virginian

C yanos

Cyanos solaro à floris colore caruleo omis bus propemodum Cyanis communi.

Cyanus major, great blue buttles, G: 733

cyanus vulgaris, G: 732. Cy. minor vulgaris diversorum colorum, P: 482. common blus bottles.

leo, purpureo, hicque alias dilute rubro à in carnato, alias ad pumiceum inclinant, alias vario violaceo, albo & ex his coloribus mixto.

Cyanus Babylonicus five Orientalis majon P: 482. great Orientall bottles, or Sultan

ih.

1

(

0

flower.

Cyclaminus 2022 dun Q am Të 2022 tam ob of biculatum radicis bulbum quam propter circularum & tortuolum fibrarum figuram.

cyclamen autumnale hederæ folio, Ivy leafed

Sombread, G: 843. P:G: 196.

Cycl. autumnate hederæ felio flore albo, P:
G: 196. common Ivy leafed Sombread
with white flowers, variat folis deganting
maculatis.

Cycl. autumnale folio angusto, long leafed C

Sombread, P: G: 196.

fol. rotundo, P: 197. round leafed or common Cycle.

Cyclamen vernum fl. purp, purple flowred Sonbread of the Spring , G: 842. P. G: 195.

Cymbalaria dicitur quia est species quædam Cotyledonis que & Cymbalium vocatur ob formam Cymbæ quam amulatur.

Cymbalaria Italica, G: 530. Cymb. hederacea, P: 682. baltard Navell-mort.

cynocrambe, Doggs Mercury; xuvoxez'us brassica canina sic d.quia inter olera est nullius usus ut quidam volunt, G: 333. P: 296.

Cynogloffum xuroy 20000 quia ad caninæ lin-

guæ speciem est figurata.

nni

33

ans

blue

Bru-

0 &

nte olo-

joh

414

Oř.

oter fi

efed

P:

ead ias

fed)

اوار

1201 la cyn. vulg. G: 804. P. 511. common Houndstongue.

Cyn. flore albido Bauh. Pin. whitish Houndstongue; brought from Reading, where it was shewed us by M. Wetlington.

cyn. fl. albo vel niveo, Inom white flowred H.

P. 5 11. in margine, printy selles sinosi and I

Cyn. femper virens, P.512. ever green Houndsinfex done as co. sugnet

Cyn. creticum latif. Pa 512. Cyn. creticum alterum, G. 804. brond leafed Hounds tongue of Candy.

Cyperus longus odoranis, P. 146. Cyp. longus, G: 30. common Cyperus or English ga-Contain minor, little took week clangely

Cytifus à Cythino Insula in qua fuit inventus ut

Cytisus Maranthe cornutus, P: 1471. Cyt.
7. cornutus, G: 1305; borned shrub tre-

Citysus secundus, G: 1304. Pseudocytisus foliis dubrotundis, P. 1475. common shrub trefoile.

## D

Daucus, vid. Pastinaca.

Dens leonis à foliorum similitudine dictus.

Dens leonis, G: 290. D. L. vulgaris, P: 780.

Dens leonis angustioribus foliis, P: 780. narrow. leafed Dandelion.

Dens leonis foliis varieg. \* Dandelion with firiped leaves.

Dentaria à radice quasi ex dentibus coagmenta mirabili nature artificio, gr. ¿¿Bdyx (quasi) orobum, ¿yx quod orobum strangulat.

Dentaria major Mathioli, G: 1585. orobanche radice dentata, R: 1363. great tooth wort. Dentaria minor, little tooth wort, G: 1585.

P: 1363

Den-

Dentellaria Rondeletii (i.) Lepidium Monsp. P: 855. Plumbago Plinii, G: 1254. Plinies Lead wort.

Digitalis d. quod speciem munimenti digiti in-

fuendo flores præbeant.

Dig. fl. purp. purple Foxglove, G: 790. P: 653. Dig. flore albo, white Foxglove, G: 790. P: G: 380.

Dig. max ferruginea , ruftie Foxglove, G: 789.

P: G: 380.

Dig. minor ferruginea, small rustie Foxglove,

G: 789.

Dipfacus sidaxos (i.) fitibundus quod concavo allarum finu rorem, vel imbrem, recipiat quo velut ad abigendas fitis injurias ab utitur.

Dipsacus sativus, Manured Teasell, G: 1167.

P. 984.

Dip. fylv. the wild Teafell, G: 1167. P: 984. Dip: minor five verga pattoris, Sheapheards

rod, G: 1168. P: 984.

Doronicum Americanum, P: 322. Leopards bane of America.

Doronicum majus officinarum, G: 759.

D. vul. P: 319. great Leopards bane.

Draba vulgaris, P: 849. common Arabian Mustard.

Draba prima repens, G: 274. Dr. alba filiquo-

fa minor, P: 850, creping Creffe.

Draba

Draba altera repens, G: 275. Dr. alba filiquosa repens, P: 850. the other creeping Creffe.

Draba lutea, P: 851. Dr. quarta, G: 274.

yellow Arabian Mustard.

Dracontium Session , nomen à figura fumptum, caulis enim glaber purpureifq; respersus maculis, versicolori facie, corpus anguinum representat; & vertex sinuoso oris hiatu linguam exerchs cruentum caput exprimit.

Dracontium majus, G: 831. Dracunculus major vulgaris, P: 859. common Dragons.

Draco herba, Tarragon, G: 249. P: 500.

Dryopteris, hac herba a foliorum figura & loco natali sevonteels gr. dicitur.

Dryop. advers. G: 1135. filex querna repens P: 1041. true Oke ferne.

Dryop. Tragi, G: 1135. tree ferne.

Dryop. alba Dod. G: 1135. white Oke ferne. Dulca mara yaundeneer a sapore nomen obtinet.

Dulc. seu folanum fignosum, Bittersweet, or

woody nightshade, G: 350. P: 350.
Dalc. flore albo, white flowred Bittersweet G: 349. P: 349.

Dulc. virg. flore albo, white Virginian Bitterfweet.

Dulc. marina alba, white fea Bittersweet. Dulc. marina purp. purple fea Bittersmeet.

Ebulus

## E

E Bulus ab Ebolo infula in qua copiosissime nascitur: x apalax humilis sambucus, foliorum similirudine.

Ebulus, G: 1426. Eb. vulgaris, P: 209. Dane-

wort, or Dwarfe elder.

tollists latit & Cress

Echium Txior quod semina habet viperino capiti similia; quo inditio sagacissima natura homines comonesaceret bane herbam advensus viperarum morsus salutarem esse Dios.

Echium vulgare, common vipers Buglofte, G:

802. P: 414.

Echium flore albo, P: 414. white Vipers

Echium pullo flore, Vip. Bug. with darke purplish flowers, G: 802. P: 414.

Echium flore rubro, Vip. Bug. with red flowers, G: 802. P: 414.

Eleagnus Cordi, vid. Mirtus Brabantica,

Elatine, G: 625. El. folio subrotundo P: 553.

Elatine altera, G: 625. El. folio acuminato, P: Fluellen with cornered leaves.

Endivia 750 Esper & 750x705 750x70 plerumque dicuntur que cruda comedi folent.

E 2

Endivia

Enivia sativa, P: 774. Intibus sativa, G: 282.

Endivia crispa, Curled Endiue, G: 283.

P: G: 495.

Enula Campana, inivier quod contra serpentes ex eo prima ab Helena remedium suerit

Enula Campana five Hellenium, Elecampane, G: 793. P: 654.

Epimedium, Barrenwort, G: 480. P: 1366.

Equisetum larues, ob foliorum similitudi-

Equisetum majus, G: 1113. Eq. palustre majus, Park. 1200. great marsh Horse-

Eq. palustre, G: 1114. Eq. palustre minus, P:

Eq. fegetale, G. 1114. Eq. ramofum, P: 1201.

Eq. nudum five junceum, naked rufh H. G:

1113: P: 1204.

Eq. fætidum sub aqua repens, P: 1201. Eq. coralloides sosiis mansu arenosis, G: 1115. stinking H.

Eg. sylvaticum, G: 1114. Eq. pratense majus,

P: 1202. mood H.

Eq.p.lustre alterum brevioribus foliis, P:1023.

Cauda equina fæm. G: 1124. semale Horsetaile.

Erica

Erica igoian ab igeian frango quia pollet vi frangendi culculos.

Erica vulg. G: 1380. P: 1480. fed male con-

veniunt icones, common Heath.

Erica vulg. flore albo, P: in margine, 1481.

Erica major flore purpureo, G: 1381. Erica coris folio maxima purpurascens,

P: 1481. great purple flowred Heath.

Erica tenuif. G: 1382. Er. vergata seu sexta Clusi P: 1483. small leafed upright Heath.

Erica major flore albo Clussi, G: 1381. Er. coris folio maxima alba, P: 1483. great white flowred Heath.

Erica vulgaris hirfuta: G: 1380. hirfutior,

P. 1480. common rough Heath.

Erica pumila Belgarum Lobelii scoparia nostras, P: 1482. the low dutch, or our broom Heath, eadem est icon cum vulgari G: 1380.

Erigerum veixes quod flores ejus capillorum ritu vere canefcant.

Erigerum vulg. common Groundsell, G: 278. P: 671.

Erigerum tomentofum : hoary Groundfell,

Eruca sigono quod jusculants commendet
E 3 haboatque

habeatque in eo peculiarem gratiam.

Eruca sativa, G: 246. sativa alba, P: 817. earden Rocket.

Eruca Nasturtio cognata tenuis. G: 247.

creffy Rocket.

Eruca sylv. vulgatior, common wild Rocket G: 246. P: 818.

Eruca aq. mater Rocket, G: 248. P: 1242.

Eryngium spur for (quali) spur graci aliqui dictum autumant :: quia capræ que morfu Eringii surculum deglutierint cunctum gregem pone sequentem quasi stupore attoni tum fiftunt donec cryngium ructu rejecerunt, Gen. Hift.

Eryngium marinum, sea Holly, G: 1162.

P: 986.

Eryngium cæruleum, G: 1164. Er.Panonicum,

P: G: 330. blue fea Holly.

Erylimum sgugspor am Te speiner à multiplici foliorum sectione; nam erucz modo laciniata conspicitur.

Eryfimum vulg. five Irio, P. 833. Eryf. Diofc.

Lob. G: 234. common bank Creffes.

Effula mirden quia Picez duz miros dicitur folia refert.

Essula exigua Tragi, G: 503. Tithimalus leptophyllus, Ha 193: fmell amenall Spurge.

Euonymus Theophrasti, G: 1468. Eu. vulgaris P: navoProte simber of friedle wee. 120 warmen dad

Eupatorium

Eupatorium Gracorum, vid. Agrimonia.

Eupatorium Canabinum mas, common Dutch Agrimony, G: 711. P: 595.

Eup. Can. f. m. G: 711. Eup. aq. P: 595.

water Hemp, or water Agrimony.

Eup. Can. Americanum latif. P: 595. broader leafed Hemplike Agrimony of America.

Euphragia ivocooun ab ivocaira exhilaro quia

exhilarandi pollet facultate.

Euphragia sive Euprasia, G: 663. Euph. vulg. P: 1329. common eyebright, variat flore caruleo.

## F

Faba Hortensis alba & rubra, white and red garden Beane, G: 1209. P: G: 521. Faba syl. G: 1209. Faba syl. Gracorum, sive

Faba veterum, P: 1054. greek Beane.

Faba veterum serratis foliis, P: 1055. greek
Beane with dent ed leaves.

Faba minor syl. common wild Beane. G: 1210.

Fagopyrum, vid. Tragopyrum.

Fagus onyds dat ou odyon. Beech tree, G! 1444.

P: 1403.

E 4.

Ferrum

Ferrum equinum à fliquarum figura, a and

Ferrum Equinum, Go 1235. Fer. eq. majut, P: 1091. great borfeshoe Vetch.

Ferrum eq. Gallicum, P: 1092. Frensh borfe-

Thoe Vetch.

Ferula raging baculum quod illius scapi peda menta, & senibus, baculi ac scipiones effent.

Ferula, G:1056. Ferula tenuiore, folio P: 876. fine leafed Fennell giant.

Ficus ulgaris, P: 1494. G:1510. Fig tree.

Ficus alba, white Fig tree, P: G: 566.

Camæficus, G: 1510. P:1494. dwarf Fig tree. Caprificus, G: 1510. wild Fig tree.

Ficus Indica spinosa minor, P: 1498. Smaller

Indian Fig.

สามาราช

Filipendula à numerosis illis & rotundis in radice tuberibus ( quæ quafi ex filo quodam pendere videntur) nuncupatur

Fil. volg. common Dropwort, G: 1058. P: 434.

Fil. aq. G. 160. Oenanthe aq. major P.; 1232. water Dropwort. 201 4 .... Des vick

Fil. apii folio, vid. Qenanthe.

Filix ries quia folia amulantur alas avium. be minor tel. commen

Filix mas vulgaris, common male Ferne, G: 1128. P. 1036.

Filix fzm. vulgaris, G: 1128. ramofa major P: 1039. common female Ferne. Filix

Filix mas non ramofa pinulis latie suriculates spinosis, G: 1130. Filix mas aculeata, P: 1036. prickly male Ferne.

Filix mas non ramofa pinnulis latis denfis minutim dentatis, G:1129. fine leafed dented

Ferne.

108

rfe

eda

nes

6.

ee.

er

in

)-

361

Filix mas ramosa pinnulis dentatis. G: 1129. branched male Ferne with dented leaves.

Filix florida five ofmumda regalis, mater florring Ferne.

Flamula Jovis, vid. Clematis Virg.

Flos Adonis ab Adonide dictus quem converfum in hunc flore Poetæ fabulantur, Adonis flomer, G: 387. P: G: 293/

Flos Affricanus à patruo solo dictus.

Flos Affricanus major multiplex, P: 6: 303. Polyanthos, G: 749. great Affrican Marygold, variat flore framineo.

Flos Aff. major flore simp. great single Aff.

Maryg. G: 749. P: G: 303.

Flos Aff. flore multip, minore, leffer doubl French Maryg.

Flos Aff. minor flore simplici, leffer single French Mrag. P. G: 304. G: 750.

Flos Aff. mult fitulolous, double hollow French Maryg. P: G: 305.

Flos Aff. fimplex titulofus, fingle bottom French Flos Maryg. P: G: 305.

Flos Aff minor multiplex alter, P. G: 305. Fe

Flos Cardinalis, vid. trachelium, Americ.

Flos solis dicitur quia radiantem solem op-

Flos folis major, great sun flower, G: 751.

P:G: 295.

Flos folis minor, five racemosus, G: 751.

P: G: 295, branched sun flower.

Flos solis pyramidalis, vid. Battatas de Canad Fomiculum dicitur quia à quibusdam veteribus quasi sonum in hyemem aresactum repotitu frittiunde paesales dicitur and si paesaradu à marcescendo.

Freniculum vulgare, common Fennell, G:1032. Fr

P: 884.

Forniculum dulce, sweet Fennell, G: 1031, F. 884.

Fænum græcum, G: 1196. Fanum fativum P: 1096. Fenu Greek, 2020/70 gr. dicitur quia filiquæ funt corniculis fimiles.

Frenum Burgundiaeum five medica legitima, P: 1114. Trifolium Burgundiaeum, G:

1189. Burgundy Trefoile. Sonice .TA

Fragraria à verbo frago, Gen. Hift.

Frag: fructu subalbido, whitish Stranberries, G: 997. P: G: 528.

Frag. vulg. rubra, common red Stramberries, G: 997. P: 758.

Frag.

T.

Fr

Fr

Fr

Fi

F

F

F

og. frag. frucku hispido, prickly Stramberries, G: 998.

frag. Bohemica, P:G: 528. great white Strapberries.

frag. minime vesca sive sterilis, barren Stran-

berries, G: 998.P 757.

Fraxinella dicitur à foliorum cum fraxine fimilitudine.

Frax. alba, white Fraxinell, G: 1245. P. G: 334.

Frax. rub. red Frax. G: 1245. P: G: 334-

Fraxinus perie forte à pin (fc.) ob venultatem ramorum pariter & trunci, & lavorem corticis. Harmarus

Fraxinus vulgaris, common Afhatree, G: 1472.

P: 1419.

op-

51.

I.

d

us

tú

41

2.

.

n C

.

Fraxinus bubula, G. 1473. Ornus five Frax. filv. P: 1419. Quicken tree.

Frittillaria à fritillo dicta quia flores eleganter macujati referent tabalam latruncularem quam quidam frittillum vocarunt.

frit. vulg. checkquered Frittilarie, G: 149. P: G: 40.

Frit. alba, white Frit. G: 150. P: G: 42.

Frit. vulg. pallidior, P:G: 42. pale checkquered Frit.

Frit. Aquitanica minor flore luteo obsoleto, G: 150. Frit. Pyrenaa five Apenina Ps G: 43. darke yellow Frit.

Fric

Frit. flore luteo vario five punctato, P: G: 43.
Fr. lutea fomeri G: 150. checquered yellow f.

Frit. polyanthos flavo viridis, G: 150. yellowiff green many flowred checkquered Frit.

Frumentum à frumendo est vox variis granis accommodatum.

Prumentum turcicum five Milium 267201
Diosc. lib. 2. cap. 119. à numerofissimis &
minutis granis ficuum, que 267204111
vocantur.

Fromenum Turcicum five milium Indicum
G: 18. P: 1138. Indian or Turkey wheat
habetur diversis coloribus.

Fumaria dicta quod succus e jus oculls inditus (veluti fumus ) lacrymas movet, Diosc.

Furnavia alba lat. P: 288. Fu. claviculata, G: 1088. white broade leafed climing Furnitory. Furnavia purp. G: 1088. Fu. vulg. P: 287. Common purple Furnitory.

Fumaria bulbofa, vid. radax cava.

117

Fungus à funus & ago dicitur quod vescentibus mortifer, nonnulli enim eorum maxime venenofi sunt.

Fungoru Schementorum Varie species ut videre et G. l.3. c. 167.

Non Esculentorum P. trib. 14. c. 62

Fungus fambucinus, Jewes care, G. ib. P. ib.

Galega

G

G

G

C

G

Alega, vid. ruta capraria.

Galeopfis yaninaxus à florum figura Muflellæ faciem & rictum quadantenus exprimente.

Gal. vera, G: 704. Gal. legitima diosc. P.608.

stinking dead Nettle.

Gal, altera luteo-pallida, P. 608. scrophularia
flore luteo, G: 717. pale yellow Galeopsis or
stinking dead Nettle.

Galium salar and to yake mayrour à coauge

lando lacte.

nis

en

m

tus

ry. 87.

ti-

nè

ies

eft

7.

**g**a

Gallium sive Mollugo montana, G: 1127 P:565.

Mountain white flowred Ladies Bedfiraw, or bastard Madder.

Galleum luteum, yellow flowred Ladies Bed-

ftram, G: 1126. P: 564.

Genista sic d. quia genu modo slexilis sit ad nexus.

Genista vulgaris, common Broom, G. 1311.

P: 229.

Genista Hispanica, G: 1313. spartum Hisp. frutex vulg. P. 231. ordinary Spanish Broome.

Genista

Cenista spinosa vulg, great Furzebush, G:1319.

Cenuta Ipinola minor, G: 1319. Small Furzi-

bufb.

Genistella tinctoria, G: 1316. Gen. tinctoria vulg. P: 229. common green weed, Dien weed, or woodwax.

Genista aculeata, G: 1320. Genistella aculeata

P: 1004. petry whi v.

Gentiana a Gentio Illyricorum rege qui in belle primum ejus vires reperit dictam fuisse te statur Diosc.

Gen, major, great Gentian, G: 432. P: 402. Gen-Gen, cruciata, G: 433. P: 402. croffeport Gentian.

Gen concava, G: 435. [aponaria Anglica convoluto folio, P: 641. hollow Fellwort.

Gentienella verna major, the greatest of the small Gentians of the spring, sic d. à facie & facultatibus Gentianæ similibus, G: 436.

Gentianella fugax minor, G: 437. Gen. autumnalis centaurei minoris foliis, P: 406.

Autumne bastard Gentian.

1 MAT

Gerapium regium à gruini capitis imagine in fummo ejus cacumine visenda nomen habes.

P: 706. common Doves foot Crans bill.

Ger.

C

6

G

G

G

G

G

Ge

Ge

Ge

Ge

Ge

Ger

Ger. malacoides laciniatum sive columbinum alterum, P: 706. Ger. Col. majus diffectis foliis, G: 938. the other jagged Doves foot.

Ger. malacoides five Col. minimum, P. 707.

the least Doves foot:

Ger. faxatile five lucidum, fhining Granes-bill, P:707.G:938.

P: 707. Doves foot with thin cut leaves.

Ger. mofcatum, Mufke Cranes-bill, G: 9491

P: 709.

ć

4

ri

Ġ

0

4

j.

-

6.

1-

50

m

n

e

r.

Ger. cicutæ folio inodorum, G: 945. Ger. moschatum inodorum, P: 708. unsavourie field Granes-bill.

Ger. mosch. inodorum flore albo, unfavorie field Crans-bill with a white flower, P: in

margine, 708.

Ger. Robertianum, berb Robert, G: 939.

P: 710.

Ger. Batracoides fl. caruleo, blew crowfoot Crans-bill.

Ger. Batracoides, fl. albo, white crowfoot Crans bill. G: 939. P: 228.

Ger. Batracoides flore pullo, duskie cronfoet

Crans-bill, G: 942. P: 704.

Ger. Batracoides longius radicatum, long rooted crowfoot Cranes-bill, G: 942. P: 705.

Ger. creticum, candy Crans-bill, G:942.P:710. Ger.maculatum, sive suscum, spotted Granes-bill,

G: 945. P: 704. Ger

Ger languinarium, bloody or Rofe Cranes-bill,

GA 945 P. G. 229

Gor Romanum ftriatum, P: G. 229. friped Roman Granes-bill

Ger. Malacoides, G. 943. Ger. altheoides majus , P. grert marsh-mallow leased Cranesbill.

Ger, trifte five Indicum noctu olens, P. 710.

weet Indian Cranes-bill.

Gladiolus Eiger nomen à foliorum figura funptum quæ tamets eadem propemodo sit multis plantis ut Iridi, Xyridi, acoro & bulbofis quibusdam, huic tamen præ cæteris premansit, quia folium propiùs ensem mucronatum refert.

Gladiolus Narbonensis; G. 105. P. G. 189.

common French Corne flag.

Gladioles flore rubente, P. G. 190. blush corne flag. Gladiolus primus, ex colore rubro purpurafoit, secundus ex rubro albicat.

Glad. H. albo, white corn flower.

Gladiolus paluftris Cordi, G. 29. Juncus floridus major, P. 1197. water sword Flag, or flowring Ruft.

Clans Banaros à Bana quod porcis projiciatur. Glans terra, G. 1236. Lathyrus arvensis,

P. 1061. peafe earth nut.

Glaftum fativum, manured Woad, P. 600. G. 491.

Glastum

C

Glaftum fyly. wild Wood, P: 600. G: 491.

d

es

54

04

1-

it

is

-

7.

o

r

55

).

n

Glaux yánag à yána lac quod copiole generat.

Glaux Hisp. Clusii, P. 1095. Glaux Dioscoridis, G: 1242. sed falso, Clusius bis Spanish milke Tare.

Glycyrrhiza, yavzvese ob radicis dulce-

Glyc. vul. common Liquorice, G:1302. P:1098.

Gnaphalium praganier quia est planta comen-

Gn. Americanum, American Cudweed, G. 6411

Gn. vulgare, G: 639. Filago minor, P: 686.

Gn. anglicum vulgare majus, P:685. great

Gn. montanum suave rubens, G: 641. Gn. montanum sive pes cati, P: 690. bright red - mountain Cotton weed.

Gn. Anglicum, G: 639. English Cudweed.

Gn. minus five herba impia, P: 685. the leffer Cudweed or herb impiais.

Gramen \*yes is ab agris qui (græcè ayest appellantur) ubi maxime provenit.

Gramen miliaceum vulgare, common millet graffe, G: 6. P: 1153.

Gr. alopecuroides majus, great foxtaile graffe, G: 10. P: 1165.

Gr. paniceum, G: 16. P: 1154. Panick graffe.

Gr. ftriatum, Ladies-lace graffe, G. 26. P. G. 458.

Gr. plumarium minus, P.G: 458. spartum Auftriacum, G. 42. the leffer feathered graffe.

7

(

0

G

G

G

G

G

Gi

Gi

Gi

Gr

Gt

Gr

Gr. tremulum max. Hisp. P. 1165. Phalaris pratentis altera, G. 87. great quaking grasse.

Gr. tremulum minus, P. 1165. Phalaris pra-

tenfis, G.66. small quaking graffe.

Gr. hirfutum capitulo globoso, globe beaded

· bairy moodgrasse, P. 1186. G. 18.

Gr. exile hirfutum, G. 17. Gr. nemorum minus angustif. P: 1185. lesser hairy wood-grasse.

Gr. caninum vulgatius, common couch or Dogs

graffe, G: 23. P: 1173.

Gr. caninum nodosum, G: 23. P:1176: knott)

Dogs graffe.

Gramen juncoides lanatum, P: 1272. Gr. to-

mentarium, G:29. Cotton graffe.

Gr. Cyperoides palustre minus, P: 1267. Gr. cyperoides parvum, G: 21. fmall Cypresse grasse.

Graminis Leucanthemi, 4. species, foure kinds of stitch-wort, G: lib. 1. cap. 38. P: trib. 15.

cap. I.

Gr. marinum spicatum, P: 1278. Sen spike

grasse.

Gr. marinum spicatum, G. 20. spicatum al-

terum, P: 1279. another fort of Sea Spike graffe.

Gr. Junceum sylvarum articulato folio, P:

1189. joynted wood rush graffe.

Gr. Parnaffi flore simplici, graffe of Parnaffic

with a fingle flower, G:840 P: 429.

Gratiol & nomen recentior ætas tribuit propter fingulares vires tam per superiora quam per inferiora humores expurgandi.

Gratiola vulgaris, G: 581. P: 220. true hedge

Hiffup.

1

9

þ

Is

0

n

Gratiola latifolia nostras, leffer broad leafed bedge Histop, G: 581. P: 220.

Groffularia fic nuncupatur quod grofforum

exiguorum refert imaginem.

Groffularia sive uva crispa, G: 1324. Gros vulg. cum ejus varietate in Park. exhibita, P: 1560. common Gooseberries.

Gros. rubra diversarum specierum, P: 1561.

red Gooseberries of divers kinds.

Grof. viridis hirfuta, P: 1561. prickly green Goofeberries.

Grof. viridis lenis, \* fmooth green Goofeberries.

Grof. alba max. \* Chrystall G.

Grof. max. fubflava, G: 1324. great yellowish Goof.

Grof. faccharata, \* sugar G.

Grof. compresse rotunda, \* Orange G.

Grof. frudu vario, \* mishapen G.

Halimus

## H

Halimus anpos amo ne anos ubi nascitur, vel efuriunt:

Hal latif. five portulaca marina incana major, tree sea Purstaine, G: 523. P: 724.

Hal. angustif. procumbens, G:523. Hal-tenuis. five Port. marina incana minor, P: 725. creeping sea Purstain.

Hal. vulgaris five Port. marina, common fee

Purflain, G: 523. P: 724.

Hedera xiosos amo ne xi@ à quodam verme cujus naturam hædera quadantenus refert & æmulatur quod fusius declaratur in Gen. Hift.

Hed. Corimbosa nigra, G. 858. Hed. arbores nostras, P: 678. common climing Ivy.

Hed helix, barren Ivy, G: 858. P: 679.

Hed. terrestris, ground Ivy, G: 856. P: 677. Hed. terrestris varieg. \* partycoloured ground

Ivy.

Hed. virg. trifolia, P: 679. Virg. Ivy with three leaves.

Hed. vir. quinque folia, Virg. Ivy with five leaves

G: 857. P: 679.

vel

die

or,

uif.

25.

fes

me

en

en.

rea

Hederula aq. G: 830. Ranunculus hederaceus aq. P: 1216. water Ivy or water Crowfoot with Ivy leaves.

Hedyfarum Texixivor quam etiam Latini à semi-

. nis figura securidacam vocant.

Hedys. clypeatum vulgare, common French

bony-Suckle G: 1235. P: 1087.

Hedys. minus, P: 1088. securidaca minor lutea, G: 1234. leffer hatchet Vetch, or Sicklewort.

Hedys. majus sive sec. major, greater hatchet

Vetch, G: 1233. P: 1087.

Hedys. Glycyrrhizatum, G: 1233. Glaux vulgaris leguminosa, P: 1098. common Licorice Vetch. Non convenit icon sark. cum planta.

Helianthemum anglicum flore luteo, G: 1282. Hel vulg. P: 656. English yellow Ciftus, or

Sun flower, ab arto & 'naid

Helleborus inispoes raed to iniv the Boga quod esu interficit.

Helleb. albus vulg. P: 217. Hel. albus, G: 440.

common white Hellebor.

Hel. albus vernus, atro rubentibus floribus, P: 217. Hel. albus præcox, G: 440. early white Hellebor with darke red flowers.

Helleborus angustisolius, P: 218. Helleborine F 2 angustis.

angustif. 6. Clusii 442. narrow leafed will white Hel.

Helleborine, G: 442. Hel. minor fl. albo, P: 218. small wild white Hellebor.

Helleborus niger verus, true blacke Hellebore, G: 976. P: 212.

Helleboraster max. great bastard Hellebor, or Beares foot, G: 976. P: 212.

Helleborastrum, G: 976. Helleboraster minor, P: 212. wild bastard black Hellebor.

Helleborus niger siniculæ folio major, P:213. Astrantia nigra, G: 978. blak Masterwort, or reater purging sanicle like Hellebor.

Hepatica d. quia contra morbos hepatis

Hepatica nobilis flore caruleo pleno, P:G:226. Hep. multiflora Lobelii, G: 1203. double blue Hepatica.

Hep. flore car. simp. P: G: 225. Hep. trifol. G: 1203. single blue Hep.

Hep. trifolia rubra, G: 123. Hep. flore rub. P: G: 220. red Hep.

Hep. flore albo, G: 1203. Hep. alba magno flore, P: G: 225. white Hep, est & alia Hep. alba que variat staminibus.

Hep. albida five argentea, P: G:225. ash coloured Hep.

Hepatica terrestis, G: 1565. lichen, sive Hep.

Herba

Herba Doria ab inventore nuncupatur.

Herba Doria, vulg. P: 541. herba Doria Lo-

belii, G: 431 Dorias his mound wort.

Herba Doria altera, G: 431. another fort of Dorias his woundwort of Virginia.

Herba Gerardi, vid. Podagraria.

e,

7

r,

S

Herba mimosa sive sensibilis, the sensitive plant, mimosa d.quoniam manu admota marcessere videtur, manu vero remota pristinum virorem recipit, sed non adeo celeriter.

Herba humilis, the humble plant, sic d. quia manu admota deflectit ramos remota vero manu eosdem erigit. Quia hasce plantas nullibi rectè descriptas, neque pictas invenimus authorum nomina tacere placuit.

Herba Paris, true love or one berrie.

Herniaria fic d. ob efficaciam in curandis herniis.

Herniaria vulgaris, Rupture mort, G: 569. P: 447. non conveniunt icones.

Helperus irrees ab irrego quia noctu fragrantiùs spirat quam interdiù.

Helperus vulgaris, vid. viola Matronalis.

Helperus sylv. latif. flore albo parvo, P: 627. small white flowred Dames Violet.

Hieracium iseduser quia iseaus hujus herbæ fucco occulorum actem acuere dicuntur.

Hier.longius radicatom, long roosedHawkmeed.

Hier.

Hi. minus five leporinum, G: 296. Hi. minus præmorsa radice, P. 794. small hares hamk-weed or yellow Divells bit.

Hi. pumilum Alpinum pramorsa radice, P.

H

H

H

ŀ

F

F

I

798. dwarfe mountaine Hawkweed.

Hi. fruticosim angustif. majus, P: 801. great bushy Hawkweed with narrow leaves.

Hi. nigrum, G: 297. black H.

Hi. falcatum five stellatum, starre like H.

G: 298. P: 796.

Hi. foliis & facie chondrillæ, P: 794. Hi. aphacoides, G: 297. gum Succory like Hawkweed.

Hi. intybaceum, G: 298. Endive H. non con-

venit icon.

Hi. intybaceum flore luteo, P: 794. yellow garden succory like H.

Hi. intybaceum flore carneo, P: 794. blush

garden succory like H.

Hi. dentis leonis folio hirsutum, G: 303. dan-

Hi. parvium creticum, small Candy H. G: 303.

P: 791.

Hipposellinum irassians ob magnitudinem

Hippofelinum five imyrnium vulgare, common

Alexander, B: 930. G: 1019.

Hippoglossum mas, G. 908. Hippoglosom sive bislingua, P: 702 male Horsetongue, in a sæpe

sepe magnis datur plantis, potius indpaossos quia hæc planta refert linguam super linguam.

Hordeum neilà à neiro secerno, quod ejus gra-

na à se invicem distent. Harmarus.

Hordeum disticon, common Barly, G: 70.

Hordeum Polystichon, Early big, G: 70;

P: 1130.

15

-

t

Horminum ¿quivor à no re ocuar (i.) impetuagi, quia ad venerem multum stimulat. Colus Jovis d. à summo caulis fastigio colum slavo penso obvolutum representante.

Horminum luteum seu Colus Jovis, yellow Clary, or Jupiters distaffe, Gen: 769.

P: 58.

Horminum sylv. vulgare five oculus Christi, common wild Clary, G:771. P: 55.

Horminum sylv. latifol. G: 771. Horminum Germanicum humile P:55. Clusius bis third wild Clary.

Horminum Æthiopicum, vid. Æthiopis.

Horminum supinum Greticum, P:57. low Candy Clary.

Hyacinthus váziro ideo dicitur quia us ra ro vernis imbribus permaduit.

Hyacinthus

Hyacinthus autumnalis minor, small autumne Jacinth, G: 110. P. G: 132.

Hy. anglicus flore caruleo, blue English hairebells, G: 111. P: G: 122.

Hy. anglicus flore albo, white English bairebells, G: 111. P: G: 122.

Hy. anglicus flore incarnato, flesh coloured English baire-bells, G: 112. P: G: 122.

Hy. indicus minor tuberosa radice, P: G: 111. G: 115. small Indian knobbed Facinth.

Hy. Pervanus, G: 109. Hy. stellatus Boeticus minor vulg. Pervanus, P: G: 124. Peru 7.

Hy Pervanus flore albo, G: 109. P: G: 124.

white flowred Peru 7.

Hy. stellatus Someri G: 108. Hy. stellatus flore cinereo, P: G: 129. Somers starrie J.

Hy. stellatus sive bisolias Fuchsii, common blue starrie, J. P: G: 126. G: 106.

Hy. Rellatus fl. albo, G: 106. P: G: 126. white starrie Jacintb.

Hy. stellatus Byzantinus alter, sive flore boraginis, Borage flower like starrie J. of Constantinople, G: 109. P: G: 128.

Hy. Orientalis albus, white Orientall Jacinth, G: 113. P: G: 118.

Hy. Orientalis major przcox. P: G: 118
Polyanthos, G: 112. greatest Orientall.
Jacintb.

Hy.

Hy.

Hy.

Hy.

Hy

Hy

Hy

Hy

H

H

H

H

L

Hy. Orientalis store pleno, G: 114. store duplici, P: G: 119. once double Orientall Jacintb.

Hy. Orientalis flore pleno caruleo, P.G. 119.

the faire double blue Or. Facinth.

Hy. Oriental's caruleus, O: 112. P: G: 118.

Hy. Or. ferotinus erectis floribus, late florring

Or. Facinth, P: G: 119.

Hy. Comosus, G:117. Hy. Com. major. purp. P:G: 116. great purple faire haired 7.

Hy. Com. minor purp. \* [mall purple faire

baired Jacinth.

me

re-

re-

ed

I.

U\$

rn

1.

e

ŧ

Hy: Com. ramosus elegantior, G: 117. P:G:

117. fair curled branched facinth.

Hy. botryoides, car. G: 118. car. minor obicurus, P:G: 114. dark blue grape flowred J.

Hy. bot. car.major, G:118. P. G:114. great

blue grape flowred 7.

Hy. bot. albus, white grape flowred Jacinth,

G: 119. P: G: 114.

Hy. bot. major moschatus, seu muscari store cineritio, P: G: 112. Muscari Clusi, G: 120.

Ash coloured grape flower J

hypocheris, porcillia, G. 288. Hieracium asperum hyp. sive porcellia dictum, P 791.

Swine Succory, or Swines Hankweed.

Hyoseris mascula, G. 288. Hisraceum minimum Clusiii, P: 791. Mala Sminer Succorp. Hyoseyamus Hyoscyamus ab is & kulan quia porci hujus herbæ pastu (Æliano teste) præsenti mortis periculo corripiuntur.

Hy. niger five vulg. common Henbane, G: 353.

P: 362.

Hy. Creticus, Canty Henbane, P: 362. non convenit icon cum herbâ.

Hy. lureus, G: 356. Tabacco anglicum, P:711.

English Tabacco.

Hy. Pervanus, G: 357. Tabacco latif. P: G:

363. common Indian Tab.

Hypericum & Se' x6510v, & Se' x auainirus. quoniam semen odore pineam resinam imitatur. Diosc. lib. 3. c. 171.

Hypericum majus, vid. Androsæmum.

Hyp. vul. common S. Johns wort, G:539.P:572. Hyp. minus erectum five pulchrum Tragi, Small upright S. Joh. w.rt, G: 540. P: 572.

Hyp. supinum glabrum, G: 541. Hyp. minus supinum, P:572. small creeping S. Joh. wort.

Hyp. tomentosum Lobelii, G: 540. Lobells

moolly S. Johns wort.

Hyp. Syriacum, G:540. Rue S. Johns wirt.

Hystopus vulg. P: 1. Arabum, G: 579. Hystop with blue flowers.

Hyssopus fl. albo, G: 579. white flowred Hyss.

Hyf. folis hirfutis, \* bairy Hyffop.

Hyl. foliis hirfutis varieg. \* striped bairy Hys.

Hys.

Hyf. Arabum fl. rubro, G: 579. P: 2. red Hyf. Hyf. verficolor, G: 580. verf. foliis niveis, P: 1. white party coloured Hyf.

Hyf. verhcolor foliis aureis, P: 1. yellow partycoloured Hyff.

Acea nigra vulg. common knap weed, variat flore albo, G: 727. P: 468. Jac. laciniata alba, P: 471- G: 728. jagged

white Knapmeed.

rilla ite)

53.

non

ıj.

G:

10ur.

2. zi, 2.

us

t.

Ils

Jac. major, G:727. Jacea nigra vulg. laciniata, P: 470. great jagged Matfellon.

Jac. major lutea, G: 728. Jac. lutea capitulis spinosis, P: 473. yellow prickly beaded Knap. Jac. capitulis hirsutis Boelii, G: 729. purple,

prickly beaded Knap.

Jacobea (i.) herba S. Jacobi, quia in festo e ins colligitur & ob usum reponitur.

Jacobea vulg. com. Ragwort, G: 280. P: 668. Jacob. marina, G: 280. Jac. marina five, cine-

raria vulg. P: 669. common sea Ragwort. Jasminum idemivor ab idem quia flos ejus o-

dore violam amulatur. Jasminum cæruleum, G. 893. Lilach lacinia-

tis foliis, P.G.408. Persian Jasmine. Nobilis

hæs

hee planta obsensa nimis discriptione (apud authores) infamatur.

Jasm. album, G. 892. P. G. 406. white

Fasmine.

Jasm. luteum vulg. sive trifolium fruticans aliis polemonium, P. G. 406. Pol. sive trifolium fruticans, G: 1310. ordinary yellow Jasmine.

Jasm. Catalonicum, P: G: 406. Candislorum, majus, G: 892. small Spanish Jasmine.

Illecebra minor live sedum 3. Dioic. P: 735.
Illecebra minor neris, Ger: 517. wall

Imperatoria five Astrantia vulg. common Mafier wort. G: 1001. P:942 ob extmias facultates Augusto nomine imperatoria hac planta dontta suit.

Iris les à coleffis arcus fimilitudine quam flo-

res ejus representant.

tris Horteniis tam varia & verficolor est ut coelestem iridem non tantum amulata est, sed vera colorum specie coloratum istud aeris mendacium superet idemque sibi decorum nomen adsciscat.

Irides bulbofe.

Iris bulbofa Petfica Perfian bulbons Flower-deluse. P. G. 172.

lis bulb. major, five latif. verheolor, greater particoloured bulbous Fl. G: 100. P.G: 174.

Iris

Iri

In

Ir

Ir

k

Ir

h

h

Iris bulbofa ma jor five anglica carulea, P. G. 173. Iris bulb. anglica, G. 99. blue English bulbous Fl.

Iris bulb. major five latif. alba, great white Fl. P. G. 174.

Iris bulb. major purp. & purpuro violacea,

P: G: 173. great purple bulbous Fl.

Iris bulb. minor five angustif. store albo majore & minore, P: G: 176. narrow leafed white bulbous Fl. with larger and lesser stowers. variant albidis dilute albis lacters, argenteis, atque niveis storibus.

Iris bulb, minor five angustif. pallide surea, P: G: 177. Iris bulbs store luteo, G: 101. stran

coloured small bulbous Fl.

te

15

9

6

lais bulb. minor, five angustif. subpurpurea labris luteis, pale purple narrow leafed Fl. with yellow fals, P. G. 178.

lris bulb. minor, five angustit. subcarriles labris luteis, pale blue narrow leased bulbons

Fl. with yellow pendants; P. G. 178.

leis bulb. minor, five angustis. purporo rubescens labris caruleis, redish purple narrow leased bulbous Fl. with blue pendants, P. G. 178.

Irides tuberofe.

lris Chalcedonica, G. 55. Iris Chalcedonica five Susiana major, P. G. 179. greater Turkey Fl.

Iris

Iris alba Florentina, white Fl. of Florence, G:5 P. G. 180. Iris Flor. fl. pallido, pale Fl werd. of Florence

P. G. 180.

Iris Dalmatica major, Dalmatian Fl. G. 5: P. G. 180.

Iris Camerarii, German Fl. G. 54.

Iris Asiatica cærulea, P. G. 181. blue Asian Fl. Iris lutea variegata, G. 55. P. G. 182. yello narvable Fl. Inter Irides tul e osas hac so lummodo hyeme folia dependit.

Iris cærulea verlicolor, P. G. 182. blue party

coloured Fl:

Iris alba major versicolor, white party coloured Fl. P.G. 180.

Iris purp. major versicolor, great variable

Iris purp. verlicelor minor, leffer variable purple Fl. P. G. 181.

Iris biflora, G.53. Lufitanica biflora, P.G. 181
twice flowring or Portugall Fl. Hac est quan
in tectorum culminibus murisque plantan
consueverunt,

Iris angultif ma jor cærulea, P. G. 184. grea

blew narrow leafed Fl.

Iris angustif. purp. versicolor, variable purple narrow leased Fl. P. G. 184.

Iris tuberosa, velvet Flowerdeluce, G. 103 P. G: 188.

Il.

zbl

81 an

ea pl 03

( Č J

ris palustris lutea, G: 50. acorus palustris,

P: 1219. yellow water flag.

Ghamairis latif. major alba, P: G: 186. Chamairis nivea aut candida, G: 57. great white dwarfe Flowerdeluce.

Cham. latif. major purp. P:G: 186. great pur-

ple dwarfe Fl.

Cham. latif. minor alba, P: G: 186. leffer.

Cham, latif. minor purp. lesser purple dwarfe

Cham. latif. minor lutea versicolor, variable yellow dwarfe Fl. P: G: 187.

Cham. latif. minor carulea virticolor, P: G:

187. blue variable dmarfe Fl.

Cham. angustif. major, P: G: 187. Cham angustif. G: 59. greater grasse Fl.

Cham. angustif. minor, P: G: 186. Cham.

tenuif. G: 56. leffer graffe Fl.

Juniperus d. quia juniores & novellos fructus parit (ut quibusdam placet) solam enim fere arborum sœtus suos in biennium prorogare qui ne maturescunt quidem novis supervenientibus.

Juniperus vulgaris fruticosa Bauhini in Pin.

488. common shrub Juniper.

Junip. vulg.arbor, tree Juniper, Bauh. in P. ib. in authoribus nostris malè describuntur.

Juncus à jungendo, oxoro à loris & funibus.

Juncus levis maximus, P: 1192. Juncus aq. max. G: 35. great Bullrush.

Juneus lavis, common Rush, G: 35. P: 1191. Juneus lavis glomerato flore, P: 1191. Smooth

Juneus acutus vulgaris, G: 35. P: 1193. com-

mon sharp Rush.

Juncus aq. capitulis equifeti, elub rush or aglet beaded Rush, G: 1631. P: 1196.

## K

Kali geniculatum, G: 535. P: 280. Kali geniculatum rubrum, P:280. red jojnted Glassewort.
Keiri, vid. Leucoium.

## L

Aburnum, vid anagyris.

Lachryme Job. G: 88. P: 430. Jobs tears, fie d. quia femina sunt lacrymis stillantibus similia.

Lactuca

Lactuca à lactis copia, gr. beidat quod tota herba sit ferè folia Harmarus.

Lactuca sativa, garden Lettuce: G: 306. P: 812.

Lactuca crispa, curled L. G: 306. P: G: 498. Lact. capitata vulg.common Cabbage L. G:307. P: G: 498.

Last capitata Romana, Roman or red L.

P: G: 498.

q.

oth

7

let

d

Lact. sylv. laciniata five foliis dissectis, G: 309.
P: 813. wild L. with jagged leaves.

Lact. fyl. Endivize foliis odore virefo, P: 813. Lact. fylv. major odore opii, G: 309. broad leafed stinking wild L.

Lact. Agnina, G: 310. Lambs Lett. or corne.

Sallet.

Lact. agnina, P: 812. Lact. ag. latif. G: 310. broad leafed Lambs E.

Lact. agnina foliis variegatis, party coloured Lambs L. \*

Ladanum segetum, vid. Sideritis.

Lagopus à similitudine foliorum cum pede leporina.

Lagopus vulgaris, P: 1107. Lagopodium, G:

1193. common little Hares foot.

Lagopus ma jor spica longiore, G: 1192. Lag. ma jor solio pinnato, P: 1106. great large beaded Hares soot.

Lamium fortaffe à florum figura veluti

Lamium album, white Archangell, G: 702.

Lam, luteum, yellow Arch. G: 702. P: 606.

Lam. rubrum, G: 703. Lam. vulg. fol. fubrorundo, flore rubro, P: 604. red Arch.

Lam. vulg. folio subrubro flore albo, round

leafed Arch. with white flowers.

Lam. Panonicum, G. 703. Galeopfis max. Pa-

nonica, P: 608. Hungary dead nettle.

Lampsana, Aautain d. videtur, and ne hatai quod lambere fignificat; quia foliorum molliue caduca, decubituye in humum, eam lambere videtur.

Lampsana vulgaris, G: 225. P: 810. common

Dock creffes.

Lapathum Adrasov dro ve Auraces quod valet exinanire, foliorum enim decoctum alvum emollit.

Lapathum acutum, G: 388. lap. acutum majus, P: 1224. tharp pointed or red Dock.

Lap. acutum minimum, small sharpe Dock, G: 388. P: 1224.

Lap. syl-folio minus acuto, G: 388. Lap. syl. vulgatius, P: 1224. ordinary roundiso leased wild Dock.

Lap. aq. five Hydrolapathum majus five magnum, great water Dock, Park: 1225.

G: 388.

Hippo-

Hippolapathum sativum, G: 389. Lap. sativum seu patientia, P: G: 485. Patience, or Monks Rubarb.

Hippolapathum rotundif. bastard Rub. G: 389.

P: 154.

d

-

.

.

1

ì

Lapathum fativum fanguineum, Bloodwort, G: 390. P: 1226.

Lap: unctuosum, P: 1225. Bonus Henricus,

G: 329. English Mercury.

Lathyrus Adoug , forsan à Aide lateo quia le-

gumen parvum est.

Lathyrus major perennis, P: 1061. major latifolius, Ger: 1229. great everlasting pease.

Lath. Ægyptiacus, G: 1230. Cicercula Ægyp.

Clusii, P: 1065. Ægyptian chichling.

Lath. syl flore luteo, Tare everlasting, G:1231. P: 1062.

Lavendula d. quia balneis & lavacris expetatur, Jeudoras des quia verum Nardum odore amulatur.

Lavendula flore albo, white flowred Lavender, G: 583. P: 72.

Laven. minor five spica, small Lavender spike, G: 584. P: 73.

Lav. fl. cæruleo, G:583.major vulgaris, P:73.

common Lavender.

Lav. folio multifido, P: 73. stæchas multifida, G: 585. jagged Lavender.

Lauro

Lauro cerafus à folhs lauro, & nucleis cerafi fimilibus, Cherry Bay, G: 1603. P: 1518.

Laureola ob similitudinem aliquam quam habet cum lauro, Sparge Laurell, G: 1404. P: 205.

Laurus Supra à virgine istius nominis in hanc

arborem conversa. Ovid.

Laurus vulgaris major, great common Bay tree. G: 1047.P: 1488.

Laurus vulgaris minor, fmall common Buy tree,

G: 1407. P: 1488.

Laurustinus, G: 1409. Laurustinus Lustanica, cærulea bacca, P: 206. ordinary wild Bay.

Laurustinus Lustanica, G: 1409. Laurustinus fecunda Clusii, P: 206. Portugall wild Bay tree.

Legumen dicitor, quia non secatur sed manu

vellendo legitur.

Legumen pallidum Ulissiponense Nonii Brandonii, G: 1627. Arachus minor Lustranieus, P:169. wild chichling pease.

Lens quasi lenis, quo equanimitatem & leni-

tatem conciliat vescentibus ea.

Lens major, greater Lemills, G: 1224. P: 1068. Lens minor, little Lentills, G. 1224. P: 1068.

Lens palustris, Duck meat, P. 1262. G: 829. ht d, quia habet folium lenticulæ simile.

Lepidium and ou sentien sentieus quod maculas faciei deleat.

Lepidium

Lepidium vulgare seu Piperitis, P: 855. Raphanus syl. offic. G:141. common Dittander. Lepidium annuum, annuall Dittand. G: 242.

P: 855.

nè

e.

4

3,

1\$

9

ú

Leucoium Asuxóros quasi d. Asuxòr'ios alba vicla quia quam plurima Leucoia præsertim bulbosa albis ornantur floribus.

Leucoium bulbosum præcox minus, early flowring bulbous Violet, G: 147. P: G: 109.

Leu. majus bulbosum serotinum, great late flowring bulbous Violet, G: 148. P: G: 110.

Leu, luteum flore simp. sive Keiri, P: G: 257. Viola lutea, G: 456. common single Wall flower.

Leu. luteum vulg. fl. pleno, P: G: 257. Viola lutea mult. G: 456. double com. Wall flower.

Leu. sive Keiri luteum alterum flore pleno, pale yellow or straw coloured double Wall flower. P: G: 257.

Leu. luteum majus flore pleno ferrugineo, P: G: 257. double red or striped Wall flower.

Leu. simplex flore albo. P: G: 257. Leu, sylv. fextum, G. 457. single white Wall flower.

Leucoium flore albo pleno, double white Wall flomer, Hort. Eyst.

Leu. melancholicum, melancholly stock Gillo-

flower, G: 463. P: G: 263.

rate descriptimus, in authoribus nostris

G 4 obscurius

obscurius exhibentur, ut videre est, G. lib.2. cap. 120. P: G: pag. 260.

Leucoium purp. flore simp. single purple stock-Gillostower.

Leu. album fl. fimp. fingle white flock g.

Leu. flore rubro simp. elégantiore, bright red single stock g.

Leu. purpuro violaceum simplex, violet colon-

red single stock g.

Leu. purp. striatum simp. single purple striped fock g.

Leu. rubrum striatum simp. single red striped

stock g.

Leu. purpuro violaceum mult. double violet coloured stock g.

Leu. rubrum mult. double red stock g.

Leu. rubrum flore striato mult. double red striped stock g.

Leu. purp. flore firiato mult. double purple stri-

I

I

ped stock g.

Levissicum à Liguria ubi plurimum nascitur dictum ut Lonicero placet.

Levisticum vulgare, common Lovage.

Ligustrum à ligando forsan d. quia undequaque flectitur.

Ligustrum common Privet, G: 1394. P: 1446. Ligustrum foliis variegatis, striped Privet. \*

Lichen arborum d. quod lichenis (i.) impetiginis instar in arboribus, & petrosis locis serperet serperet, tree Lungwort, G: 1566. P: 1313. hujus inutiles varietates negligimus.

Lilach, vid. Syringa.

l

ĺ

Lilium gr. xeiver quia est flos Junoni o'im dicatus, potius à recer quia est flos blandus & afpectui jucundus.

Lilium album flore pleno, double white Lilly.\*
Lilium album vulgare, common white Lilly.

G: 190. P. G: 39.

Lilium Perficum, Perfian L. P.G:201.P:G: 29. Lilium cruentum bulbiferum, fire red bulbed Lilly, G: 193. P: G: 38.

Lilium aureum, gold red Lilly, G:192. P:G:38. Lilium album Byzantinum, white Lilly of Con-

Stantinople, G: 190. P: G: 39.

Lilium majus bulbiferum, P:G: 38. lilium cruentum fecundum caulem bulbulis donatum
G: 194. greater bulbed red Lilly.

Lilium pumilum cruentum, P: G: 36. dwarfe

red Lilly.

Lillium couvallium fl. albo, white May Lilly.
Lilium conv. fl. rubente reddish May Lilly,

G: 410. P: G: 349.

Liliasphodelus phaniceus, P. G. 148. Lilium non bulbosum phaniceum, G. 98. golden day Lilly.

Liliasphodelus luteus, P: G: 148. Lilium non bulbosum, G: 98. the yellow day Lilly.

Limonium Anusirior quod in palustribus pratis

pratis nalcatur à Aupair locus irriguus.

Limonium, G:411. Li. vulgare majus, P:411.

Sea lavender Marsh bugloffe.

Limonium folio finuato, G: 412. limonium peregrinum Rauwolfii, P: 1235. sea Lavender with indented leaves.

Limonium parvum, G:411. minimum, P:1234

Smallest marsh Bugliffe.

Eingua cervina, d. ob similitudinem aliqualem gr. ouxiris (q. d.) herba foliosa quia nil nisi folia aut foliosus cespes apparet.

Lingua cervina seu Phyllicis vulgaris, common

Harts tongue, G: 1138. P: 1046.

Lingua cervina, sive Phyllitis multifida, G:1138, laciniata, P: 1047. finger Harts tongue.

Linaria dicitur quod folia habet lini foliis fi-

Linaria vulgaris lutea, G: 550. Li. vulg. no. fras, P: 458. common yellom tode Flax.

Linaria purp. altera, G:551. variable tode Flax, habetur flore albo.

Linaria adulterina, G:555. Pseudolinaria montana alba, P: 459. bastard tode Flax.

Linum Airer à Acies Levis & mollis.

Linum fativum, manured Plan, Ger: 556.

Linum syl. tenuif. cær. vel albo fl. wild narrow leafed tode Flax with blue or white flowers, G. 558: P: 1335.

Linum

ł

I

linum perpulillum: G: 559. chamelinum ftellatum, P: 1336. dwarfe wild Flax.

Linum fyl.cathardcum, Mill mountaine, G:565.

P: 1336.

II.

ım

m-

4

m

nil

011

8,

1-

)-

¢,

-

.

ø

Linum umbellatum, tufted Flax, P: 1687.

Linum marinum luteum, G: 560. Linum syl. angustis. luteum, Park: 1336. yellow flowred wild Flax.

Lithospermum 11860 respor à lapidea seminis

Lithospermam valgare majus, great Gromell, G: 809. P: 431.

Lithospermnm vulgare minus, fmall wild Gro-

mell, G: 609. P: 431.

Lolium dies à este per literatum metathesin quia est corruptio frumenti.

Lolium album, white Darnell, Ger. 78.

P: 1144.

Lolium rubrum, red Darnell, G: 78. P: 1145.

Lonchitis Acyxira quia lanceum refert.

Lonchitis aspera, G: 1140. Lon. asp. minor, P: 1042. Rough Spleen mort.

Lotus à Lotide Nympha, que Priapum fagiens in eam arborem fingitur commutata, Plinius.

Lotus arbor, Nettle tree, G: 1493. P: 1522.

Louis siliquis quadrata, G: 1198. Louis quadripinnais siliquis P: 1101. square codded pease.

Lotus

((98) Lotus quadrifolia, G:1198. quadrifolium pha um fuscum, P: IIII four leafed graffe. Lotus fyl. Creticus, P:1101. Candy wild trefoile Luiula, vid. Oxys. Lunaria à foliis lunz crescentis modo falcati dicitur. Lunaria minor, Small Moonwort, G:405.P:507. Lunaria minor ramofa nostras, G: 406. P:407. Ly English [mall branched Moonwort.

Lupinus bigu fic d. quia (ficut lupus) terram appetit & in fame terra vescitur, potius มักท dolor quia dolorem ventriculi & car- Li dialgiam vescentibus affert.

Lupinus sativus: G: 1217. Lup. sat. albus, L P: 1074. great white Lupines.

Lupinus alter albus, P: 1073. Spotted white Lupines.

Lupinus flore luteo, yellow Lupines, G: 1217. P: 1074.

Lup. czeruleus max. greatest blue Lupines, P:

Lup. minimus cær. P: 1074. Lup. fl. cær. G: 1217. Smallest blue Lupine.

Lup. Indicus medius cær. P:1074, middle Indian Lubine.

Lup. Ind. perennis, \* everlasting Lupine,

Lupulus salictarius dicitur quia subit scanditque falices, & arbufta omnia circumvolvendo sese complectitur.

Lupulus

L

Lu

L

L

L

L

L

Lup. falictarius , garden Hopps, G:885. P:177. has Lupulus fyl. wild Hopps, G: 884. P: 176. luteola à luteo colore quo tingit vestes d. Luteola, Dyers meed, G: 494. P: 603. rile Lychnis à Auxvos lucerna quod caulibus ejus pro elychniis ufi funt veteres. atis Lych. fyl. fl. pleno rubro, P. G: 254 I. mult. purpurea, G: 472. red Bachelors buttous: Lyc. fyl. fl. albo pleno, white B. But. P. G: 07. 254. G: 472. Lyc. fyl. fl. albo fimp. P: 631. G. 468. fingle white wild Campions. Lyc. syl. fl. rub. G. 469. P.631. single red wild Campions. Lyc. fyl. fl. incarneo, fiesh coloured wild Gampions, G: 468. Lyc. coronaia rubra mult. double red rose Campion P. G. 253-G. 468. Lyc. cor. rub. fimp. fingle red rose Camp. P.G. 252. G. 467. Lyc. cor. fl. albo, fimp. fingle white rofe Camp. G. 467. P. G. 253. Lyc. cor. albescens maculata, P. G. 253. Spotted rofe Camp. Lyc. cor. albesc. non maculata, P.G. 253. bluffo coloured rose Camp. without spots.

Lyc. Chal. fl. miniato mult. double scarlet flower of Contantinople, P. G. 253. G. 466. Lyc. Chalcetonica flore min. fingle

Scarlet

07.

am

ır-

15,

te

.

n

Scarlet flower of Constantinople, P: G: 253.

Lyc. Chal. flore incarneo, flesh coloured flower of Con. P: G: 253 G: 466.

Lyc. Chal.flore albo, fingle white flower of Can.

P: G: 253. G: 466.

Lyc. marina repens, P: 638. Lyc. marina Anglica, G: 469. Small sea Campion,

pexa hirfutie pedem lupinum imitante.

Lycopfis Anglica, wall Euglosse, Ger. 802

P:519.

Lysimachia Ausindzior i auteor Diose. 14. e.3. sic d. à Lysimacho Rege Agathochs silio ejus inventore, vel suegestords maxes au ut aliqui volunt.

Lysimachia lurea virginiana. G: 475. Lys. siliquosa virg. P. 548. Tradescants tree Prim-

rofe.

Lysimachia siliquosa Virg. major, greatest Virginian tree Primrose.

Lyl lutea flore globoso, round headed yellow

Willow herb, P. 544. G. 475.

Lyf. lutea, G: 474. Lyf. lutea major vulg. P: 544. great yellow will w berb.

Lyfimac. lutea minor, fmall yellow willow herb,

P: 543. G: 474.

Lyst purpurea spicata, purple spicked willon berb, P. 543. G: 476.

Lys.

L

L

Lyf. cær. G. 477. cærul. spicara, P. 546. blae spiked willow berb.

Lys. galericulata, G. 477. Gratiola carul. five latitif. major, P. 221. greater boodded

Loofe strife, or blue bedge Hyffop.

Lys. Nerii foliis & flore Delphinii, P. G. 270. Chamanerium, G. 477. Rose bay willow herbs.

Lyf. siliquosa major, P.548. Campestris, G.478.
greater smooth codded willow herb, variat flore

albo.

765

O.F.

in!

n)

121

-31

lio

less

li-

171-

17-

om

lg.

rb,

one

yſ.

Lyf. filiquok minor vulgaris fyl. P. 548. fmall

smooth codded willow berb.

Lysimachia siliquosa, Ger. 476. Lysimachia silv. hirsuta major Bauhini, great bairy codded willow berbe, vulgo codling willow berb.

Lyfimachia siliquosa sylv. hirsuta P. 549.

## M

M Ajorana Edutoxor gr. quia pollet vi exhilerandi animum, eumque servandi in sua integritate.

Majorana latif. colore albo & viridi variegata
P: G.447. party coloured pot Marjoram.

Majo-

Majorana tenuif. Marjoram gentle, G. 664.

Ma. Æstiva vulgaris, P. II. Ma. major, G. 664. ordinary sweet Mar.

Ma. latif. aurea, P: 12. yellow Mar.

Ma. latif. five major Anglica, G. 664. P. 12.

Ma. odorata perennis, P. II. winter sweet

Ma. Syl. P. 12. Origanum Anglicum, G. 666. wild or field Mar.

Mala infana, G. 345. Mala infana Syriaca, P. 353. madde Apples of Syria, fie d. ab effeetu quem producunt.

Malva manden ab emolliendo ventre.

Malva Hortensis fl. pleno albo, double white Hollihocke, P. G. 369.

Malva Hort. fl. pleno purp. double purple Hol.

P. G. 369. G. 929.

Malva Hort. fl. pleno incarneo, double flesh cotoured Hol. P. G. 369.

Malva hort. alba simp. P. G. 369. G. 928. single white Hol.

Malva hort, flore purp. simp. P. G. 369. G. 928. single purple Hol.

Malva hort. fl. incarneo fimp. P.G. 369. fingle flesh coloured Hol.

Malva hort. mult. ex rubro nigricans, P: G. 369. double darke red Hol.

Malva

1

I

Malva horr. flore luteo \* yellow Hol. Malva rosea simplex peregrina, G: 928. jagged frange Hol. Malva fyl. G: 930. Malva fylv. vulgaris flore purp. P: 239. common Mallows with purple flowers. Malva vulg. flore albo, P: 299. common white

G.

2.

eet

66.

2,

ic-

ite

lol.

co-

28.

69.

egle

G.

Iva

Mallows.

Malva Sylv. pumila five minor, dwarfe wild .: Mallows, G: 930. P: 299.

Malva crifpa, curled Mallow, Park. 299. G: 931.

Malva arborescens, Tree Mal. P: 299. G: 929. Malva hisp. flore carneo amplo, Spanish blush Mal. P: 299.

Malus diversarum specierum, Apples of diverse kinds.

Malus Armeniaca unasa aguerrani à nativo folo d. fructus vero μηλα πεσικόκκια dicitur quia ante alios fugaces fructus mature-Scunt.

Malus Armeniaca major, P. G: 579. G: 1448. great Apricock tree.

Malus Arm. minor, P: G: 579. G: 1448. Small Ap. tree.

Malus cotonea vulg. English Quince, G:1452. P: G: 589.

Malus Cotonea Lusitanica, P. G: 589. Portugall Quince.

H Malus Malus Arantia vulgaris, common Orange tree, G: 1463. P: G: 784.

Malus Arantia Chinensis, China Orange tree,

Bauh. in Pin. 436.

Malus Perfica fl. multiplici, G: 1447. double flowred Peach tree.

Malus Pertica diversa alia pecies.

Mala Nuci-presica diversarum specierum.

Malus Carbonaria, Pome mater tree, G. 1459. Malus Granata five Punica syl. G: 1450. Baulaustium minus, P: G: 430. lesse double flowred Pomeranat.

Malus Punica five Granata fl. multiplici majore, G: 1450. Baulustium majus, P.G: 430.

great double flowred Pom.

Mandragora mas, male Mandrake, P: 344. G: 352. Mars payseas d. quod ad mandras pecorum aliafq; speluncas sponte proveniat Bauh.

Marrubium album five Praffium, white Hore-

bound, G: 693. P: 44.

Marub. nigrum, G: 701. Mar. nigr. fætidum Ballote dictum, P: 1230. stinking Horeb.

Marrub. nigr. flore albo, G: 701. P: 1230. in margine stinking Horeh. with white flowers.

Marrub, aq. G. 700. Mar. aq. vulg. P: 1230.

water Horeb.

Martagon luteum punctatum, P.C: 35. Lilium flore flavo punctato, G: 199. yellow spotted Martagon.

Mart.

A

M

Ma

Ma

Ma

Med

Mart. luteum non punctatum, P: G: 35. Lilium flore flavo non punctato, G: 200. yellow Mart. without fpots.

Mart. rubrum, P: G: 34. Lilium rubrum an-

gustif. G: 199. red Mart.

Mart. Constantinopolit. five Lilium rubrum Byzantinum, P. G. 34. Lilium Byzantinum polyanthos, G: 198. red Mart. of Constantinople.

Mart flore albo P: G: 31. Lilium montanum

flore albo, G: 197. white Mart.

Mart. flore albo maculate, P: G: 31. G: 197. spotted Mart.

Mart. Hore carneo, P:G: 31. Lilium montanum

majus, G: 196. the blush Mart.

Mart. sive Lilium mont. syl. minus, P: G: 31. Lilium mont minus, G: 196. small mountain Lilly.

Marum vulgare, comman berb Mastick. P: 12.

G: 670.

,

e

-

)-

0.

7:

)h.

e-

m

in

0.

m

ed

rt.

Matricaria, raefimer quafi Virginalis quod morbis mulierum uterinis medeatur.

Matricaria vulg. simp. common Feaverfue, P:83.

G: 652.

Matricaria fl. pleno, double Feaver fue, G: 653.

P: 83.

Matricaria bullatis floribus, P: 83. naked Feavers.

Medica cochleata vulgaris, P: G: 337. Trifo-

lium cochleatum, G: 1199. Snayles, or barbary Buttons.

Medica foliculo lato, P: G: 337. broad Buttons

or Snailes.

Med. tornata spinosa, P: 1116. Thorny tun-like Medica.

Med. racemosa five trifolium cochleatum polycarpion, clustering Snaile trefoile, P: 1114.

Med. fructu chocleato spinoso, G: 1199' prickly snaile trefoile.

Med. tornata major lenis, P: 1116. great smoth tun-like Medica.

Med. tornata minor lenis, P:1116. leffer smooth tun-like Med.

Med. spinosa, P: G: 337. prickly Snailes.

Med. spinosa altera, P. G. 337. another fort of fnaile Med.

Melampyrum, vid. Crateogonum.

Cum Lotus herba sit triplex (sc.) sativa syl. & Ægyptia propriè sic d. Melilotus tamen (quanquam Loti sit species) peculiare nomen obtinuit ab odore quem spirat in unguentis.

Melilotus vulgaris, common Mellilote or Cleaver,

G: 1035. P. 719.

Melilottis flore albo, P: 719. Germanica, G: 1205. white flrwred Mel.

Melilotus

1

M

M

M

M

M

ar-

tons

like

oly-

99

eat

oth

t of

Cyl:

tus ıli-

pi-

et,

G:

tus

Melilotus Italica, Italian Mlilote, G: 1204. P: 719.

Meliffa gr. Munissopundor & Minerfaira (i.) apiastrum quod hac as pessiffas apes dele-Mentur Diosc. 1.3. c. 118.

Melissa vulg. common Barm, G: 689. P: 40.

Melissa Turcica fl.albo, Turly Bamm with white flowers, G: 689. P: 41.

Melissa Turcica fl. cær. Turkey Barom with blue flowers, G: 689. P: 41.

Melissa Molucca levis, G: 691. P: 42. Smooth Mollucca Bawm.

Tria Cucumeris genera statui possunt, Cucumer, Pepo & Melo, hoc genus Palladius Melones quali maxwar id est pomeos à malorum figura appellavit. Bauh.

Melo vulgaris, ordinary muske Millon, G: 917. P: G: 525.

Melo maximus, P. G. 527. Melo hisp. G: 917. greatest muske Millon.

Melonum plurimæ aliæ species.

Mentha veteribus græcis, Plinio, 1:19. c. 8. auctore, wiron dicebatur: at odoris suavitas nomen apud gracos mutavit, & isvoquos abindos & oouds id eft fuavis odor, vocatur, qua voce Diof. l. 3. c. 41. usus est.

Mentha Romana, G: 680. Men. fativa, P: G:

481. true Spearmint.

Mentha

Mentha cardiaca, Heart Mint, G: 680. P: 31.

Mentha crispa, curled Mint, P: 32.

Mentha crispa Danica sive Germanica speciosa, P: 22, great Gurled Mint of Germany.

Mentha cruciata, P.: 32. G: 680. Groffe mint. Mentastrum Ger: 684. Mentastrum hortense sive mentha syl. P: 33. Horse mint.

Mentastrum niveum Anglicum, party coloured

mint, G: 684. P: 33.

Mentastrum fl. violaceo. \* Horsemint with a violet flower.

Mensha aq. rubra five fyfimdrium, red mater

Mint G: 684. P: 1243.

Arrogosis, raphirror, iquireflurior Diosc. 1. 4.
1. 4. c. 191. Linozostis five parthenium,
Mercurii inventum (Plin. 1. 25. c. 5.) ideo
gracis hermupoa, apud nos Mercurialio
dicitur à Mercurio inventore.

Mercurialis Angl. vid. Lapathum.

Mercurialis mas, Male Mercury, G:332. P:295. Mercurialis tem. female French Mercury, Ger:

332. P: 295.

Mespilus arbor, gr. μίσπιλος; fructus μίσπιλοι dicitur qui est exiguus malo similis, suavis, tria continens osseula à quibus nonnulli τεικόκκου appellant, Bauh.

Mespilus max. sativa, P: 1422. sativa altera

G:1453. great manured Medlar.

Mespilus vulg. P. 1422, Mesp. sativa, G. 1453.

Meum gr. Mudr & peror Diosc. 1. 1. c. 2. à peror quia folis constat omnium herbarum tenuissimis.

Meum vulg. common spignell, G:1052. P: 888. Meum alterum Italicum, G: 1052. Meum spurium Italicum, P: 889. bastard Italian spig-

nell.

t.

2,

tt.

Se

ed

er

4.

n,

1:

07

S,

25

n

Mezereon vid Chamælra Germanica.

Millium folis, vid. Lithospermum

Millefolium ob ingentem foliorum numerum dicitur.

Millefolium aq. minus, G: 827. Mil. aq. vulg. P: 1256. common water Yarrow.

Millef. aq. minus, P: 1256. Small water Yar.

Millef. aq. floridum, P. 1257. viola palustris,

G: 826. mater violet.

Millefolium aq. flore & semine ranunculi aquatici Hepaticæ sacie, G: 827. Mil. aq ranunculi flore & capitulo, P: 1256. Crowfoot mater Millsoile.

Mil. aq. flore luteo galericulato, P: 1258. Mil. palustre Galer, G: 828. water Millsoile with

yellow booded flowers.

Mil. aq. alterum, P: 1257. viola palustris tenuis. G: 826. fine leased water Violet.

Mil. temif. G: 828. Fennell leafed water Mill-foile.

Mil. aq. pennatum spicatum, P: 1257. feathered. Millfoile.

H

4 Mil

Mil. aq. cornutum majus, P: 1257. the greater borned Millfoile.

Mil. terrestre, vulgare flore albo, common Yarrow, P: 694. G: 1072.

Mil. flore rubro, red flowred Millfoile, P: 694. G: 1072.

Mil. flore luteo, yellow Millfoile, G: 1073.

Mil. flore rubro max. P: 693. great red Mill-foile.

Mirabile Peruvianum à regione ubi primuminventa fuit hac herba; vel à mira florum varietate & venustate d.

Mirabile Peruv. album, G: 343. P: G: 365. Marvaile of Peru with white flowers.

Mirabile Per. luteum, G: 343. P:G: 365. Mar, of Peru with yellow flowers.

Mirabile Per. rubrum P: G: 365. Mar. of Peru with red flowers.

Mirabile Peruvianum elegantistime maculatum diversarum specierum.

Moly and To make my ras vooss d. ab amoliendis morbis.

Moly Homericum, Homers Moly, Ger. 183. P: 871.

Moly serpentinum, serpents Moly, G: 183. P: 871.

Moly latif. flore luteo, broad leafed yellow Moly, G: 185. P: 144.

Morfus

M

M

N

N

N

1

Morfus Diaboli, G: 726. Morfus Diaboli vulg. P: 492. Divells bit.

ter

10%

4.

1-

1-

1-

f

ņ

S

.

Morsus Diaboli fl. albo, P: 491. white Divells bit.

Vulgus credit Demonem (cum tanta efficacia radicem hominibus invidiat) eam statim ubi succreverit undique circum rodere,

quare morsus Diaboli dicitur.

Morfus Ranæ, G: 818. Nymphæa alba minima, P: 1252. Small water Lilly or Frogbit.

Morus arbor gr. μορέα fructus μόσον ή συκάwww dicitur Diofc. lib. 1. cap. 180. Plineo dicitur arborum sapientissima quia novissima urbanarnm germinat, nec nisi exacto frigore quare lib. 18. cap. 27. cum germinare videris Morum, in juriam postea frigoris timere nolito.

Morus G: 1507. Morus nigra vulg. P: 1401.

common black Mulberry tree.

Morus alba, white Mulberry tree, G: 1507. P: 1491.

Muscipula sic d. quia suo viscoso lentore muscas advolentes illaqueat.

Muscipula Lobelii G: 601. P: G: 254: red Catchfly.

Muscipula flore albo Eyst. white Catchfly, sic dicitur ab humore glutinoso cauli adhærente.

Musc.

Muscipula Salamantica major, P: 636. Sesamoides Salamanticum magnum, G: 493.

greater Spanish Catchfly.

Musc. Salamantica minor, P: 636. Sesamoides Salamanticum parvum, G: 493. lesser Spa-

nif Catchfly.

Muscus gr. Bevor à Bevo germino quia instar herbe pullulat. Harmarus.

Muscus vulgatissimus terrestris, common ground

Mose, G:1559. P: 1306.

Muscus terrestris scoparius, Besome Mosse, G: 1559. P: 1307.

Muscus pyxidatus, Cuplike Mosse, G: 1560. P: 1308.

Muscus denticulatus major, great dented Mosse, G: 1561. P: 1307.

Muscus parvus stellaris, beath Moffe, G: 1563.

P: 1308.

Muscus stellatus roseus, P: 1308. starre Mosse. Muscus quernus, Oake Mosse, G: 1558. P:

Muscus Coralinus montanus, P: 1310. Corrall

Muscus Clavatus cupressi-formis, Cypresse Mosse, G: 1562. P: 1310.

Muscus Clavatus sive Lycopodium, Club Mosse,

G: 1562. P: 1307.

Muscus filicindus, Fearne Mosse, Ger: 1561. P: 1310.

Myagrum

Myagrum monospermum majus, P:868. great garden gold of pleasure.

Myofotis à foliorum & florum figura d.

Myosotis scorpoides arvensis hirsuta Mouseare scorpion grasse, G: 338. P: 691.

Myosotis scorpoides palustris, G: 338, repens

P: 691. water scorpion graffe.

fa-

les

14-

ar

ıd

e,

0.

ė,

.

Myrris, puggus quia unguentariu spirat odorem.

Myrris major vulgaris sive Cerefolium majus,

P: 935. great sweet Chervill.

Myrris sativa sive Cerefolium vulg.sat.G:1038.

P: G: 494. common garden Chervill.

Myrris syl. sive Cerefolium syl. G: 1038. wild hedge Chervill.

Myrris syl. Equicolorum Nova, G: 1038. Myr. syl. P. 935. Small Hemlock Chervill.

Myrtus gr. populin & populin à Myrfine Atheniensi puella pulchritudine & robore intigni,
amica Palladi quam juvenis ab ea cursu &
palæstra superatus interemit: arbuscula hæc
in demortuæ locum successit semper Minervæ chara ut quida fabalanum. At quibusdam
sic d. propter æmulam Myrræ quandam
odork gratiam quæ in foliis & baccis recentioribus observatur, Bauh.

Myrtus flore pleno, double flowred Myrtle,

P: 1454.
Myrtus minor acuto folio, P: 1454. G: 1412.

Imaller leafed Myrtle.

Myrtns

P

F

I

1

Myrtus minor rotundiore folio, P. 1454.
Box Myrtle.

Myrtus laurea maxima, G. 1411. Myrtus latif.

max. P, 1453. common Myrtle tree.

on manus

Dass. wild

Myrtus Brabantica sive Eleagnus Cordi G. 1414. Rhus sylv. sive Myrtus Brabaut Anglica, P. 1451. Sweet Gaule or Dutch Myrtle.

N

Apellus, species aconiti & Napi diminu-

Napellus verus carul. true monks hood, G. 972.

Narcifus Napriso non à Narcifo Adolescente nimium seipsum adamante ut Poetæ fabulantur, sed à vi stupesaciendi quam prison gr. vocant, quam vim narcisso in esse Plinius, l. 2100. 19. testatur.

Narcifios marinus sive 3. Mathioli, P. G. 95.

great white fea Daffodill.

Pleudonarcissus max. aureus sive roseus Tradesc. John Tradescants great Rose Daffodill,

Pseud. aureus Anglicus max. P. G. 101.
Master

Master Willmers great double Daffodill.
Pseudonarcissus Anglieus vulgaris, P:G: 100.
Pseud. flore albo, G: 134. common English
white bastard Daffodill.

Pseudonarcissus Anglicus, G. 133. Ps. pallidus præcox P:G:99. early straw coloured bastard

Daff.

4.

tif.

di

b

cb

+

.

Pseud. Anglicus flore pleuo, P. G: 103. Ps. luteus mult. G. 133. Genards double D.

Pseud. Angustif. store stavescente tubo quasi abcisso P: G: 104. narrow leased bastard d. with the clipt trunk.

Pseud. Gallicus minor flore pleno, P: G: 105.

Narcissus pallidus mult, Robini, G: 135. Robi-

nus his daff.

Narcissus juncifolius amplo calice G: 128.

Nar. juncif. albus magno chalice, P: G: 92.

white Junquillia or rush daff. with a large cup.

Nar. juncif. luteus magno calice, Junquillia or

rush daff. with a great cup, P: G: 92.

Nar. juncif. albus, P: G: 91. G: 128. white

Junquillia or rush daff.

Nar. juncif. luteus vulgaris major, P: G: 94. Nar. juncif. præcox, G:127. ordinary Junq. or rulb. d.

Narcissus juncifolius luteus slore pleno, P: G: 95. Nar. juncif. mult. G: 129. double

Jung, or rush d.

Narciffus

Narcissus juncis. flore albo restexo, P: G: 92. Ger: 128. white restex Junquilia or rush Dassodill. Na

Na

Na

Na

Na

No

Ne

N

N

Ni

N

N

N

Nar. juncif. flore luteo reflexo, yellow reflex Junq. or rush Daffodill, P: G: 92. G: 129.

Nar. juncif. calice albo reflexis foliis luteis, P: G: 92. G: 129. yellow reflex Junq. with a white cup.

Nar. juncif. calice luteo reflexis foliis albidis, white reflex Junq. with a yellow cup, P: G: 92. G 129.

Nar. albus mult. P: G: 83. G. 123. double white Daffodill.

Nar. omnium max. G: 133. Nar. montanus five Nompareille totus albus amplo calice, G. 72. the Non Parreille D.

Nar. Jacobeus flore rubro, P.G. 71. Nar. Jac.

Indicus, G. 136. red Indian D.

Nar. Chalcedonicus flore pleno albo polyanthos, P. G. 84. Nar. albus mult. G: 127. double white D. of Constantinople.

Nar. medio purpureus mult. P. G. 83. G. 124.

double purple ringed D.

Nar. autumnalis major, G. 130. P. G. 77.

great winter D.

Nasturtium zapdaus Theoph. 7. hist. 1. and This zapdias quia cordatos facit, & in syncope cardiaca plurimum valet.

Nasturtium hort. vulg. common garden Cresse, G. 249. P. 824. Naft. hort. latikhisp. P.825. Naft. hisp. G.251. broad leafed garden Cresse,

Naft, hort. latif. crifpum, P.825. G.249. broad

leafed curled garden Creffe.

Naft. hiemale, vid. Barbarca.

Naft. Indicum, Indian Creffe, G. 252. P. 1379.

Nast. aq. vulgare, G. 257. P. 1239. common

water Creffe.

B

\*

s,

e

3

•

Nepeta vid Cattaria.

Nerium Négror ne possibles gr. vel gos as apre à flore rose simili & foliis laurinis; quare Apuleio Rosa laurea. Rhododendros inquit Plinius lib. 24. c. 11. quia ne nomen quidem apud nos latinum invenit, Rhododaphnen vocant aut Nerium.

Nerium, G. 1406. Oleander flore rubro, P. 1469.

red Rosebay.

Nerium five oleander flore albo, G. 1406.
P. 1470. white Rosebay.

Nigella Mindros Diole. à nigro semine d.

Nigella Romana sativa storibus foliosis, P.
1375. Nig. store albo mult. G. 1085. Roman
Nigella or Fennell Flower.

Nigella hisp. P. 1375. Nig. hisp. fl. amplo, G.

1085. great Spanish Nigella.

Nigella Rom. sativa, floribus nudis, P. 1375. Melanthium, Ger. 1084. garden naked Nigella.

Nigella

Nigella five melanthium damascenum flore pleno, G: 1084. double flowred damaske

Nigella.

Nigella syl. five damascena inodora, P: 1376. Melanthium damascenum, Ger: 1084. damaske Nigella.

Nig. cretica inodoro semine, P: 1376. Candy

1

1

1

Nigella.

Nidus avis, vid. Orchis abortiva.

Noli me tangere, P: 296. Persicaria siliquos G: 446. impatient codded Arsesmart, sic d. propter siliquas quæ (ubi maturæ) lævissimo contactu dissiliunt.

Numularia à foliis nummi speciem, referentibus

dicta.

Numularia vulgaris, common Monymort, G. 630. P: 555.

Numularia minor, small monywort, G: 629.

P. 555.

Numularia minor flore purpuascente, small purplish flowred monywort, G. 630. P. 555.

Nnx vescicaria propter vesciculas in quibus continentur fructus, dicta.

Nux vescicaria five staphyllodendrum, bladder Nut, G. 1437. P. 1417.

Nux vescicaria altera Virginensis Tradesc.

P. 1417. Virginian bladder Nut.

Nuces juglandes udeva Basinina Diosc. nonnullis regoina dicuntur quia è Perside à regibus regibus transferuntur. Juglans vero quafi Jovis glans.

Nucis juglandis varia species.

Nymphra Numeria Diosc. cui sic dicta quoniam aquosis gaudet. offic: Nenuphar.

Nymphæa lutea major, great yellow mater Lilly,

G: 819. P: 1252.

re

ske

76.

4.

idy

ola

d.

no

us

0.

9.

all

5.

us

ler

Cc.

n-

us

Nymphæa lutea minor, P: 1252, minima G:

820. leffer yellow water L.

Nymph. alba major, great white water Lilly, P: 1251. G: 819.

Nymph. alba minor, small white water Lilly, G: 820. P: 1252.

0

Ocimum Jules Diosc. l. 2. c. 171. à cele-Ocimum vulg. P: 19. Oc. magnum, G: 673.

ordinary Basill.

Oculus Christi vid. Horminum syl. vulg.
Olea gr. ¿ » die dicitur quod à τὸ » κῶν (h.e.)
læve vel lubricum deducitur aut à » κῶν (i.)
lævigo, lubrico, quia producit id quod lævigat lubricatque, videlicet oleum cu jus lubricandi vis, est inignis.

Olca

Olca fativa, Manured Olive-tree, Get: 1392 P: 1439.

Oleaster, sive Olea fyl. wild-Olive tree, G:1392.

P: 1439.

Oenanthe dirdron dino ni ouros & dirlo quia florum decore & quadantenus colore non fit viti dissimilis.

Oenanthe Apii folio major, P: 893. Ordinary

great dropwort.

Onobrychis, quia ob hujus desiderium rught

Afinus ut quidam volunt,

Onobrychis spicata flore purpureo, spiked Cockeshead with purple flowers G: 1243 P: 1082.

Onobrychis vulgaris, Ordinary Cockessead G: 1243. P. 1082.

Ononis vid. Anonis.

Ophioglossum quod sit linguz serpentinz z-

Ophicgloffum, Adders tongue, G. 404. P. 506.

ludit aliquando bilingua.

Ophioscoridon, G. 181. scorodoprassum alterum convoluto capite, P. 873. Vipers Garlick.

Orchides distinguuntur in eas que radices habent vel roundas testiculorii forma, vel palmas manusve referentes: illas in eas que ra-

dices

C

C

dices habent vel geminas que orchides, vel unicam que fatyria nuncupantur; has vero omnes Orchides palmatas appellant uti diftinguit Diosc.

Orchidis itaque genera (secundum Bauhinum) facinus Cynosorchin sive canis Testiculum; Testiculum morionis, Orchin sztidam sive Testiculum hircinum; Orchin serapiada vel Testiculum vulpinum, & Testiculum Odoratum. Adquæ genera quinque Orchidum species reduci possum.

Orchis hermaphroditics, G: 211. Orchis ferapias bifolia latif. P. 1351. Butterfly Saty-

rion.

192

92.

Ho-

ary

git

eed

43

ad

2-

6.

C+

r.

3

Orchis melitias five apifera, hony Bee-flower, G: 213. P: 1352.

Orchis sphegodes sive fucum referens, P: 1350. Testiculus vulpinus 2. sphegodes G: 212. humble bee Satyrion.

Orchis spheg. altera, P: 1351. sphegodes ma-

jor, G: 212. greater mafpe Orchis.

Orchis ornithophora folio maculoso, spotted birds Orchis, G: 215. P: 1353.

Orchis strateumatica major, G: 215. P: 1344.

Orchis strateumatica minor, G: 216. P.1344. fmall Souldiers Cullions.

1 2

Cynef

- Cynosorchis major, G: 205. Cyn. major lauf altera, P:1343. great purple dogs stones.
- Cynosorchis palustris, G: 206. Cyn. spica compacta, P: 1344. Marsh Dogsstones.
- Cynosorchis militaris Panonica, P: 1345. Cyn. minor Panonica, G: 207. lesser Austrian Dogsstones.
- Orchis morio mas foliis maculosis P: 1346. male fooles stones.
- Cynosorchis morio minor, G: 209. leffer fooles frones.
- Orchis anthropophora oreades mas, P: 1347.
  male Neopolitan fooles stones or boy satyrion.
- Tragorchis femina, G: 210. female Goates.
- Orchis palmata mas, sive palma Christi mas G: 220. P: 1356. Hand Orchis.
- Orchis palmata foem. sive palma Christi foem. G: 220: P: 1357. female hand Orchis.
- Orchis palmata minor flore rubro P: 1357. Serapias minor nitente fl. G: 222. red handed Orchis.

Orchis

C

C

C

1

Orchis five Serapias palustris latif. G: 222.
Orchis palmata palustris latif. P: 1358. Marsh banded Orchis with broad leaves.

atif

om-

yn.

ian

46.

oles

ty-

5-

as

Hi

d

d

S

Orchis palmata palustris altera P: 1359. Serapias palustris leptophylla, G: 222. Small marsh fatyrion or hand Orchis.

Orchis five Serapias castrata, gelded Orchis, G:223-P: 1358.

Orchis palmata palustris maculata, P: 1360. palma Christi palustris, G: 227 Spotted marsh banded Orchis.

Orchis lutea Leodiensis, P: 1355. G:219. Liege Lady traces.

Triorchis G: 218. Trior. alba odorata major,
P: 1354. greater sweeet Lady traces.

Orchis abortiva Ruffa, P: 1362. satyrion abortivum sive nidus avis, G: 228. birds nest.

Origanum Anglicum, vid. Majorana syl.

Ornithogalum ogrebbasor, propter lacteum colorem (qui in flore nitet similem ei qui in alis aut in ovis quarundam avium observatur) nomen accepisse videtur. Bauh.

Ornithogallum max. album, P. G: 135. grea-

telt white starre flower.

Ornithog. spicatum, G: 168. Or. majus spicatum album, P. G: 135. white spiked starre of Bethlebem.

Ornithog. Neapolitanum, G: 168. P. G: 137. starre flower of Naples.

Ornithog. G: 165. Orn. vulg. P: G: 136.

starre of Beth.

Ornithopodium dicitur ob filiquas que pedem

Ornithopodium majus, great birds feot, G:1241 P: 1092.

Ornithopodium minus, small birds foot, G: 1241. P: 1092. an constituat aliam speciem dubitamus.

Orobanche five Rapum genistre G: 1311. P:

ego Boy as Xe (i.) ervum franguler.

Orobus seedes Ervum latinis græcam; yocem quidam deducunt raes to estrolos das son to quod boves co vescantur & fagi-

Orobus vulgaris herbariorum, erdinary bitter Vetch, Ger: 1225. Park: 1078.

Ofmunda regalis vid. filix florida.

Oxys oğurcique quibusdam ab accido sapore

0

0

& forma trifolii: Luiula officinis,

Oxys alba, G: 1201. Trifolium acetolium vulg. P: 746. white wood forrell.

Oxys lutea, G: 1202. P: 746. yellow mood forrell.

Oxys Indica erecta flore luteo \* upright Indiforrell with yellow flowers.

Oxyacantha, vid. Berberis,

4

oi-

7.

6.

m

I

ŋ

P

PAlma Christi, vid. Ricinus.

Hárat quasi mãour au omnibus remedium adferens.

Panax coloni G: 1005. Sideritis anglica strumosa radice, P: 587. Clowns All-heale.

Panax Heracleum G: 1003. Panax Her. verum, P: 949. true Hercules All-beale.

Panax Heracleum majus, G: 1003. Panax alterum sive peregrinum Dod. P. 949. great Hercules All-heale.

Panicum

Panicum Exume Diosc. forsan ab involvo: panicum vero à paniculis quibus semen inest.

Panicum'album vulgare, G: 85. P: 1139. com-

mon Panick.

Panicum Indicum, G: 84. Panicum Indicum pannicula villosa, P: 1139. Indian Panick with a hairy spiked head.

Papaver Minor à pui kivile, quod ejus usus nimium infrigidet, & stuporem adse-

rat.

Papaver rheas, red poppy or corne Rose, G: 371. P: 366.

Papaver corniculatum luteum, yellow borned poppy, G: 367. P: 262.

Papaver Cornic. rubrum, red borned poppy,

G. 367. P: 262.

Papaver spumeum ob spumeam & sputi similem asperginem, gr. modenno quia utile est in bello ob insignes virtutes in curandis vulneribus.

Papaver spunieum, P. 263. Ben album, G. 678, spatling poppy.

Pap. sputeum hirsutum, hairy spatling

Pap. Syl. G. 370, wild poppy.

Pap. sativum album simp. single white garden poppy, G. 369. P. 365.

Pap.

P

F

F

I

1

1

(137)

Pap. fat nigrum simp. single black garden poppy. G. 369. P. 366.

in-

fe-

777-

um

ick

fus

fe-

1.

ed

y,

min

1-

3,

g

n

Pap. fimbriatum album, G. 369. single white jagged poppy.

Pap. multiplex album, double white pop. G. 369. P. G. 284.

Pap. mult. nigrum, double black, poppy, G. 369. P. G. 286.

Pap. mult. rubescens, P. G. 286.G. 369. double red or blush poppy. Sunt & aliæ species ex his coloribus eleganter mixtæ.

Pap. spinosum, prickly poppy, G. 371. P. 366. Paralysis & primula in Gerardo confunduntur, nos itaque præcipuè Park. imitamur.

Paralysis d. quia in morbo paralysi multum juvat.

Paralysis minor flore rubro, P.G. 246. primula veris fl.rubro, G.783. red birds eye.

Paralysis vulg. pratensis sl. slavo simp. P. G. 244. Prim. veris major, G. 780. common field Comsslips.

Par. inodora fimp. single Oxelips, G: 780. P. G. 245.

Par. inodora flore geminato, double Oxelips or bose in hose, P. G. 245. hac habetur flore pallidiore.

Par. fatuo flore, foolish Comf. P.G.245. G.779
Par. altera odorata polyanthos flore pallido,
primrose Comf. P. G. 245. G. 781.

Par.

P

P

P

P

P

P

P

P

P

P

P

Par. hort. flore pleno vulg. P: G: 243. Primula hort. Anglica G: 781. double Paigles, or Comf.

Par. flore geminato odorato, P:G: 245. Prim. veris flore geminato, G: 781. hose in hose Coms.

Par. fl. viridi roseo calamistrato, P: G: 243.

double green feathered Comf.

Parietaria d. quod in parietinis exeat gr. Exem Diosc. à semine aspero vestibus adhærente.

Parietaria, Pellitory of the mall, B: 437 G:331. Paronychia d.quod in morbo paronychia prodest.

Paronychia vulg. alfines folio, common whitlow graffe, G: 624. P: 556.

Paron rutaceo folio, Rue leafed whitlow graffe, G: 624. P: 556.

Pastinaca saguaires à radicis scapa Bryoniæ (que saguas dicitur) non ita ab similis appellationem sortita videtur.

Pastinaca latif. sativa, garden Pasnip, G: 125. P: 944.

Pastinaca latif. syl. sive Elaphoboscum, wild Parsnip, G: 1025. P: 944.

Pastinaca sativa renuif. Iutea, common yellow Carrot, G: 1027. P: 901.

Pastinaca sativa tenuis. atro rubens, common red Carrot, G: 1027. P: 901.

Pastinaca syl tenuis, sive daucus, wild Car-

Pecten veneris dicitur ob seminis formam.

Pecten veneris vulg. sive scandix shepheards

needle, G: 1040. P: 916.

IU-

01

m.

3.

74

e.

I.

-

p

2

Pedicularis ab effectu d. si enim inter carera pabula devorata suerit pediculorum ingentem copiam procreat.

Pedicularis rubra, common red rattle or loufwort, G: 1071. P: 713. variat flore albo.

Red. flore candido Bauh. in pinace 136. white Rattle or Coxcombe.

Ped. lutea, P: 713, Crista galli, G: 1071. jellow rattle or coxcombe.

Pentaphyllum à numero foliorum nomen habet. Pentaphyllum majus rectum, great upright Cinque foile, G: 987. P: 400.

Pentaphyllum vulg. common Ginquefoile, G:287.

Pent. minus repens lanuginosum, G. 989.
P: 399. Imall boary creeping Cinques.

Pent. fragiferum, stramberry Cinquif. 6.991.

Pepo Himur and re menalinosas maturescere eo quod maturitate flavescant.

Pepo maximus oblongus, G; 919. P; G: 526. great long Pompian.

Pepo maximus rotundus, G: 919, great round

Per-

Percepier à verbo gallico percepierre quod anglice pierce-stone significat. Polygonum selinoides dicitur à foliorum cum selino similitudine.

Percepier Anglorum Lobelii, G: 1594. Polygonum selinoides five Perc. Ang. P: 449. parsly

breake stone.

Perfoliata dicitur quod fingula folia caulis pe-

Perfoliata vulgaris, Common Thorow wax, G: 536. P: 580.

Periclymenum dictum volunt quod se admini-

culis convolvat.

Periel G. 891. Per. vulgare, P: 1460. moodbind or Hony suchles.

Pericl. rectum fructu rubro, P: 1462. red ber-· red pright Hony fuckles.

Pericl. perfoliatum, Italian woodbind, G: 891. -P. 1469

Pericl. erectum Germanicum, German Honyf.

Pericl. Germanicum flore rubello, P: 1460. German red Honys

Periploca vid. Apocynum.

Perlicaria visconimpr à locis ubi rascitur, & piperis sapore quen pre se fert. Persicaria latinis dicitur à foliorum forma.

Perficaria vulgaris urens, P. 857. Hydropiper, G: 445, biting Arsmart.

Perf.

Po

Pe

Pe

П

P

П

P

P

P

ф

P

Pers. mitis maculosa & non maculosa, dead
Arsmart spotted and without spots, G: 445.
P: 857.

Perf. pufilla repens, small creeping Arsmart,

G: 446. P: 857.

Pers. frutescens maculosa Virg. flore albo, P:857. shrub spotted Arsmart with white flowers.

folii quod meracios galeri modo am-

plum.

bo

m i-

0-

ly

e-

7:

1

.

.

.

.

Č

ı

Petasites vulgaris, Butter burre, G: 814. P:

419.

neuxidaros à meuxii quia hujus folia cum pinii foliis similitudinem quandam habent; unde & Pinastellum aliquibus nominatur.

Peucedanum, G: 1054. Peu. vulgare, P: 880.

Sow fennell, or Sulphur wort.

Peu. majus G: 1054. Peu. majus Italicum, P: 880. great Italian sow fennell.

Peu. minus, P: 880. Peu. pumilum, G: 1054.

dwarfe sow fennell.

Aum Galleno. 8 simpl. facult. quod demorfis à Phalangiis auxilietur.

Phalangium Virginianum Tradescanti, G: 49.

Phal. ephemerum Virg: P: G: 151. Virginian spiderwort.

Phatan-

Phalanglum ephemerum Virg. flore albo, whith Virginian spiderwort. \*

Phal. Allobrogicum, P: G: 150. Phal. antiquorum G: 48. Javoy sp. non convenium icones.

Phal. Cretz, Candy Sp. G: 48.

Phaseolus Epinak annaia quibusdam quod cauliculis clavicularum instar propinquis fruticibus sese implicat, aliis passiones dicitur diminitivum passion.

Phaseolus Americanus flore coccineo, scarlet

beams, G: 1215. P: 1056.

Phaseolus albus, white kidney beanes, G: 1212. P: 1056.

Phas. sive smilax. hortensis rubra, red kidney beanes, G: 1212.

Phas niger, black kidney beanes, G: 1212.

Phas. variegatus diversarum specierum, particoloured kidny beanes of diverse kinds, Bauh. in pin. 240.

Φιλλυρία vel φιλλελαία (ut Lobelio placet) ob

smilitudinem folii cum olea.

Phillurea sive Alaternus Plinii, G: 1398. Alaternus major, P: 1445. fruitlesse ever green Privet.

Phil. five alaternus humilior, G. 1398. Alat. minor, P:1445. leffer evergen Privet.

Phil. folio lato ferrato, P: 1444. toothed mock-

Phil.

P

P

Pi

Pi

Pi

t

Pi

Pi

Pi

Pi

Pir

Pir

Pin

Pir

Phil. serata secunda Clusi G: 1396. Phil. latif. aculeata, P: 1444. Clusius bis second mock. Privet.

Phil. angustif. G: 1395. Phil. ang. secunda
P: 1444. narrow leased mock privet.

Pilofella à copiosis pilis quibus vestitur nomen fortita est.

Pilofella major vnlg. in Pulmonaria.

h

i

d

is

IF

let

2.

ey

1-

h.

do

1-

en

at.

4

il.

Pilosella major, Golden mouseare, or Grimme the Collier, G: 305. P: G: 300.

Pilotella repens, G: 638. Pil. minor vulgaris repens, P: 690. [mall creeping mouseare.

Pimpinella vel bipinella à foliorum binis ordinibus, pennatim five plumatim digeffis nominatur.

Pimpinella saxifraga à facultate calculorum à renibus expellendorum.

Pimp. vulgaris minor, P: 582. Pimp. hortensis
G: 1045. small common Burnet.

Pimp. major vulg. P. 582. Pimp. fylvestris

G: 1045. common great Burnet.

Pimp. max. Americana P: 583. great American

Pimp. Saxifraga G: 1044. Pimp. fax. major nostras, P: 946. great Burnet Saxifrage.

Pimp. Saxifraga hircina minor P: 947. Bipinella five fax. minor, G: 1044. Small Burnet. Saxifrage.

Pinguicula dicitur quia folia quali pingue-

dine illita tactui videntur.

Ping. five Sanicula Eboracenfis, G:788. P:532.

Pinus fativa five domestica, manured Pine, G. 1355. P: 1534.

Pinus montana minor, G:1355. Pinus syl.montana fructifera, P: 1534. fruitfull wild Pine.

Pifum #iCoos, quod, à #lisse derivatum videtur quod decorticare fignificat.

Pisum vescicarium fructu nigro alba macula notato Bauh. in pinace 343. Pisum cordatum vescicarium P: 1378. the bladder hartlike spotted pease.

Pisum umbellatum five roseum, G: 1220. P:

G. 522. Rose pease. Pisum majus sive hortense, G. 1219. P: 522.

great garden peafe. Flore est purpureo, aliquando albo & vario, partim albo & partim ex purpura obscuro: sructu est rotundo, albo est & rusto, aliquando rubro variegato.

Pisum minus sive arvense, G: 1219. P: G: 522 field pease. Flore est candido vel dilui rosi coloris: fructu rotundo, albo, viridi ex luten virente, & cinericeo.

Plantago derégno Cor quia folia ejus linguam P

Plantago aq. major, great water Plantain, G: 417. P: 1245.

Plant.

P

P

I

P

P

P

P

Plantago aq. minor five humilis, G: 417. P: 1245. dwarf water plant.

2,

G:

n.

ild

ut

104

ım

ike

P:

22.

li-

ar-

io,

to.

224

fi

teo

am

G:

int.

Plant. latif. vulg. broad leafed Plant, G. 419. P: 493.

Plant, incana, hoary Plant. G: 419. P: 493.

Plant. quinque nervea major, great ribwort plant. G: 421. P: 496.

Plant. quinque nervea minor, small ribwort

plant, G: 421. P: 496.

Plant. rosea, Rose plant, G: 420. P: 494.

Plumbago Plinii, vid. Dentillaria.

Mondy sic dictum videtur propter caniciem quæ in capitulis (secundum Diosc.) atque in foliis apparet (approbante Plineo) ronids enim caniciem & canum fignificat.

Polium montanum vulg. five luteum, common

mountain Poley G. 653. P: 22.

Polium montanum album, G: 653. Pol. mont. minus, P: 24. white mountain Poley.

σολύχαλον lactis abundantiam facere creditur, unde nomen habet.

Polygala minor, P. 1332. cœrulea, G: 563. blue milke mort.

Polg. rubra, G: 563. Pol.minor rubra, P:1332. red milk-wort.

Polygala alba, G: 563. P:1332. white milk-mort variat Polygala & aliis coloribus, uti videre licet in Bauh. & Park.

dix crebro geniculata sit. vulgo sigillum Solomonis haud dubie à vestigiis pluribus radid (sigilli instar) impressis.

Polygonatum, G. 903. Pol. majus vulgare,

P: 696. great common Solomons feale.

Pol. minus five angustif. narrow leafed Sol. feale G: 903. P: 698.

Pol. majus flore majore, P: 696. Pol. latif. 2. Clusi G: 904. great Sol. feale with large flowers.

Pol. Virginianum, Virginian Sol. feale, G: 905.

P: 697.

guntur) dictum videtur.

Polygonum mas vulgare five majus, G:565.

Ī

I

P: 443. commuon knot graffe.

Polygonum vulg. minus: G: 564. P: 443. small

common knot graffe.

Polygonum felinoides five knawell, G: 566. Pol. Germanicum, five knawell Ger. P:447. Party Piert.

Πολυπόδιον à radice pilofa cirros habente inftar polyporum nomen fortitur: vel (ut alii vo-

lunt) quia polypum in naribus curat.

Polypodium vulgare, common Polypodie, G: 1132; P: 1038. hoc à diversis arboribus & locis ubi provenit diversa apud authores obtinuit nomina, qua revera non constituum distinctas species. Pomum

Pomum amoris fie d. ob coloris pulchtitudinem.

Pomum amoris fructu rubro, red leve apples, G: 346. P: G: 379.

Pomum amoris fructu luteo, yellow love ap-

Polytricum, vid. Adiantum.

Populi tria genera Plinius, 1. 16. c. 23. fecit, albam (sc.) nigram, & Lybicam. Theoph.3. hift. 4. asvan, al youpes at assais: ob colorem & nativum solum.

Populus lybica five tremula, G:1487. P: 1411.

the Aspen tree.

4

oid

۲,

ele

2. ge

5:

1-

;.

ll

5.

7.

I

P

5

\$

Pop. alba, white Poplar, G: 1486. P: 1410. Pop. nigra, black poplar, G: 1486. P: 1410.

Porrum ideo vocarunt authores quod porro eat & longe lateque graffetur, Bauh in pinace, p. 72.

Porrum, P:G:513. Porrum capitatum, G:174.

beaded or set leeks.

Porrum sectivum, unset leeks, G.174. P:G:513. hae duo non specie sed cultura solum disserunt; nam Porrum sectivum dicitur quia coma frondens adhuc ad terram usque resecari solet & in cibaria ac obsonia addi. Joh. Banh. tom. 2. p: 554. quod vero capitum est non condetur sed autumnali tempore transfectur Bauh. in pinace 72.

Por. vitigineum, french L. G: 176. P: G: 513.

Portulaca de Jed xem ab a xem forsan ob spumam quæ soliis e jus frequenter insidet: portulaca vero quod soliis portulas imitetur. Joh. Bauh. tom. 3. p. 678.

Portulaca marina, vid. halimus.

Port. sativa, P: 723. Port. domestica, G: 521. garden Purstane.

Port. Cretica, P: 723. Cotyledon stellata Bauh. in pinace, 285. Candy purssame.

noramoyerov quali fluminibus vicina quod palustribus & aquosis nascatur.

Potamogeiton latif. broad leafed pondweed, G: 821. P: 1254.

Pot. angustif. G: 821. Fontalis ma jor longifolia P: 1254. narrow leafed pondw.

Pot. longis acutis foliis G: 822. long sharpe leafed pondw.

Pot. perfoliatum five 3. Dodonei, G: 822. pot. alterum Dod. Joh. Bauh. tom. 3. p. 770.

thorow leafed pondw.

Potamogeiton ferulæ folio, \* fennell leafed pondweed, ad pontem Col. Mag. vel (ut conjectamur) est potanogeiton gramineum ramosum, P: 1255. grasse like pondweed.

Prunella potius Brunella (quæ ex consolida speciebus est) ab effectu nomen accepit, eo quod faucium & linguæ affectibus (seu po-

dan rough G 196 P

tius

dieto) medetur Bauh.

Prunella vulgaris, common selfe heale, G: 633.

P: 526.

m

ca h.

I.

ta

a-

d,

ia

pe

t.

0.

ed

ut

i-

1-

æ

0

)-

15

Prun.fl. albo, white felfe heale, G: 633. P:526.

Prunorum nomen Latini Hollandis acceptum ferrre debent qui pruna pruinnen vocant quafi pur-vinnen (i,) mora evacuantia. Joh. Bauh. tom. 1. p. 185.

Prunus Mirobolana, Mirobalane plum tree,

G: 1497.

Prunus Mirobolana Indica, G: 1500. Indian Mirobalane Plum tree.

Prunus Moroc. P: G: 576 Moroco Plum.

Prunorum sativorum & sylvestirum variz spe-

Pseudomelanthium, G: 1087. Nigellastrum,

P: 632. Cockle.

Ainτάμνε νοχ ἀπο τε τίκ] μν deduci videtur, eo quod ut Diosc. & Theoph. ἐξύτοκον ἐκὶ, cum non modo potum sed appositum quoq; partus defunctos ejicit, δίκταμνον Theoph. 9. hist. 16. ψευδοδικτάμον inde d. quia veri dictam ni speciem mentitur.

Pseudodictamnus, bastard dittany, G: 797.

P: 277.

TURNOU fic d. quod LURRES (i.) pulices fi virens domum importetur in ea gigni non finat, vel ut Diosc. & Plin. à semine pulici fimili.

Psylium

Pfyllium vulgare, P: 277. Pfyllium five pulicaria

herba, G: 587. Flea mort.

Pfyllium ma jus sempervivens, P: 277. Pfyllium semperv. Lobelii, G: 587. Evergreen Fleawort.

wrasutal à Males flernuto quia pollet vi ster-

nutationem movendi.

Ptarmica vulgaris, common free wort, G: 606. P: 857.

Ptarmica flore duplici, double flewred Sneefwort,

G: 606.

Ptarmica Auftriaca, G: 607. Ptar. Auft. Clusii

P: 480. Auftrian Incefw.

Pulegium Bangar à Cangi balatu, quoniam dum floret gustatum à pecoribus BANXIII desique masslau balatum concitet quod Plinins, lib. 20. c. 14. notavit,

Pulegium vulgare, P: 29. Pul. regium, G:671.

penny royall.

Pulegium regium vulgare majus, P: 29. great penny royall.

Pul. denfis furculis, P: 29. double penny R.

Pul. angustif. five Cervinum, barts penny royall, G: 672. P: 30.

Pulmonaria d. quod hujus foliis ut plurimum maculæ latæ albæ afperfæ funt, & quod pulmonum affectibus medetur.

Pulmonaria maculofa, G: 808. Pul. mac. latif. P: G: 251. common spotted Comstip FerusaFernfalem. Male figuratur apud Ger. Pul. mac. flore albo, white Jer. Comflip, G:808.

P: G: 251.

ia

m

1-

.

5.

t,

Pul. gallica five aurea latif. G: 304. broad leafed french Lungwort.

Pulsatilla d. quod seminum pappi vel levissimo

flatu huc atque illuc agitantur.

Pulsatilla vulg. common Pasque flomer, G: 385: P: 341.

Pulsatilla fl. albo, white Pasque flower, G: 386.

Pyracantha d. ob igneum baccarum splendo-

Pyrac. P: G: 504. Oxyacantha Theoph. G: 1604. ever green thorn.

Pyrola nomen à folio (quod Pyri folium re-

fert) accipit.

Pyrola G: 408. Pyr. nostras vulgaris, P: 508.

common winter green.

Pyrus anies quasi non habens niema pingueguedinem Eustachio; alii ab Apia regione deducunt quod ex ea primum hac arbor suit allata. Pyrus vero d. ob formam pyramidalem quam imitatur arbor juxta & sructus.

Pyrus sanguinea five fructu intus rubro, the

bloody Peare, P: 1501.

Pyrus picta five friata, the painted peare, P: G: 591.

Pyrus palatina, the Burgomot peare, G: 1456.

Pyri quam plurimæ aliæ species.

and a **G**ornes of pilitages angle cob-

Quercus gr. Açus : licet prisci graci omne genus arboris spuòs nomine intellexerint à verbo seu erumpo : & latini glandis nomine omnem frustum complexi sunt; seus tamen tantum arborem glandiferam propriè denotat, & præsertim quercum.

Quercus vulgaris, common Oke, G: 1339.

P: 1386.

Quadrifolium, vid. Lotus. Quinque nervea, vid. plantago.

R

Radix cava d. à radicis figura concavâ.
Radix cava major alba, white hollow root,
G: 1090. P: G: 275.
Radix cava vulgaris, P: 288, major purpu-

rea

Ra

R

R

R

R

rea G: 1090. great purple bollow root.

Radix cava minima, fl. viridi, G: 1091. Rannuculus nemorosus muscatella dictus, P:326: small Bunnikins Hollow root, or muske wood Crowfoot.

Ranunculus Bareixion, quod ranaru more humidis limitibus & opacis marginibus letetur: aut quod ranze inter ejus folia frequenter

inveniuntur.

Ranunculus palustris rotundisolius, G: 962.
R. palustris Sardinius lævis P. 1215. round leased water Crowsoot.

Ran. aquatilis G. 829. R. aq. hepaticæ facie,

P: 1216. mater Crowf.

Ran. aq. hederulæ folio, P: 1216. water Cr. with ale-coast leaves.

Ran. apii foliis major & minor grumosis radicibus & storibus luteis, the greater and leffer parsly leased Cr. with clotted roots. adhuc in authoribus non invenimus.

Ran. flammeus ma jor, great speare wort, G.961

P: 1215.

Ran. flammeus minor, lesser spearemort, G:961.
P: 1215.

Ran. flammeus ferratus, jagged spearemort, G: 962. P: 1215.

Ran. Creticus latif. broad leafed candy Crow-foot, G: 963. P: 333.

Ranunculus foliis plantaginis, Plantaine leafed Crowfoot, G: 963. P: 337.

Ran. Illyricus major, P: 332. great Illyrian

Crowfoot.

Ran. albus multiplex, double white, Cr. G: 957.

Ran. globosus, globe flower Cr. G: 955. P:331.
Ran. max. anglicus, G: 957. Ran. angl. bulbosus P: 329. double yellow Cr. or Bacthelors
Buttons.

Ran. bulbosus, round rooted Crowfoot, G: 953.

P: 329.

Ran. arvorum, fallow field Cr. G: 951. P:328. Ran. auricomus, G: 954. Ran.memorofus dulcis 2. Tragi, P: 326. golden baired Cr.

Ran. repens fl. pleno, P: 328. creeping double

yellow Cr.

Ran. repens fl. simplici, P: 328. G: 951. single creeping Cr. non convenit icon Ger.

Ran. pratensis dulcis mult. P: 328. G: 957

double meadow Cr.

Ran. pratensis dulcis simp. P: 328. fingle mea-

Ran. pratensis acris P: 328. Ran. surrectis cauliculis, G: 951. common upright Cr.

Ran. Affaticus flore pleno coccineo striato, double scarlet striped Asian Cr. \*

Ran. Af. fl. pleno miniato, G: 958. P: 341. double Asian scarlet Cr.

Ran

R

Pa

R

R

R

R

R

R

R

R

Ranunculus Af. fl. pleno prolifero G: 959. P: 341. double buttoned scarlet Cr.

Ran. Af. grumofa radice flore vario, G: 960. R. Af. fl. rubro vario, P: G: 222. Afian Cr.

with yellow striped flowers.

Ran. As. flore rubro amplo, P: G: 221. Ran. grumosa radice ramofits, G: 959. branched Asian Cr. with a large flower.

Paparis quasi radix perspicua Diosc. Neotericis vero papares dicitur maga to pastos parestas

quia fatum flatim oriatur.

Raphanus sativus vulgaris, common garden Radifh, G: 236. P: 861.

Raph. pyriformis five radice nigra, black Rad. G: 238.

Raph, orbiculatus, round Rad. G: 238.

Raph. niger rotundiore radice, P: 861. round rooted black Radifh.

Raphanus rusticanus, horse Radish, G: 241.

P: 860.

cd

an

7.

1.

1-

ors

3.

284

ul-

ble

gle

57

e4-

011-

11.

ın.

Raph. aquaticus, G: 240. Raph. aq. Lobelii P: 1228. common water Rad.

Raph. paluftris alter P: 1229. the other water

w. Radish.

Rapistrum à fimiliaudine cum Rapi foliis di-&um videtur.

Rapiffrum arvorum, common Charlock, G:233.

P: 862.

Rapistrum alterum arvorum, G: 234. P: 863. another another wild Char. Non coveniunt icones.

Rapum quasi ruapum, quod è terra cruatur Varroni lib. 4. ling lat. at verismilius à græco parus Athenzo lib.9. c. 2. 2022 Dioscoridi l. 2. c. 134. à rotunda orbicularive radicis figura.

Rapum luteum yellow turnep, G: 231. P:

G: 508.

Rap. rubrum, red Turnep, G: 231. P: G: 508. Rap. majus, great Turnep, G: 232. P: G.509. Rap. Radice oblonga, G: 232. P: G. 509. long-ish rooted Turnep.

Rap. fylv. wild Tur. G: 233. P.862.

Rapunculus est diminutivum Rapi.

Rapunc. esculentus, P.648. Rapuntium parvum G. 453. common garden Rampions.

Rapunc, corniculatus montanus, G. 455. R. alopecuroides orbicularis, P: 648. mountain barned Rampions.

Rapunc. scabiosæ capitulo cœruleo, P. 646. scabiosa minima hirsuta, G, 723. Rampions with scabious heads.

Rapuntiam parvum fl. albo, white flowred garden Rampions G. 453.

Rhabarbarum sive Rha verum, true Rubarb, P. 155. G.393.

Rhamnus solutivus siue spina Cervina, purging Buck thorne, G: 1337. P. 243.

Rham

-

F

F

P

P

R

Rham. primus Diosc. Lob. p. 1006., R. secundus Clusii, G. 1334. Sallow leased Buck thorne.

Rhodia radix, G.532. P. 727. rofe root, fic d.

ob roseum radicis odorem.

Pro & Hipocrati pos à coccineo acinorum colore d. pro enim eque interpretantur authores unde russus vox latina: rhus inquir Diosc. l. 1. c. 147. quam aliqui Erythron (i.) rubrum vocant fructus estirhois coriaria, sic vocata quod coriarii ea utuntur ad coria spissanda. Bauh.

Rhus Virginiana, Park. 1450. Virginian

Sumach.

ır

-5

ove

P:

8.

9.

m

**\**.

in

6.

725

7-

rb,

ng

n.

Rhus Coriaria, G. 1474. Rh. obsoniorum & coriariorum, Park. 1450. Coriars sumach.

Rhus myrtifolia, Myrtle le afed sumach, G. 1474,

P. 1450.

Ribes vulg. fructu rubro, common red Corans,

G.1593. P. 1561.

Ribes fructu rubro majore, great red Corans, G. 1593. P. 1562.

Ribes fructu albo, white Corans, Ger. 1593.
P. 1562.

Ribes fructu nigro. black Corans, Parks

Ricinus xeôtar Diosc. l. 4. c. 164. à similitudine Crotonis vel Ricini animalis quod senien e jus refert quod animal Plin.l. 11.c.34. descripsit descripfit aliis pendactylus, & vulgo palma Christi à figura foliorum que palmam digitis expansis emulantur. Ro

Ro

Ro

Ro

Ro

R

Ro

Re

Re

Ro

R

Ro

Re

Ricinus G: 496. Ric. five Cataputia major vulgation, P: 182. ordinary palma Christi.

Ros solis & Rorella à mirabili natura nomen adepta est nam quantumvis diu sol servidus æstate eam illustres ejus tamen solia semper rore & humiditate madent.

Ros. solis fol. rotundo, G: 1556. Ros. solis major, P: 1052. round leased fun dem.

Posson à poss recreatio quod e jus odor hominis spiritus recreat; vel à ρίω & δρωί odor quod largum odoris effluvium emistat.

Rofa mundi, Rose of Roses \*.

Rosa alba flore multiplici, G:1260. double white Rose.

Rofa alba flore duplici, P. G: 412. leffer double

Rose provincialis alba, P:G:41 4 mbite province

Rosa rubra anglica, red Rose, G: 1261. P: G: 412.

Rosa provincialis rubra sive centisolia, P. G.

Rosa provincialis sive Hollandica Damascena,
P. G. 413. Rosa Hollandica G. 1262. great
double damaske province R.

Rofa damaftenn. Damaik R. G:1262.P:G:413 Rofa Rofa Gilv. odora femp. fingle frees Bryar Rofe, G: 1269. P: G: 418.

Rofa fylv. odora fl. duplici, double freet Briar

Rose. G: 1270. P:G: 420.

Rofa pomifera five pimpenellæ foliis vulgaris G: 1270. P: 1019. Burnet R, n

Rosa pomisera sive pimp. foliis flore incarneo,

fleft coloured Burnet R. \*

Rosa pomisera major, P. G: 418. great Apple Rofe.

15

7:

is

is

d

te

le

ce

P:

G:

12,

rift.

13 osa Rosa foliis splendentibus five pomifera media: middle apple Rose. \* Rosa sine spinis mult, G: 1261. P: G: 416.

double Rose without thornes.

Rofa semper virens P: G: 420. ever greeen Rofe bulb.

Rofa Christallina, christall Rofe, P: G: 414. Rosa Francosurtentis, P. G. 414. Franckford

Rofe. Rofa incamata, P: G: 412. Carnation R.

Rosa versicolor, P: G: 414. particoloured Rose, or Yorke and Lancaster.

Rofa moschata mult. double musk Rofe, G: 1265

P: G. 417.

Rosa moschara simplex, single muske Rose, G. 1265. P: G. 417.

Rofa lutea mult. double yellow Rofe, P. G. 417. G. 1267.

Rofa

Rofa lutea fimplex, fingle yellow rofe P. G. 417. G. 1262. Rosa sylv. Austriaca, fl. phæniceo, P. 1018.

fcarlet R.

Rosa holoserica mult. double velvet R. G. 1266. P.G. 416.

Rosa cinnamomea fl. pleno, double Cinamon R. G. 1268. P. G: 416.

Rosa cinnamonea fl. simp. single cinamon Rose, G. 1268. P. G. 416.

Rosa sylv. five canina inodora, G. 1270. P. 1017. Bryar rose, variat fl. albo.

Rosa marmorea, marble Rose \* Rosa semper florens, monthly R \*.

Rofa Belgica five Vitrea, Vitreall Rofe, P.

G. 412.

Rosmarinus sic d. videtnr quoniam adversa pars foliorum vento flante roris marini aspe-Etum przbet gr. Albarotos sepavouatini d. Gelleno 7. simp. ob thuris odorem & usum ejus in Corollis.

Rosmarinum vulgare. P. 74. R. coronarium,

G: 1292. common garden Rosemary.

Rosm. latifolium, P. 74. broad leafed Rosemary.

Rolm, aureum P. 74. golden Rosem. Rolin. argenteum, filvered Rolem to

Rubia Epubeis avor ab igude quia radix ejus rubra est tingendo idonea.

Rubia

R

R

R

R

R

R

R

R

RI

R

R

Ri

Rubia tinctorum, G: 1118. Rub. major fativa. P: 274. garden madder.

Rubia fylv. wild Madder, G: 1118. P: 274.

Rubia synanchica, G: 1120. Rubi Synanc.

faxatilis, P: 453. Stone woodroof.

Rubia-spicata Cretica G: 1119. Rubia sp. Cretica angustif. P: 276. Small spiked Candy Madder.

Rubia marina, G: 1119. P: 275. Sea Madder. Rubus d. quod mora e jus compressa sanguineum succum reddunt, Joh. Bath. gr. Béros per antiphrafin quia est inaccessibilis ob nocentes e jus spinas. scapula.

Rubus G: 1272. Rubus vulg. major P. 1013.

bramble bush.

3

1

.

2

7

n

1,

S

a

Rubus tricoccos, P: 1015. the demberry.

Rubus monococcos five Chamamorus, G: 1273. Cham, anglica P: 1014. knotberry bulb.

Rubus repens fructa Cafio G: 1271. bramble

bush with blue berries.

Rubus idæus fructu albo, white Raspis, G: 1272, P: G: 557.

Rubus idæus fructu rubro, red Raspis G: 1272.

P: G: 557.

Ruscus à rus quia est agrestis & spinosus Diosc. lib. 4. cap. 146. populon dyela aliis 350popoin ob fimilitudinem ejus cum Myra folis

licet

licet à natura ejus toto cœlo distat.

Ruscus, Bruscus, butchers Broome or kneeholme.

G: 907. P: 253.

Reita why aner maes ne why wordan (i.) coagulare, quod calore & siccitate genituram coagulat. R uta vero à po paquia à morbis liberat, & contra venena est efficacissima.

Ruta hort. G: 1255. Ruta hort. major P:133.

garden Rue.

Buta capraria five Gallega, G: 1253. P. 417. Goates Rue, variat flore albo & purp. Ruta muraria, vid. adiantum.

## maior P.

ואוים הבשיבודיו.

CAbina d. à fabinorum regione in qua copi-Oole nascitur, Joh. Bauh. tom. 1. p. 292. Sabina Storflis, barren Savin, G: 1376. P:1027. Sabina baccifera, berry bearing Savin, G.1376. P: 1027.

Sagina spergulæ d. à saginandis peccoribus.

Sagina spergula, G: 1125 Sag. sperg. major P: 562, great Spurry.

Sagitaria à foliorum forma fricuspide superne in unam inferne in duas definentinen, nomen habet,

Sagitaria major, Ger. 416. Sagitaria major latif. latif P: 1247. great Arrow head.

Sagitaria minor, G: 416. Sag. minor lat. P:

Sagitaria minor angustif. narrow Arrow head,

G: 416 P: 1246

ne,

re,

at.

82

3.

7:

ñ

Sagiraria longistima cuspide pedali \*. long poin-

Salix à saliendo d. quod taura celeritate erescat ut saline videatur, gr. Iria race 16 isras quod cito in altum excrescat, inter primas etiam germinet.

Salix.G: 1389. falix arborea angustif. alba vulg. P: 1430. ordinary great white willow tree.

Salix aq. G: 1389. falix aq. humilis, P: 1434.

Salix humilis. G: 1391. Salix humilis lauf. P: 1432. broad leafed willow.

Salix humilis repens, G: 1391, salix humilis angustif. repens, P: 1435, creeping dwarf willow with narrow leaves.

Salix caprea roundif. G: 1390. falix latif. rounda, P: 1432. round leafed Goats willow.

Salix vulgaris rubens five Tradesc. common Holland Sallow. Bauh. in pinace 473.

Salix rolea, P: 1430. salix rolea anglica, G. 1390. english rose willow.

Salix folio laureo five lato glabro odorato, Willow bay, Phyt. Brit.

Salix caprea oblongior, P: 1432. falix caprea L 2 latif.

latif. G:1390. goates willow with large leaves:
Salvia d. quod ad multa præsertim ad sæcundltatem salutaris sit, cum steriles hujus usu
frequenti gravidæ reddantur. Analogano
Diosc. (quasi in labem redacta) cum herba
ipsa semper retorrida & exucca videatur.

Salvia agrestis sive Scorodonia, mood sage, G.

662. P. 111.

Salvia major vulgaris, common garden sage G. 764. P: 49.

Salvia major verticolor, P: 49. Sal. variegata

elegans, G: 764. Striped Sage.

Salvia minor, G:764. Sal. minor pinnata, P.50.

Salvia max. latif. P. 49. great white or curled

Sage. in

Salvia absinthites, G: 764. Sal. minor altera

fl. rubro, P. 50. mormewood Sage.

Salva fruticosa lutea angustis. sive phlomis lychnitis, P: 51. narrow leused shrubbie yellow sage.

Salvia frut. lutea latif. sive verbascum sylv. P: 52. Verbascum Math. G: 767. French

Sage.

Sambucus à Sambuco mufico instrumento, gr.

Sambucus vulgaris, common Elder, G: 1422.

P. 208.

Samb. laciniaris foliis, jagged Elder. G. 1423.

P. 208.

Samb.

Samb. rosea, rose Elder, G: 1424. P: 209.

Samb. aquatica, marsh Elder, G: 1424. P: 209.

Sanicula à fanandis vulneribus d.

Sanicula vulgaris, common Sanicle, G: 948. P: 532.

Sanicula alpina Clusii sive cortusa Mathioli, beares eare Sanicle, G: 788. P: 533.

Sanicula alpina floribus albis, beares eare Sanicle with white flowers, Bauh. in pin.

San. guttata, G: 788. San. guttata major, P: G: 231. great spotted San.

San. minus guttata, P. G: 231. leffer spotted

Saponaria d. quod faponis vicem præbet ad pannos purgandos.

Saponaria vulg. common sopemort, G. 444. P. 641.

Saponaria flore pleno, double sopewort, G: 444.
P. G. 352.

Saponaria concava, vid. gentiana.

Satureia θύμες & θύμερον ἀπὸ τῶ θύων ob fragrantiam. Satureia for an à faturando dicta quod cibis loco condimenti addatur.

Satureia hort. G: 575. Sat. vulg. P. 4. winter

Satureia hortenfis æstiva G:575. sat. hort. P:4

Summer Savory. Icon satureiæ sativæ in Ger.

pro vulgari ponitur.

Satyrion.

Scable

,

2

Satyrion vid. Orchis.

Saxifraga ab effectu dicta cum e jus stillatitia, en &decocum, lapides renales & frangere & pellere dicatur:

Sax. alba vuly. common white Saxifrage, G:841.

P: 424.

Sax. aurea, golden Saxifrage, G: 841. Pr 425. Sax. aurea major foliis pediculis longis incidentibus, hort. Lyft. great golden Sax. in horto Eyst: tantum pingitur, descriptione adhuc caret.

Sax. anglicana alfinef. G: 567. Sax. anglica ocidentalium Lob. P: 427. Cuickweed break-

Itone.

Sax. alfinef. palustris, G: 567. palustris angl.

P: 427. Mr Goodyers Marit Sax!

Sax. anglica facie sesseli pratensis, G: 147. seseli pratense nostras, P: 904. english meadow Saxifrage.

Sax. pimpinellæ foliis, vid. Pimpinella.

Scabiofa aliis à frabro herbæ habitu (quod vulgatæ convenit) aliis quod (cabiei mediatur, quod vox Pfora pretendere videatur; quare Actii aliqui centent.

Scabiosa major vulgaris. C:719. sc. vulg. pra-

tenfis, P: 484. great common scabious.

Scabiola minor five Columbaria, Ger. 719.

le minor campeltris, P. 484. finall comme n

Scabi-

Scabiosa flore albo, white flowred sc. P.G. 324. Scabiosa media, G: 720. middle sc.

Seab. fl. pallido, G: 723. Sc. Panonica fl. albo,

P: 484. white Hungarian sc.

Scab. campeltris five legetum, G: 720. Sc. major legetum, P: 485. corne sc.

Scab. montana max. great mountaine scabious,

G: 721. P: 487.

Scabiosa indica rubra, red Indian sc. G: 724.
P:488. hac eleganter colore variat aliquando saturatiore, aliquando dilutiore, carneo & ex purpureo albicante rarius viridi habetur etiam ex eodem semine nonnunquam prolifera.

Σκίλλα ὑπὸ τὰ σκύ λλον quia tractanti molestiam

exhibet.

Scilla alba, white Squills, or sea Onions, G. 171. P: G: 132.

Scilla rubra, red Squills, or sea Onions, G: 171.

P: G: 133.

Scordium, G: 661. Scord. legitimum, P: 111.

beat ad similitudinem caudæ scorpionis, & quod scorpionum ictibus præsentaneo sit auxilio.

Scorpoides Bupleuri folio ma jor, P:1117. great bares-eare scorpion graffe or Caterpillars.

Scorp.

Scorp. Bupleuri folio minor, P: 1117. scorp. Bupleuri folio Penæ & Lotelii, G: 338. small hares-eare scorpion grasse or Caterpillars.

Scorp. Bup. fol. filiquis lenibus, P. 1117. fmoth

bares-eare sc. grasse or Caterpillars.

Scorpoides Mathioli, Mathiolus his Scorpion grasse, G: 338. P: 1117.

Scorp. paluftris, vid. Myofotis.

Scorzonera nomen est hispanicum à Scorzo vipera vel à serpente Scorzone, quare idem est ac viperina quod contra viperarum ac serpentum venena est essicax.

Scorz. hispanica. G. 736. Scorz. major Panonica latif. P: 409. common Vipers graffe.

Scorz. humilis lat. dwarfe Vipers graffe, G:736.

P: 409.

Scorphularia & à radice nodosa & ab effectu (quod ad scrophulas prodesse videatur) nomen accepit.

Scrophilaffa major vulgaris, great common

figwort, G: 716. P: 610.

Scorph. peregrina. P:611. strange Figwort.

Securidaes resistros quia temen e jus rufum in filiquis (corniculorum modo aduncis) fecurim amulatur.

Securidaca filiquis planis dentatis, G: 1234. fecuridaca peregrina Clusii, P: 1089. strange batches Vetch.

Sedum

S

S

S

S

S

S

S

Sedum Adder Diosc. quod solia perpetuo vi-

Sedum five fempervivum majus, great House-

leek, G: 510. P: 731.

Sedum minus hæmatoides. G: 512. vermicularis five Craffula minor vulgaris, P: 734.

Prick-madam, non convenium icones.

Sedum five sempervivum minus æstivum, small

Summer sen green. G: 513. P: 735.

Sedum medium teretifolium: G:513. vermicularis minor, P: 734. small prick madam.

Sedum montanum serratum guttato flore,

P: 738. Princes feather.

Scrpillum Egrundos Diose lib. 2. c. 46. sin si Egrundo d. quia aliqua e jus iparticula terram tangente ab ea radices demittantur.

Serpillum vulgare G: 570. Serp. vulg. minus, P: 8. wild time or mother of time.

Serp. citratum, Limon time, G:571. P: 8.

Serp. moschatum P: 8. Muske time.

Serp. mosch. lat. broad muske time \*...
Serp. capitulis albis, white time \*...

Sinter.

Serp. vulgare fl. albo, common white flowred time, G: 570. P: 8.

Serp. hirsutum, G: 571. latif. hirsutum, P: 8.

Serp. aureum ive versicolor P: 8. guilded

Seratula

Serratula à foliis minutim ferratis nomen acce-

Serratula vulg. five purpurea, common fam wort,

G:713. P: 474.

Serratula alba, white fan mort, G: 713. P: 475.

Zeotais reed to canoni inno quod falutare fit himsello.

Seseli Æthiopicum frutex, Hart wort, G: 1421

P: 907.

Sefeli Peloponesiacum recentiorum, P: 907. Cicuta latif. sætidissima, G: 1062. Hart wort of Peloponesus.

Sigillum Solomonis, vid. Polygonatum.

Zidneiris and re ordine ferro, ob vint vulnera glutinantem.

Sideritis vulgaris, G:697-Iron wort or Allheale, Side arvensis rubra, G: 699. P: 587. Iron wort

with red flowers.

Sid. parve procumbens, P: 585. Sid. parva non ramofa, G: 698. creeping iron wort without branches.

Sid. procumbens ramofa, G. 698. creeping

branched Iron wort.

los ledit. váni Theoph. quasi imnute ob vehementeni ejus acrimoniam.

Sinapi sativum, garden Mutard, G: 224. P.

G: 502.

Sinapi album, white mustard, G: 244.

Sifaram.

S

Si

Si

SI

Sc

Sc

30

30

So

I.

Sifarum, G: 1026. Sifar vulg. P: 945. Skirretts.

Slov Diosc. Sim 78 solour, ab excutiendis calculis.

Sinum majus latif. G: 256. Pastinaca aq.major

P: 1240. great warer Par nep.

Sium miuus alterum, P. 1241. the other small

water Parsnep.

,

t

I

rt

a

e, rt

n

ut

ng

u-

do

P.

1

Sium nodiflorum, G: 256. creeping water Parf.
Sium five apium palustre foliis oblongis. Bauh.
in Pinace; tium odoratum Tragi, sweet water P.

Sium minus impatiens, G: 260. Sium minus sive impatiens nasturtii sylv. folio, P: 1241.

Impatient Lady mocks.

Sifymbrium vid. mentha aq. Smilax aspera, G. 859. Sm. aspera spinoso so-

lio, P: 174. prickly Bindweed.

Smyrnium Creticum G: 1024. P: 930. Candy Alexander.

Solanum poxor, quod vitem aut acinum, aut tale quid, lignat.

Solanum lethale, G: 340. P: 346. deadly night

Sol. hortense G: 339. Sol. vulg. P: 345. common Night f. ade,

Sol. lignofum, vid. Dulcamara.

Sol. magnum Virginianum rubrum, P: 347.
great Virg. red nighthade.

Adyxos Diole work (old x ten quod fuccum falubrem

falubrem (qui stomachi rosiones lenit, & nutricibus lac auget) fundat.

SI

Sp

Sp

Sp

Sp

Sp

Sp

Sp

20

Sta

ta

Sonchus lævis, Hares lettuce or smooth somthistle, G: 292. male figuratur apud P. 805.

Sonchus asper, G: 291. Sonchus asper major non laciniatus, P: 803. prickly somthistle.

Sonchus asperior G: 291. sonchus asper lacini atus, P: 804. more prickly S.

Sonchus lavis latif. broad leafed South. G.292.
P: 806. variat florum colore.

Sonchus lævis muralis, G: 293. parvis floribus
P:805. rall S.

Sonchus Levis angustif. G: 293. P: 806. narrom leafed S.

Sonchus sylvaticus, G: 294. wood S.

Sophera sive securidaca Ægyptiaca vitiosa, P: 1089. dangerous Ve. ch of Ægypt.

Sophia Chirurgorum, Flixweed, Ger. 1068. Park. 830. ad Nasturtii familiam reduci debet.

Sorbus fic d. quia succus ejus sorberi sole- spl

Sorbus torminalis common service tree, G. 1471. Spi P: 1420.

Sorbus, G. 1471. Sorb. legitima P: 1420. true

Srobus sylv. vid. Fraxinus bubula.

Σπαργάνιον α πο πε σπαργάνων, faciolis, quod foliis

e.

2.

15

r-

a,

8.

ci

e-

bo iis

foliis ejus latis & (vitilium modo) lentis pro fasciis nutrices utantur. Sparganium ramosum, branched Bur-reed. G: 45. P: 1205. Sparg. non ramosum, P: 1206. sp. latif. G: 45. great Bur-reed. Speculum veneris ad Onobrychin pertinet, Ger. primus sic appellavir. Speculum veneris, "G: 439. Spec. ven. majus; P. 1331. great corne violet. Speculum ven. minus, Small corne violet, 6:439. P. 1331. Spergula marina Dalech, Ger. 1125. fea Spurry. Spinachia fic d. ob semina dura & spinosa. Spinachia, G. 330. P. 751. common Spinach. Spinachia rounda, Spinach with Smooth seeds, G: 330. P: G: 496. Leon du le d. fortaffe ob odoris gravitatoms à Sphondyle insecti genere odoris gravis ut Pena tradidit. Sphondylium, G: 1009. sph. vulgare, P: 953. Com parsnep. I. Sph. majus aliud laciniatis foliis, P.953. jagged Com P. ue Stachys Eraxus fic d. ob spicatam florum positionem. Stachys Fuchsii G. 695. Stachys major Germanica, P: 48. base wild Horehound.

Scebe

Storbe argentea major, G: 730. St. lalamantica prima Clusii, P: 476. great silver Knapweed, Stochas sizas ab infulis ejuschem nominis è ro regione Massilia ubi nascitur nomen accipit

tefte Diofc.

Stochas vulgaris, P: 67. stochas five spica hortulana G: 585. ordinary French lavender or Stickadove.

Strechas fummis cauliculis nudis : G. 586. Steechas longioribus ligulis, P. 68. Sticke-

dove with long leafed beads.

Stechas multifida, G: 585. jagged stick. Stella deguminosa ob fomam seminum d.

Stella leguminosa, starry kidny Vetch or birds frat, G: 1240. P: 194.

Stellaria à forma foliorum dicitur.

Stellaria aq. frar like water Femell, G: 830. P: 1258.

Stramonium spinosum, G: 348. Ser. majus alburn, P. G. 360. white thorne upple.

Str. majus purp. great purple thorne apple, P. G: 160

Syringa fortaffe à virgarum fungosa interioris medulle copia.

Syringa alba, G: 1399. fyr. flore albo fimp. P 1467 mbite pipe tree.

Syringa cœrulea, G: 1399. Lilach five fyr. fl - coer. Pra 467, blue pipe tree.

Tabacco T

1

ica a ed. 10

ipit

oica

r 08

86.

ka-

irds

30.

oris

imp.

r. f

Transfer Transfer Abaco, vid. hyofcyanus. I Tamarindus ab Arabibus nominata est quasi dicas Dactylos Indos. Tamar enim illis Dactylum significat, Tamarindus, G: 1607. P: 238. Tamarind tree. Tamarifcus ex Tamrick abstersio quia viro abstergendi habet. Tamariscus Narbonensis, G: 1378. Tam folio tenuiore, P: 1479. French Tamarisko Ich Tanacetum yulgare, common Tanly, G: 650. P: 81. Tan. crifpum, crifped Tansey, G: 650, Pi-819 Tan. variegatum, striped Tansey, P: 81. al. Tan. inodorum: unfavory Tanfey, Ger: 650. P: 81. Taplus barbatus gr. phopos à phipe uro (quali exéros flamma ) quia hu jus elychniis ufus eft. Tapfus barbatus, G: 773. common Mullein of Higtaper. Taplus barbatus communis five verbalcum album vulgare, P: 60. white flowred Mullin.

Taxus à 76 ger forsan quia ex ea arcus fiunt.

Telephium

acco Taxus, the Tem tree, G: 1370. P: 1412.

Telephium sic dictum volunt quod ulceribus malignis ac deploratis, quibus. Telephus rex Mysiz ab Achille vulneratus consenuit (quz eam ob rem etiam Telephia vocantur) auxilietur.

Telephium five Craffula major vulg. P: 726. Graffula live faba inversa, G: 518. common

Orpine.

Telephium legitimum Imperati, G: 520. P: 727. Imperatus bis true Orpine.

Telephium femper virens, G: 520. Teleph. A purp, P:727. cuergreen Orpine.

Tipetion ex issciols propter similitudinem foliorum e jus cum leguminorum genere.

Terebinthus, Turpentine tree, Ger. 1433. P: 1527.

Teuerium à Teuero inventore.

Teucrism majus vulgare, P. 109. Teu. latif. . G: 538. the more common tree Germander.

Banner à Band vireo eo quod dum germina protrudit eleganter vireat.

Thalictrum majus, G: 1251. Th. vulg. majus

P: 264. great bajtard Rubarb.

That majus hispanicum, G: 1252. Thal. lauf. hisp. P: 264. Spanish meadow Rub.

Thalistrum minus, fmall baftard Rub. G: 1251.

... P. 264.

Thiaspi Ondor a Onde conquasso quia semen habet veluti ir/elanguiror tefte Diofc.l.2. c.186. Thlaspi

Thlaspi Dioscoridis G: 262. Thl. Drabæ folio P: 836. treacle muftard.

Thl. vulgatissimum, G: 262. Thl. Vaccaria fol. P: 836. Mithridate Mustard.

This Creticum Umbellatum flore albo, G:265.

P: G: 390. white tufted mustard.

Thl. Cret. fl. purp. G: 265. P: G: 390. purple tusted mustard. ex duobus hisce coloribus eleganter nonnunquam flores mixti funt.

Thl. fruticosum incanum, G: 270. Thl. incanum Mechliniense, P:847. hoary Thlaspi of Mechlen.

Thlaspi majus, great treacle mustard, G: 622. P: 826.

IS

X. S

•

H

1

.

S

Thl. minus, G: 262. Bowyers Mustard.

Thlaspi Clypeatum fl. sulph. buckler Mustard with a brimstone flower. \* Nec in authoribus

nostris, nec in aliis adhuc invenimus.

Thymum bopes Diofc. in is but quod iis qui animi deliquium patiuntur adhibeatur: alii ind The Bundrews & The Buns deducunt quod hac herba in facrificiis ufi funt veteres. teste Rodigino.

Thymum latif. broad time, G: 573. P: 6. Thymum durius, common hard time, G:573.

P: 7.

Tilia gr. olaves d. propter membranam tenuem quæ reperitur inter corticem & lignum hujus arboris.

M

Tilia

Tilia mas, G: 1483. P: 1407. male line tree. Tilia fœm. G: 1483. Tilia fœm.major, P: 1407 female Line tree.

T

T

T

T

T

T

T

T

T

T

T

T

T

Τιθύμαλος ex τίθυς mamma & μάλος tener quia tenerum lac (ficut mamma) effundit unde

Lactaria quibufdam d.

Tithy matus characias amygdaloides, G: 500. Tith. char.vulg. P:186. common wood fourge.

Tith. Characias secundus rubens peregrinus
Bauhini in pin. 290. strange red wood sp.

Tith. helioscopus, sunne spurge, G:498. P:189. Tith. cupresinus G: 499. Tith. c. vulg. P: 193. Cypresse sp.

Tith. Myrtifolius latif. G: 498. T. Myrsmites incanus, P: 186. broad myrtle sp.

Tith. Paralius, G: 498. P: 184. fea fp.

Tith. Platy phyllus, G: 500: T. lauf. hifp. P: 188. broad spanish sp.

Tith. hibernus tuberofus five Makimboy, Irifo

knotty rooted sp. \*

Tormentilla d. quia radicis pulvis cum alluminis & pyrethri momento cavis dentium inditus eorum tormenta five cruciatum fedat Alii Heptaphillum vocant à foliorum numero.

Tormentilla vulgaris, Tormentill or fet foile,

G: 992. P: 394.

Trachelium d. quod in colli affectibus commendatur. Hinc Cervicaria etiam d. imo & uvularia 2

lè

5.

e. S

7.

3.

es

.

16

i-

1-

at

-

e,

8

12

uvularia & (a forma ) Campanula. Trachelium Americanum fl. ruberrimo, P: G: 355. rich crimfon Cardinall flower. Trachelium Americanum minus fl. ruberrimo, small rish crimson Cardinall flower. Tr. majus Belgarum five giganteum, Giant Throatwort, G: 448. P: 643. Tr. majus fl. duplici, G: 449. Tr. ma. fl. dup. cær. P: G: 356. double blue Canterbury bells. Tr. mafus fl. duplici albo, P: G: 356. double white Cant. bells. Tr. majus fl. fimp. cær. G: 448. Tr. majus fl. courp. P: G: 354. blue Cant. Bells. Tr. majus fl. albo implici, single white Cant. B. G: 449. P: G: 354. Tr. minus G: 449. Tr. minus fl. purp. P: G: 356. Small Cant. bells. Tr. minus fl. albo, P: G: 356. small white C. B. Transition à profix lanugine que è summo crumpit sibi nomen ascivit. Tragopogo n purp. Purple goates beard, G:735. P:412. Trag. luteum, yellow goutes beard, G: 735. P: 6: 514 Trag. aftivum, P: 411. fummer Goates beard. Teag. Coronopifolio Bauh. in pin. 274. Bucksborne Plantaine Gib. Trag. minus angustik. G: 726. Trag. lut. an-

gustif. P: 412. narrow leafed yellow Goates b.

M 2

Trago-

Tragopyrum, Buck wheat, G: 89. P: 1141.

Telsones truspos Diosc. l. 4. c. 15. à triplici cuspide ad fimilitudinem machinnularum ferrearum (quæ forma trigona sunt) dicitur.

Tribulus aq. minor muscatellæ floribus, G:824.

Tr. minor alter, P: 1248. small Froggs
lettuce.

Tribulus aq. minor quercus floribus G-824.

Tr. aq. minor prior, P: 1248. Oke leafed
Froggs lettuce.

Terxopeares d. à vi sua, quod rara cute fluentem capillum expleat, & subnasci faciat.

Tricomanes, P: 1051: Tr. mas, G: 1146. common English maiden haire.

Telouxor fic d. quod fingulis germinationibus terna exeant folia.

Trifolium pratense, G: 1184. Tr. pr. vulgare purp. P: 1110. purple meadow Trefoile.

Tri. pratense purp. minus, small purple meadon Tr. G: 1185. P: 1112.

Tri. pratense majus fl. albo, G: 1185. great

Trif. pumilum supinum flosculis longis albis white dwarfe Tr. Phytologia Brit.

Tr. luteum Lupulinum, G:1186. Tr.montanum Lup. P: 1105. hoppe Tr.

Tr. luteum minimum, small yellow Tr. G:1186.
P: 1111.

1

Trifolium fragiserum, strawberry Tr. G: 1208.
P: 1109.

Tr. vescicarium asperum majus P: 1109. great

rough skinny headed Tr.

Tr. paludosum, Buck beanes, G: 1194. P:1212. Tr. bituminosum, strong smelling claver, G:

1187. P: 716.

a.

ıf-

64

4.

gs

4.

m

2

15

re

W

at

is

n

Tr. siliquosum minus, small codded Trefoile.

Tr. odoratum, freet Tr. G: 1195. P: 716.

Tr. luteum siliqua cornuta, G:1191. Lotus corniculatus incanus, P:1103. hoary borned Tr.

Tembator quasi dicas ter canescens Diosc. 1.4. c. 154. cu jus flores (ut tradunt inquit) ter die mutent, mane candidi, meridie purpurei, sero punicei conspiciuntur.

Tripolium majus vulgare, great sea star-wort, G:

413. P: 673.

Tr. minus vulg. small sea star wort, G: 413.

P: 673.

Triticum gr. जण्में quafi नजण्डें , pro नज्डें आक

Tritici variæ species.

Tulipa à pileo Dalmatico vel amicule capitis ab ipfis gestari solito nomen habet.

Tuliparum quam plurimæ species.

Turritis a forma nascendi d.

Tur. major, great tower mustard, G: 272. P: 852.

Tur.

Titritis, G: 272. Tur. vulgatior, P: 852. common Tower multard.

Tuffilago Engrer quod Biges (fc.) tuffes juvet,

Tuffilago, Colt. foot, G. 811. P. 1220.

Typha won's cylindro unbinasaque spice effigie d.

Typha max. greatest reed mace, or Cats taile,

P: 1204.

Typha G: 46. Typha minor P: 1204. leffer reed mace.

Typha minima, P: 1204. least reed mace.

7 Accaria, G: 492. Lychnis fegetum Vaccarla rubra dicta, P: 663. Com Bafill.

Vaccinia rectius baccinia à bacca d. quia est

planta admodum baccata.

Vac. palustria Marst worts, G. 1419. P: 1229. Vaccinia nigra vulg. common worts or Bill

berries, G: 1415. P: 1456. Valeriana à multis quibus pollet facultatibus d. gr. or graphic dyels Diole, eo, quod radices quadam odoris gravitate nardum amulentur Valeriana rubra Dod. Dodoneus his red Vale-

val. alba Dod. Dodoneus bis white Val.

Val. hort. G: 175. Phu majus P: 120. garden Val. or Serwall. Val.

Val. sylv. major, great wild Val. G: 1075. P: 122.

Val. sylv.minor, small wild Val. G: 175. P:122 Val. graca fl. albo, P: 122. white greek Val.

Val. græca fl. cærul. blue greek Val. G: 1076.
P: 122.

Val. annua Clusii, G:1077. Val. petrea, P: 123. fummer Val.

Verbascum idem habet Etymon cum Tapso

barbato.

M-

t.

Verbascum album, G: 775. verb. mas foliis longioribus, P: 60. base white Mullein.

Verb. nigrum, G:775. Blattaria lutea odorata. P: 64. base black M.

Verb. nigrum vulg. P: 61. Blattaria Plini, G: 776. common black M.

Verbena ispa Borárn sacra herba d. quod in expiationibus ad amuleta sit perutilis si sama credatur.

Verb. vulg. P: 675. G: 718. common Vervaine Vermicularis frutex major, G: 524. Ver. arborescens, P:731. tree stone crop.

Vermicularis scorpoides, P: 734. Aizoon scorp,

G: 513. scorpion sengreen.

Veronica vera & major, G:626. Ver. vulgimas fupina, P: 550. common speedwell, variat fl. albo.

Ver. spicata latif. G: 628. major, P: 550. broad eleafed apright sp.

Vcr.

Ver spic. angustif. P: 550. affurgens, G: 628. narrow leafed upright Sp.

Ver. minor, G: 627. vulgo fed falso Betonica Pauli, little Fluellen.

Ver. fupina, G: 628. Ver. Teucrii facie P: 551. Germander Spredwell.

Viburnum à vieo quia fascibus vinciendis sit idoneum.

Virburnum. Wayfaring tree, G: 1490. P:1448. Vicea à vinciendo (ut Varroni placet) quod item capreolas habet ut vitis quibus sursum versus serpit ad scapum lupini, aliumve calamum, an quem ut adhæreat, cum vincire folet.

Vicia G: 1227. Vicia vulgaris sativa, P: 1072. manured Vetch.

Vicia fylv. five craca major, vid. Aracus.

Vicia filv. fl. albo, white flowred wild vetch, G: 1227. P: 1072.

Vicia max. dumetorum, G: 1227. P: 1072. bush Vetch.

Vicia fylv. five cracca minima, G: 1228. small wild Vetch. ..

Viola à vi olendi ut aliqui volunt.

Viola Marria H. car. multip. P. G: 282. viola m. purp. mult. G: 851. double blue March Violets 9 701

Viola simplex Martia, P: G: 282, viola nigrasive purp,

purp. G. 850. fingle blue March Violets.

Viola Martia fl. albo pleno P: G: 282. G: 850. double white M.V.

Viola Martia fl. albo simp. P: G: 282. V. alba G: 850. single white M.V.

Viola M. lutea, yellow Violets, G: 851.

1.

a

t

Viola canina sylv. G: 151. P: 755. dogs violets. Viola Martia fl. obsoleto, P: G: 282. single reddish M. V.

Viola Mariana fl. purp. blue Coventry bells, G: 447. P:G: 354.

Viela lunaris vulgaris, common white fatten flower; fic d. quod semina sunt instar luna sixerbus. G: 464. P: 1336.

Viola matronalis fl. purp. G: 462. P: G: 262. fingle purple dames violet.

Viola matr. fl. albo, G: 462. Pi G: 262. single white dames violets.

Viola matr. fl. albo pleno, G: 462. double white dames violets.

Viola tricolor, G: 853. V. tr. vulgaris, P. 756. common bearts ease or Pansies.

Viola slammea lutea max. P: G: 282. great yellow Pansies.

Viola tr. sylve diversorum colorum, G: 854.

P2756. wild Pansies of diverse colorus. Ludit
menim natura mira diversitate colorum in
hisce floribus.

Viorna vida Clematis fylv. latif.

Urtica

Virga

Virga surea à forma & florum colore nomen obtinuit.

Virga aurea vulg. common golden red, G: 430. P: 542.

Virga aurea Arnoldi Villanovani, G:430. foliis ferratis, P: 542. Arnollis golden R.

Virga aurea Americana P: 542. g lden Rod of America.

"Aurenos vitis ab aua & mnnos. HARMARUS
Vitis selinoides sive laciniatis foliis, jagged leafed
or Parsly Vine, P: 1555.

Vitis Viniterz tredecem aliz species.

Ulmaria à foliorum fimilitudine com ulmo d.

Ulmaria vulg. P: 691. Regina prati, G: 143. Meadow sweet.

Ulmaria major five altera, P:591. Reg. pr. floribus oblongis, G: 1043. great Meadowsweet with long flowers.

Ulmus Mente Diosc. l. 1. c. 13. forsan à Maia

Ulmus vulgaris, P: 1404. Ul. vulgatissimus folio lato scabro, G. 1478. common Elme tree.

Ulmus folio glabro, G: 1478. P: 1044. witch

Umbilicus veneris, vid. Cotyledon.

urtica Anango Diosc. wapa to un exer nando aon quod injucundo sit tactu, & pruritum cicat.

Urtica Romana, Roman nettle, G. 706. P: 440. Urtica

## (187)

Urtica major. P: 440. great stinging nettle.
Urtica media sylv. P: 441. urens G: 706. middle stinging N.

Urtica minor, small wild N. G:707. P: 441.

### X

Yris ob foliorum similitudinem quasi raforium cultrum dicitur. Xyris sive spanula sœtida, stinking Gladwin, G: 60. P: 256.

### Y

Y Ucca five Jucca Peruana, G: 1543. Yucca five Jucca India putata, P: 153. Indian bread, quia Indi ex hujus radice panem conficiunt.

FINIS.

In a major, he was created as a continuation of the continuation o

X.

t viceobilit eng findlit it un qualitate fortale te fortale un eleg a sting Gladkin, te fortale

17

The allest Lacte Postuming in 1445. Yurca free look to a printes, 14:255. Indian of point lact on hujes radice panem conficture. FAMIS.

THE

transfer for the first of the decided to the decide

Second part of the


# CATALOGUE

O F

The TREES and PLANTS of The

PHYSICK GARDEN
In The

UNIVERSITY of OXFORD



OXFORD,

Printed by WILLIAM HALL,

Anno Dom. 1658.

ราธิ เป็นสิทธิเทียงใหม่เป็นสิทธิเทียงโดยเป็นสิทธิเทียง

\*\*\*

\*\*\*

4,7

OXFORD,

10 5 To

.20



The Preface to the

## READER

HOU hast here the Catalogue of the plants of the Oxford Physick Garden, that true Polyanthen, which hath for many years past been cultivated by the great Skill, and indefatigable industry of

JACOB BOBERT, bow expert a Gardener be bath shewed himself, posterity perhaps may without enmy let the world know. In the mean time, this little Book offers it self to three now in the spring, when plants (being freed from their winter shackles) look out of their prison doors in their best cleathes, with a defire to bid thee well-

of use also to the true Physitian.

But if any one be puffed up with a vain perfrafion of his own abilities, and shall think because be bath the title of Doctor he may be as idle as he please, and slight the study of Simples let him (if he will take somuch paines) read the life of Fernelius, and the Epistles of Bauhine, Lobell, Mathiolus, and Fuchsus that he may know that we have reason to be of another minds

I. We have pitcht upon Parkinson and Gerrard, out of the respective have to our own Country, (because the generallity of English men make use of them, and there be but sew that use any other) calling our plants by their names, seldome

altering so much as a word.

2. We have added the names of our authors to the names of the plants. G: noting Gerrard, P: Parkinson, and P: G: Parkinsons Garden, forheaving the names of other authors unlesse our own have manted the plants.

3. We have used the names of both our Authors (when they were to be found) because they so disagree, that he that had Parkinson would not have known Gerrards name; and he that had

Gerrard

be

th

be

27

20

60

27

n

t

ti

8

Gerrard would not have known Parkinsons name, and confequently, would have reaped little benefit, (as will appeare to the indifferent reader) this we did (though it cost not a little labour that berbarists may not for the future, as hath been to much a custome, suck in traditionall, and absurd names not mentioned in any classick author.

4. We have noted our non descripts, which are about 60, with this marke \* they being not to be found in our own or other Authors upon our best enquiry, for many new plants come to us from both the Indies, and other parts yearly, so that new mater and occasion is afforded to the studious of writing, without any suspition of stealing from other men.

5. When any plants are called by obscure or unfit names, (as in Lucoium and the Planta sensibilis with some others) iwe have taken the liber-

ty to impose name of our own.

6. We have left out the names of the Tulips, and Carnations, with a few others partly because they being so numerous will deserve ditinct and particular Catalogues, (which may be set forth in due time) partly because their names as now received are not to be found in any classick author.

7. In the second part we have a short Catalogue which begins with the english names, in a different Charracter, we have only mentioned the generall names one of a sort, which being known N

the Reader may have recourse to the first Catalogue and find the names of all the species, now if any should think we have done an needlesse worke in paging our Authors, let them know we have that excellent herball, the Hortus Eistetensis for an example, besids when they shall find that many of our plants doe want, not only sigures but distinct titles and descriptions, being either very obscurely hudled up in the descriptions of other plants, or but hinted in the margine, which would render it very dissicult for the reader to find them, we are consident the Reader will excuse us, since the trouble bath been ours and the benefit will be his.

Thus as the species of all creatures were gathered together into the Arke, comprehended as in an Epitome, so you have the plants of most parts of the world, contained in this garden where they are preserved for thy in pestion, not thy plunder, and faithfully related, by the care and endea-

vour of

P. S. W. B.

a-


es, an em us all uly ug ns

er

c-

e

n



#### A

Dders tongue, Ophiogloffum. Adonis flower, Flos Adonis. Agrimony, Eupatorium. Alder tree, Alnus. Allexander, Hipposelinum. Allexander of Candy, Smyrnium Creticum. A Ilheale, Panax. Crusted berryed Allheale, Angelica bacc. Almond tree, Amygdalus. Aloes, Aloe. Anemonie, Anemone. Angelica, Angelica. Anise, Anisum. Apple, Malus. Apple of love, Pomum amoris. Thorne Apple, Stamonium. Aprecock tree, Malus, Armeniaca. Archangell, Lamium. Arrow head, Sagittaria.

Arlmart

Arimart, Perficaria.
Codded Arimart, Noli me tangere.
Artichock, Cinara.
Afparagus, Afparagus.
Affarabacca, Afarum.
Ash tree, Fraxinns.
Avens, Caryophyllata.

B

Alfame Apple, Balfamina. DBarberry bush, Berberis. Barly, Hordeum. Barrenwort, Epimedium. Bafill, Ocymum. Stone Bafill, Acinos. Cow Bafill, Vaccaria. Batchelours buttons, Lychnis. Baume, Melissa. Bay, Laurus. Wild Bay, Laurustinus. Beane, Faba. Kidney Beane, Phafeouls. Beares breech, Acanthus fativus. Beares eare, Auricula unfi. Beet, Beta. Beech tree, Fagus.

Bellflower, Campanula. B tony, Betonica. Bindweed, Convolvulus. Prickly Bindweed, Smilax aspera. Birch tree, Betula. Birds neeft, Orchis abortiva. Birds foot, Ornithopodium. Brds eye, Paralysis. Birthwort, Aristolochia. Bittersweet, Dulcamara. Blue bottle, Cyanus. Blites, Blitum. Borage, Borrago. Box tree, Buxus. Bramble bush, Rubus Sylv. Bread of India, Tucca. Brooklime, Anagulis aquat. Broome, Genista. Broom rape, Orobanche. Bryony, Bryonia. Buckwheate, Tragopyrum. Bucks horne, Cornu cervinum. Bugle, Bugula. Bugloffe, bugloffum. Bushbowre, Clematis panonia. Vipers Bugloffe, Ect. um. Wall Buglosse, Lycopsis. Burnet, Pimpinella. Lefoile, Land Ciperus

saft tree.

Burdock, bardana.
Butchers broom, Ruscus.
Butter bur, Petasites.
Butterwort, Pinguicula.

C

Abbage, Brascica.
Calamint, Calamintha. Cammomile, Chamamelum. Campions, Lichnis. Carnations, Capryophyllus. Carrot, Pastinaca tenuifolia. Bardinal flower, Tranchelium, Am. Caraways, Carum. Cats taile, Typha. Catchfly, Muscepula. Celandine, Chalidonium majus. Centaury, Centaurium. Charlock, Rapistrum ardorim. Chery, Cerasus. Chast tree, Agnus. Chesnut, Chaitanen. Viners Bugloffe, Eckel m. Chervil, Myrrbis. Wail Duelolfe, Lycopfs. Chickweed, Alfine. Burnet, Pinginella. Cingfoile, Pentaphillon.

Ciperus

Ciperus or Galangall, Ciperus. Citruall Cucumber, Citrullus.

Clary, Horminum.

Æthiopian Clary, Æthiopis.

Cleaver, Aparine.

Cockle, Pfeudomelanthium.

Coltsfoot, Tuffilago.

Coltsfoot of America, Cacalia Am.

Coriander, Coriandrum.

Corans, Ribes.

Cornell or dog tree, Cornus.

Collumbine, Aquilegia.

Costmary, Balfamita mas.

Cow wheat, Crateogonum.

Cowslips, Paralyfis.

Cowslips of Jerusalem, Pulmonaria.

Cransbill, Geraninm.

Creffe, Naturtium.

Banke Creffe, Erysimum.

Creeping Creise, Draba repens.

Winter Creffe, Barbarea.

Dock Cresse, Lampsana.

Swines Creffe, Coronopus Ruellii.

Crocus, Crocus,

Crowfoot, Ranunculus.

Crown Imperiall, Corona Imperialis

Croslwort, Cruciata.

Cucumber, Cucumis.

Cudweed

Cudweed, Gnaphalium. Cummin, Cuminum. Cumfry, Consolida major. Cypresse, Cypressus.

Affodill, Narcissis. Dandelion, Dens Leonis Daify, Bellis.

Danewort, Ebulus.

Darnell, Dolium. Dill, Anethum.

Baftard Dirany, Pfeudo diciamuns.

Ditander, Lepidium.

Divells bit, Morfus Diaboli.

Dock larathum.

Dogs bane, Apocynum.

Dorias his woundwort herba Doria

Dropwort, Filipendula.

Water dropwort, Oenanthe.

Ducks meat, Lens palustris. Dyars weed, Luteola,

Aum 1947 Earthnist

Cudweed

## V

EArthnut, Bulbocastanum.
Elecompane, Enula campana.
Elder, Sambneus.
Elme tree, Ulmus.
Endive, Endivia.
Eyebright, Euphragia.

## F

Fennell, Faniculum.

Sow fennell, Peucedanum.

Fennell gyant, Ferula.

Fennell flower, Nigella.

Star like water F. stellaria aquat.

Fenugreek, Fanum gracum.

Ferne, Filix.

Oke Ferne, Driopteris.

Fig-tree, Ficus.

Figwort Scropbularia.

Firre-tree, Abies.

Filbert, Avellana.

Sweet

Sweet smelling flag, Acorus verus offic.
Come or Sword flag, Gladiolus.
Flax, Linum.
Toadflax, Linaria.
Broom toad flax, Belvidere.
Fleabane, Conyza.
Fleawort, Psillium.
Flixweed, sophia Chirorgorum.
Flowre gentle, Amaranthus.
Flowredeluce, Iris.
Flowre of Constantinople, Lychni Chalced.
Fluellin, Elatine.
Fox glove, Digitalis.
Fox taile true, Alopecuros.
Fraxinell, Fraxinella.

G

Arlick, Allium.
I Vipers Garlick, Ophioscoridon,
Gentian, Gentiana.
Germander, Camadrys.
Water Germander, Scordium.

Fryars Cowle, Arifarum.

Furze bush, Genista spino fa.

Fumitory, Fumaria.

Tree

Fo

G

Ba

G

G

G

Tee Germander, Teucrium. Gladdon stinking, Xyris. Goats beard, Tragopogon. Goats rue, Gallega. Gold of pleasurue, Myagrum. Golden rod, Virga aurea. Goosberry, Groffularia. Gourd, Cucurbita. Bitter Gourd, Colocynthis. Graffe, Gramen. Four leafed graffe, Lotus quadrifelia Gromell, Lithospermum. Bastard Grom. Anchusa degener, &c. Groundsell, Erigerum. Ground pine, Camapytis. Gum succory, Chondrilla.

H

Harts tongue, Lingna Cervina.
Hawkweed, Hieracium.
Heath, Erica.
Hemlock, Cicuta.
Hemp, Canabis.

Herbe

Herbe Christopher, Acconitum bacc. Hellebore, Helleborus. Henbane Hyosciamus. Holly, Agrifolium. Holyhocks, Malva Hortensis. Holy role, Ciftus. Hollow root, Radix cava. Hop, Lupulus. Hore hound, Marubium. Horne beane tree, Carpinus. Honywort, Cerinthe. Horse tongue, Hypoglossum. Horse taile, Equisetum. Hounds tongue, Cynpoglossum. House leek. Sedum. Hystope, Hystopus. Hedge Hyffope, Gratiola. Hyacinth, Hyacinthus.

Lesson, Legopus. I

Ack by the hedge, Alliaria. Jasmine, Jasminum. ..... coow Jerusalem Artichock, Battatas de Canada. ewfears, Fungus fambucinus. do Jobs teares, Lacrima Job.

Ironwort

12

ror

lud

un

up

lvy:

Kne

white

Ironwort, Sideritis. Judas his tree, Arbor Juda. Juniper, Juniperus. Jupiters distaffe, Horminum Inteum. Jvy, Hedera.

ly, Lilling ager Lilling

orinomic.

L counsvo.

HITOVAGITE, I

Lugine, Lugar

TOYP

me Lecke

K

Knapweed, Jacea.
Inotgraffe. Polygonum.

L

Adies Bedstraw, Galinum.
Lady traces, Triorchis.
Ladyes smocks, Cardamine.
Ladyes bowre, Clematis peregrina.
Ladyes mantle, Alchimilla.
Langdebeef, Buglossum lateum.
Lavender, Lavendula.
Lavender cotton, Abrotanum sem.
Sea Lavender, Limonium.
Larkspur, Consolida regalis.

Leeks

Leeks, Porrum.
Vine Leeks, Ampello prassum.
Leopards bane, Donicum.
Leadwort, Dentillaria.
Lettuce, Latiuca,
Lilly, Lillium.
Water Lilly, Nymphaa.
Line tree, Tillia.
Linewort, Hepatica.
Liquorice, Glicyrbiza,
Loveage, Lenisticum.
Lungwort, Pulmonaria.
Lupine, Lupinus.

M

Mallow, Rubia.
Vervaine Mallow, Alcea.
Hempe leafed Mal. Alcea frut. Can.
Venice Mal. Alcea vescicaria.
Muske Mallow, Alcea Ægyptia.
Yellow Mal. Althea lutea.
Marsh Mallow, Althea.
Mandrake, Mandragora.
Maidenhaire, Trichomanes.

Maple,

A

N

I

I

1

Maple, Acer. Marigol 1, Calendula. Marsh Marigold, Caltha palustris. Corne Marigold, Chryfanthemum. Affrican Marigold, flos Affricanus. Marvell of Peru, Mirabile Peruv. Marlhwort, Vaccinia. Martagon, Martagon. Marjoram, Marjorana. Masterwort, Imperatoria. Mastick, Marum. Maudlin, Ageratum. Mayweed, Cotula. Meadow Sweet, Ulmaria. Melilote, Melilotus. Melon, Melo. Mercury, Mercurialis. Mercury common, Lapathum Unci. Dogs Mercury, Cynocrambe. Mezereon tree, Chamelea Germ. Milkwort, Poligala. Mint, Mentha.

Mirtle, Myrtus.
Moly, Moly.
Monks-hood, Napellus.
Moss, Muscus.
Mouse eare, Pilosella.
Mouse taile, Cauda Muris.

Mugwort

Mugwort, Artemisia.
Moth Mullein, Blattaria.
Mullein, Tapsus barbatus.
Black Mullein, verbascum nigrum.
Mulberry, Morus.
Mustard, Sinapi.
Treacle Mustard, Thlaspi.
Arabian Mustard, Draba.
Mushroome, Fungus.

## N

Avew wild, Bunias sylvestris.

Somers Navellwort, Androsace annua.

Bastard Navellwort, Cymballaria Itul.

Nep or Catmint, Catturia.

Nettle, Urtica.

Nettle tree, Lotus.

Stinking dead Nettle, Galeopsis.

Nightshade, Solanum.

Inchanters Nightshade, Cirsae Intetaina.

Tree Nightshade, Amomum.

Nut, Nux.

Hasle Nut, Avellana sylvestris.

0

Ake tree, Quercus
Oake of Jerusalem, Botrys.
Oats, Avena.
Wild Oats, Bromos sterilis.
Olive, Olea.
Wild Olive, Oleaster.
Onion, Cepa.
Orange tree, Malus Arantia.
Orpine, Telephium.
Mat. his small Orpine, Cepea Mat.
Palma Christi, Ricinus.

P

Parsly, Apium.
Hedge Parsly, Caucalis.
Parsly breakestone, Percepia Anglor.
Parsnip, Pastinachia.
Water Parsnip, Sium.
Cow Parsnip, Spondillium.
Pasque flowre, Pulsatilla.
Peach tree, Malus perscica.
Pease, Pisum.
Everlasting Pease, Lathirus Perennis.

Cichling

Cichling Pease, Legumen.

Square codded Pease, Lotus silliqua quadrata.

Peare Pyrus.

Penny royall, Pulegium.

Pennywort or Navelwort, Cotyledon

Ginny pepper, Capficum Indicum.

Perwinkles, Clematis Daphnoides.

Pellitory, Parietaria.

Picony, Paonia.

Pine tre, Pinus.

Pilewort, Cheledonium minus.

Pinks, Careophyllus.

Pimpenell, Anagallis.

Pipe tree, Syringa

Plantaine, Plantago.

Plowmans Spicknard,

Plum, Prunus.

Poly, Polium.

Polypodie, Polypodium.

Pomegranate tree, Malus granata.

Pomewater tree, Malus Carbonaria

Pompion, Pepo.

Pondweed, Pontomageton.

Poplar, Populus.

Poppy, Papaver.

Bastard wild Poppy, Argemone.

Potatoes, Battatas.

Preoke timber or Spindle tree, Euonymus Th.

Primrofe, Primula veris.

Tree

Tree Primrose, Lysimachia lutea virgi Privet, Ligustrum, Evergreen priaet, Phillurea. Purslain, Portulaca. Sea Purslain, Halimus. Water Purslain, Alsime fol. subrotum.

0

Quince tree, Fraxinus bubula.

R

Ragwort, Jacobea.
Rampions, Rapuntium.
Ramfons, Allium urfinum.
Rafpis, Rubus Idaus.
Rattle or Coxcombe, Crista Galli.
Red Rattle, Pedicularis.
Reed, Arundo.
Flowring Reed, Canna Indica.
Bur Reed, Sparganium.
Reed graffe, Calamogroftis.
Reft harrow, Anonis.
Rocket, Eruca.
Rose, Rosa.
Rose bay, Nerium.

Rolemary, Rosmarinum. Rue, Rita. Rue, Kita. Wall Rue, Adiantum album. Rubarbe, Rhabarbarum. Meadow Rubarbe, Thalictrum. Rupture wort, Herniaria. Rush, Juncus.

Affron true, Crocus. Bastard Saffron, Carthamus. Meadow Saffron, Colchicum. Sage, Salvia. S. Johns wort, Hpericum. S. Peters Corne, Briza Monacoccos. Sanicle, Sanicula. Satyrion, Orchis. Savin, Sabina. Savory, Satureia. Saxifrage, Saxifraga.
Scabious, Scabiofa. Scallions, Ascalonitides Scorpion graffe, Scorpeides. Scurvy graffe, Cochlearia. Selfeheale, Prunella. B aftard Sene, Colutea. Sensitive plant, Herba mimofa

Service

Service tree, Surbus. Wild Service, Aria Theoprafti. Sheapheards purse, Burja Pastoris. Sheapheards needle, Petten veneris. Silver bush, Barba Jovis. Skirrets, Sisarum. Smallage, Apium palustre. Snailes or barbery buttons, Medica Snapdragon, Antirrhinum. Solomons seale, Poligonatum. Sopewort, Saponaria. Sorrell, Acetofa. Wood forrell, Oxys. Sowthernwood, Abrotanum. Sowbread, Cyclamen. Speedwell, Verbuica. Spignell, Meum. Spinach Spinachia. Spiderwort, Phalangium. Spleenwort, Asplenium. Rough spleenwort, Lonchitis aspera. Spurge, Tithymalus. Knobbed Spurge, Apios vera. Small annuall Sp. Efula exigua Tr. Squill, Squilla. Starre of Bethlehem, Ornithogalum Starrewort, Aster. Sea Starwort, Tripolium. Stikadove, Stachas. Stonecrops vermicularis.

Stock-

Stockgilliflowere, Leucoium.
Strawberry, Fragaria.
Strawberrytree, Arbutus.
Succory, Cichoreum.
Swines Succory, Hopocheris.
Sunflower, Flos Solis.
Sundew, Ros Solis.
Sundew, Ros Solis.
Sumach, Rhus.
Swallow wort, Aclpeas.

T

Amarind, Tamarindus. Tamariske, Tamariscus. Tanfy, Tanacetum. Tare, Lathyrus. Milke tare, Glaux. Taragon, Draco berba. Teasle, Dipsacus. Thiftle, Carduus. Carline Thiftle, Carlina. Cotten Thiftle, Acanthium Sow thiftle, Sonchus. Single headed Thifte, Cirfium. Thrift, Cariophyllus marinus. Throatwort, Trachelium. Thorne evergreen, Pyracantha. Toothwort, Dentaria. Formentill, Tormentilla.

Travellors

I

1

1

E

Travellours joy, Clematis sylvestris.
Tree of life, Arbor vita.
Trefoile, Trifolium.
Shrub trefoile, Citysfus.
Candy wild Tr. Lotus Sylvestris cr.
Beane trefoile, Anagyris.
True love or one berry, Herba Paris
Tulip, Tulippa.
Turnep, Rapum.
Turpentine tree, Terebinthus.
Twayblade, Bifolium.
Garden Tyme, Thymum.
Wild Tyme, Serpillum.

Vervain, Valeriana.
Vervain, Verbena.
Vetch, Vicia.
Kidney Vetch, Anthyllis.
Starry Kidney Vetch, Stella Leguminofa.
Hatchet vetch, Hedeysarum.
Horseshew vetch, Ferrum Equinum.
Crimson grasse Vetch, Catanance.
Bastard milke Vetch, Catanance.
Bastard milke Vetch Airagaloides.
Dangerous Vetch of Ægypt, Sophera Ægy.
Vine, Vitis.
Violet, Viola.
Bulbose Violet, Leucoium.
Corne Violet, Speculum Venenis.
Vipers grasse, Scorzonera.

W

TAke Robbin, Arum. Wall flowre, Leucoium, Vall pepper, Illecebra. Vayfaring tree, Viburnum. Wheat, Triticum. ndian wheat, Frumentum Indicum. Whitlow graffe, Paronichya Petty Whin, Genista aculeata. Widdow waile, Chamelea tricoccos Willow, Salix. Villowweed, Lysimachia. Villiams, Armeria. Villiams wild, Armoraria. Vinter Cherry, Alkakengi. Woad, Glastum. Wolfes bane, Aconitum. Woodroof, Asgerula. Woodwax, Genistella. Woodbine, Periclimenum. Wormewood, Absinthium. Treacle Wormeseed, Camelina.

YATTOW, Millefoleum. Yew tree, Taxus.

FINIS.

